

1885.

NEW SOUTH WALES.

VITAL STATISTICS.

TWENTY-NINTH ANNUAL REPORT

FROM

THE REGISTRAR-GENERAL, ON VITAL STATISTICS.

Printed in accordance with Resolutions of both Houses of Parliament.



SYDNEY: THOMAS RICHARDS, GOVERNMENT PRINTER.

1885.

1884.

VITAL STATISTICS.

THE REGISTRAR-GENERAL TO THE HONORABLE THE COLONIAL SECRETARY,

TRANSMITTING ABSTRACTS OF

MARRIAGES, BIRTHS, AND DEATHS,

FOR THE YEAR 1884 :

WITH PREFATORY REPORT .

Sir, Registrar-General's Department, Sydney, 17 June, 1885.

I have the honor to submit a Report on the Marriages, Births, and Deaths registered in the Colony during the year 1884, with Abstracts showing these events in detail.

The estimated number of persons in the Colony on the 31st December, 1884, was 921,129; comprising 511,164 males, and 409,965 females. These figures show a percentage of 55.49 for males, and 44.51 for females. As compared with the previous year, these proportions show a slight increase in favour of males. The increase to the population of the Colony during the year 1884, by births and arrivals by sea, is as follows:—Births, 33,946; arrivals by sea, 72,347: giving a total of 106,293 persons.

The deaths for the year numbered 14,220, and the departures by sea 40,254; making a total of 54,474. The gain to the Colony was 51,819 persons, and brings the estimated population at the end of the year, as stated before, to 921,129 persons.

ESTIMATED Population of the Colony of New South Wales on 31st December, 1884.

| | Males. | Females. | Total. | Males. | Females. | Total. |
|--|--------|----------|--------|---------|----------|---------|
| Births during the year ended 31st December, 1884 | 17,417 | 16,529 | 33,946 | | | |
| Arrivals by sea..... | 49,879 | 22,468 | 72,347 | | | |
| | | | | 67,296 | 38,997 | 106,293 |
| Deaths during same period..... | 8,325 | 5,895 | 14,220 | | | |
| Departures by sea | 28,304 | 11,950 | 40,254 | | | |
| | | | | 36,629 | 17,845 | 54,474 |
| Increase during the year | | | | 30,667 | 21,152 | 51,819 |
| Estimated Population, 31st December, 1883 | | | | 480,497 | 388,813 | 869,310 |
| Estimated Population, 31st December, 1884 | | | | 511,164 | 409,965 | 921,129 |

Marriages,
Births, and
Deaths.

From the quarterly table of Marriages, Births, and Deaths, we find that during the year 1884 there were 7,482 marriages celebrated, being 77 in excess of the number for the previous year.

The number of registered births was 33,946, as against 31,281 in the preceding year, showing an increase of 2,665 births.

The records of deaths show that there were 14,220 during the year 1884, which is an increase of 1,971 on the deaths of the previous year.

(A.)

TABLE showing the number of MARRIAGES, BIRTHS, and DEATHS registered in the Colony of New South Wales, during each Quarter of the year 1884.

| Quarter ended— | Marriages. | Births. | | | Deaths. | | |
|--------------------|------------|---------|----------|--------|---------|----------|--------|
| | | Males. | Females. | Total. | Males. | Females. | Total. |
| Sydney— | | | | | | | |
| 31 March | 518 | 540 | 535 | 1,075 | 354 | 280 | 634 |
| 30 June | 498 | 534 | 518 | 1,052 | 334 | 245 | 579 |
| 30 September..... | 487 | 572 | 489 | 1,061 | 303 | 271 | 574 |
| 31 December | 496 | 473 | 468 | 941 | 423 | 325 | 748 |
| Total | 1,999 | 2,119 | 2,010 | 4,129 | 1,414 | 1,121 | 2,535 |
| Suburbs— | | | | | | | |
| 31 March | 357 | 928 | 878 | 1,806 | 457 | 382 | 839 |
| 30 June | 368 | 998 | 971 | 1,969 | 437 | 361 | 798 |
| 30 September..... | 343 | 1,064 | 1,034 | 2,098 | 368 | 335 | 703 |
| 31 December | 357 | 955 | 915 | 1,870 | 553 | 498 | 1,051 |
| Total | 1,425 | 3,945 | 3,798 | 7,743 | 1,815 | 1,576 | 3,391 |
| Country Districts— | | | | | | | |
| 31 March | 1,090 | 2,720 | 2,540 | 5,260 | 1,383 | 843 | 2,226 |
| 30 June | 997 | 2,801 | 2,621 | 5,422 | 1,356 | 869 | 2,225 |
| 30 September..... | 1,011 | 3,067 | 2,934 | 6,001 | 1,149 | 700 | 1,849 |
| 31 December | 960 | 2,765 | 2,626 | 5,391 | 1,208 | 786 | 1,994 |
| Total | 4,058 | 11,353 | 10,721 | 22,074 | 5,096 | 3,198 | 8,294 |
| New South Wales— | | | | | | | |
| 31 March | 1,965 | 4,188 | 3,953 | 8,141 | 2,194 | 1,505 | 3,699 |
| 30 June | 1,863 | 4,333 | 4,110 | 8,443 | 2,127 | 1,475 | 3,602 |
| 30 September..... | 1,841 | 4,703 | 4,457 | 9,160 | 1,820 | 1,306 | 3,126 |
| 31 December | 1,813 | 4,193 | 4,009 | 8,202 | 2,184 | 1,609 | 3,793 |
| Total | 7,482 | 17,417 | 16,529 | 33,946 | 8,325 | 5,895 | 14,220 |

MARRIAGES.

As before shown, the number of marriages for the year was 7,482. The ratio per 1,000 of estimated mean population is 8·35, which is a decline of ·45 on the ratio of the previous year,—the proportion for the decennial period being 8·00.

The marriages celebrated in Sydney (1,999) give a proportion of 16·22 per 1,000 of estimated population as against 17·63 in the preceding year, the average for the ten years being 15·13.

In the Suburbs the proportion of marriages was 9·89, which is the highest of any one year of the decennial period, the average for which is 7·81.

The Country Districts show a proportion of 6·45, which is a shade lower than the figures of the previous year and also of the ten years average.

(B.)

TABLE showing the number of MARRIAGES registered in the Colony of New South Wales during each Quarter of the years 1875 to 1884.

| | Estimated Population at the middle of the year. | 31 March. | 30 June. | 30 Sept. | 31 Dec. | Total. | Ratio per 1,000 living. | |
|------------------------|--|-----------|----------|----------|---------|--------|-------------------------------|-------|
| Sydney | 1875..... | 89,796 | 324 | 324 | 297 | 287 | 1,232 | 13'72 |
| | 1876..... | 93,269 | 321 | 349 | 296 | 298 | 1,264 | 13'55 |
| | 1877..... | 97,235 | 339 | 344 | 350 | 310 | 1,343 | 13'81 |
| | 1878..... | 102,056 | 358 | 386 | 350 | 324 | 1,418 | 13'89 |
| | 1879..... | 107,603 | 341 | 350 | 342 | 384 | 1,417 | 13'17 |
| | 1880..... | 113,455 | 416 | 398 | 381 | 408 | 1,603 | 14'13 |
| | 1881..... | 104,966* | 437 | 471 | 470 | 449 | 1,827 | 17'41 |
| | 1882..... | 109,694 | 493 | 513 | 477 | 470 | 1,953 | 17'80 |
| | 1883..... | 115,642 | 499 | 537 | 481 | 522 | 2,039 | 17'63 |
| | 1884..... | 123,197 | 518 | 498 | 487 | 496 | 1,999 | 16'22 |
| | | 4,046 | 4,170 | 3,931 | 3,948 | 16,095 | | |
| Suburbs..... | 1875..... | 71,119 | 102 | 114 | 101 | 109 | 426 | 5'99 |
| | 1876..... | 73,872 | 113 | 101 | 117 | 132 | 463 | 6'26 |
| | 1877..... | 77,014 | 114 | 157 | 125 | 160 | 556 | 7'21 |
| | 1878..... | 80,833 | 158 | 149 | 172 | 153 | 632 | 7'81 |
| | 1879..... | 85,226 | 214 | 187 | 183 | 165 | 749 | 8'78 |
| | 1880..... | 89,861 | 181 | 162 | 206 | 181 | 730 | 8'12 |
| | 1881..... | 122,687* | 203 | 216 | 204 | 225 | 848 | 6'91 |
| | 1882..... | 128,214 | 259 | 293 | 275 | 282 | 1,109 | 8'65 |
| | 1883..... | 135,166 | 319 | 356 | 292 | 276 | 1,243 | 9'19 |
| | 1884..... | 143,997 | 357 | 368 | 343 | 357 | 1,425 | 9'89 |
| | | 2,020 | 2,103 | 2,018 | 2,040 | 8,181 | | |
| Country Districts..... | 1875..... | 433,264 | 786 | 731 | 740 | 690 | 2,947 | 6'80 |
| | 1876..... | 450,025 | 832 | 713 | 687 | 671 | 2,903 | 6'45 |
| | 1877..... | 469,163 | 791 | 773 | 777 | 754 | 3,095 | 6'58 |
| | 1878..... | 492,427 | 812 | 828 | 815 | 812 | 3,267 | 6'63 |
| | 1879..... | 519,190 | 812 | 813 | 847 | 753 | 3,225 | 6'21 |
| | 1880..... | 547,426 | 851 | 822 | 746 | 820 | 3,239 | 5'92 |
| | 1881..... | 535,353* | 881 | 945 | 888 | 895 | 3,609 | 6'74 |
| | 1882..... | 559,469 | 957 | 987 | 965 | 977 | 3,886 | 6'94 |
| | 1883..... | 589,806 | 1,081 | 989 | 1,054 | 999 | 4,123 | 6'99 |
| | 1884..... | 628,339 | 1,090 | 997 | 1,011 | 960 | 4,058 | 6'45 |
| | | 8,893 | 8,598 | 8,530 | 8,331 | 34,352 | | |
| New South Wales | 1875..... | 594,179 | 1,212 | 1,169 | 1,138 | 1,086 | 4,605 | 7'75 |
| | 1876..... | 617,166 | 1,266 | 1,163 | 1,100 | 1,101 | 4,630 | 7'51 |
| | 1877..... | 643,412 | 1,244 | 1,274 | 1,252 | 1,224 | 4,994 | 7'76 |
| | 1878..... | 675,316 | 1,328 | 1,363 | 1,337 | 1,289 | 5,317 | 7'87 |
| | 1879..... | 712,019 | 1,367 | 1,350 | 1,372 | 1,302 | 5,391 | 7'57 |
| | 1880..... | 750,742 | 1,448 | 1,382 | 1,333 | 1,409 | 5,572 | 7'42 |
| | 1881..... | 763,006* | 1,521 | 1,632 | 1,562 | 1,569 | 6,284 | 8'23 |
| | 1882..... | 797,377 | 1,709 | 1,793 | 1,717 | 1,729 | 6,948 | 8'71 |
| | 1883..... | 840,614 | 1,899 | 1,882 | 1,827 | 1,797 | 7,405 | 8'80 |
| | 1884..... | 895,533 | 1,965 | 1,863 | 1,841 | 1,813 | 7,482 | 8'35 |
| | | 14,959 | 14,871 | 14,479 | 14,319 | 58,628 | | |

* This population is calculated on the basis of the Census taken 3rd April, 1881.

The table hereunder, marked C, gives the number of marriages celebrated by the various denominations and by the Registrars of the Colony for each year of the decade, and immediately after will be found a comparative table of marriages celebrated in the years 1883 and 1884, with percentages, &c., &c.

(C.)

| Denomination. | 1875. | 1876. | 1877. | 1878. | 1879. | 1880. | 1881. | 1882. | 1883. | 1884. |
|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Church of England | 1,618 | 1,759 | 1,869 | 2,098 | 2,182 | 2,252 | 2,487 | 2,768 | 2,949 | 2,893 |
| Roman Catholic | 953 | 921 | 990 | 1,009 | 982 | 1,021 | 1,171 | 1,315 | 1,414 | 1,448 |
| Presbyterian | 906 | 761 | 854 | 821 | 722 | 768 | 872 | 955 | 950 | 1,009 |
| Wesleyan | 502 | 487 | 509 | 556 | 605 | 618 | 651 | 704 | 712 | 759 |
| Primitive Methodist | 93 | 101 | 110 | 94 | 111 | 101 | 146 | 134 | 157 | 165 |
| Congregationalist | 186 | 232 | 243 | 291 | 331 | 364 | 433 | 516 | 565 | 484 |
| Baptist | 46 | 39 | 70 | 89 | 90 | 93 | 85 | 79 | 101 | 117 |
| Christian Israelite | | | | | | | | | | |
| Unitarian | 1 | | | 1 | 1 | | | | 5 | 3 |
| Hebrew | 11 | 14 | 20 | 20 | 22 | 17 | 27 | 22 | 24 | 27 |
| Protestant Episcopal | 16 | 16 | 3 | 7 | 2 | 2 | | | | |
| Catholic and Apostolic | | | | | | | 2 | | | |
| German Evangelical | 17 | 19 | 20 | 11 | 13 | 9 | 13 | 14 | 10 | 18 |
| Christians | 4 | 4 | 3 | 11 | 7 | 9 | 3 | 2 | 1 | 5 |
| Welsh Church | | | | | 1 | | | | | |
| Independent | | | | | | | | 2 | 12 | 5 |
| Free Christian Church | 2 | 2 | | | | | 2 | 3 | 8 | |
| Friends | | | | | | | | | 1 | 1 |
| Salvation Army | | | | | | | | | 3 | 3 |
| Bible Christians | | | | | | | | | 2 | 4 |
| Anglo-Israelite | | | | | | | | | 2 | |
| Free Church of England | | | | | | | | | 3 | 4 |
| Registrar's Offices | 250 | 275 | 303 | 309 | 322 | 318 | 392 | 434 | 486 | 537 |
| | 4,605 | 4,630 | 4,994 | 5,317 | 5,391 | 5,572 | 6,284 | 6,948 | 7,405 | 7,482 |

MARRIAGE Table of Increase and Decrease.

| Denomination. | 1883. | 1884. | 1883 per cent. | 1884 per cent. | Increase per cent. | Decrease per cent. |
|-------------------------------|-------|-------|-------------------|-------------------|-----------------------|-----------------------|
| Church of England | 2,949 | 2,893 | 39'82 | 38'66 | | 1'16 |
| Roman Catholic | 1,414 | 1,448 | 19'09 | 19'36 | 0'27 | |
| Presbyterian | 950 | 1,009 | 12'83 | 13'49 | 0'66 | |
| Wesleyan | 712 | 759 | 9'62 | 10'15 | 0'53 | |
| Primitive Methodist | 157 | 165 | 2'12 | 2'20 | 0'08 | |
| Congregationalist | 565 | 484 | 7'63 | 6'48 | | 1'15 |
| Baptist | 101 | 117 | 1'36 | 1'57 | 0'21 | |
| Hebrew | 24 | 27 | 0'32 | 0'37 | 0'05 | |
| German Evangelic | 10 | 18 | 0'14 | 0'24 | 0'10 | |
| Christians | 9 | 5 | 0'12 | 0'06 | | 0'06 |
| Independent—unconnected | 12 | 5 | 0'16 | 0'06 | | 0'10 |
| Friends | 1 | 1 | 0'01 | 0'01 | | |
| Salvation Army | 3 | 3 | 0'04 | 0'04 | | |
| Bible Christians | 2 | 4 | 0'03 | 0'05 | 0'02 | |
| Anglo-Israelite | 2 | | 0'03 | | | 0'03 |
| Free Church of England | 3 | 4 | 0'04 | 0'05 | 0'01 | |
| Unitarian | 5 | 3 | 0'07 | 0'04 | | 0'03 |
| Registrars' Offices | 486 | 537 | 6'57 | 7'17 | 0'60 | |
| | 7,405 | 7,482 | 100'00 | 100'00 | 2'53 | 2'53 |

The number of bachelors married in the year 1884 was 6,835, and of spinsters 6,838. The number of widowers married was 641, and of widows 638. Six divorced men and six divorced women were also married.

TABLE of Bachelors, Spinsters, &c.

| | No. of Marriages. | Bachelors. | Spinsters. | Widowers. | Widows. | Divorced Men. | Divorced Women. |
|-------------------------|----------------------|------------|------------|-----------|---------|------------------|--------------------|
| Sydney | 1,999 | 1,803 | 1,782 | 194 | 214 | 2 | 3 |
| Suburbs | 1,425 | 1,284 | 1,307 | 138 | 117 | 3 | 1 |
| Country Districts | 4,058 | 3,748 | 3,749 | 309 | 307 | 1 | 2 |
| | 7,482 | 6,835 | 6,838 | 641 | 638 | 6 | 6 |

There were 2,147 minors married in the year 1884, which gives a percentage of 14·35 to the total number of persons married. From the number of minors married we find 190, or 8·85 per cent., were males; and 1,957, or 91·15 per cent., were females.

One male minor, and seventy-two female minors, were unable to write their names in the registers.

TABLE of Minors.

| | No. of Marriages. | Minors. | | |
|-------------------------|-------------------|---------|----------|--------|
| | | Males. | Females. | Total. |
| Sydney | 1,999 | 40 | 368 | 408 |
| Suburbs | 1,425 | 35 | 335 | 370 |
| Country Districts | 4,058 | 115 | 1,254 | 1,369 |
| | 7,482 | 190 | 1,957 | 2,147 |

TABLE of Minors and Marks.

| | Males. | Females. | Total. |
|-------------------------|--------|----------|--------|
| Sydney | | 3 | 3 |
| Suburbs | | 20 | 20 |
| Country Districts | 1 | 49 | 50 |
| | 1 | 72 | 73 |

Out of the total of 14,964 persons who were married during the year we see there were 783, or 5·23 per cent., who affixed their marks to the registers. Year by year this class of persons is diminishing.

| | No. of Marriages. | Signatures. | | | Marks. | | | Marks per cent. |
|---------------|-------------------|-------------|----------|---------|--------|----------|---------|-----------------|
| | | Males. | Females. | Totals. | Males. | Females. | Totals. | |
| Sydney | 1,999 | 1,940 | 1,915 | 3,855 | 59 | 84 | 143 | 3·60 |
| Suburbs | 1,425 | 1,384 | 1,376 | 2,760 | 41 | 49 | 90 | 3·12 |
| Country | 4,058 | 3,808 | 3,758 | 7,566 | 250 | 300 | 550 | 6·77 |
| Totals..... | 7,482 | 7,132 | 7,049 | 14,181 | 350 | 433 | 783 | 5·23 |

BIRTHS.

The births registered in the Colony in the year 1884 numbered 33,946. As compared with the previous year there is an increase of 2,665 births. There were 17,417 male births and 16,529 female births, being 51·30 and 48·70 per cent. respectively. The birth-rate of the Colony for the year 1884 was 37·90, which is a shade higher than the rate of the previous year, and also of the average rate of the past ten years. The City birth-rate was 33·51, being 1·03 over the rate of the preceding year, but lower than the average rate of the decade by 0·79. In the Suburbs the birth-rate was exceptionally high, being 53·77 as against 48·34 in the previous year. It is also 8·77 in excess of the average rate of the past ten years. The birth-rate of the Country Districts for the year was 35·13, which is nearly the same as the rate for the previous year, but 0·98 lower than the average of the ten years rate.

The following table gives the number of births registered in each quarter of the year for the last ten years, distinguishing the births registered in Sydney, Suburbs, and Country Districts.

(D.)

(D.)

TABLE showing the number of BIRTHS registered in the Colony of New South Wales during each Quarter of the years 1875 to 1884.

| | | Estimated Population at the middle of the year. | 31 March. | 30 June. | 30 Sept. | 31 Dec. | Total. | Ratio per 1,000 living. |
|-------------------------|-----------|--|-----------|----------|----------|---------|---------|-------------------------------|
| Sydney | 1875..... | 89,796 | 748 | 858 | 797 | 759 | 3,162 | 35'21 |
| | 1876..... | 93,269 | 838 | 865 | 873 | 734 | 3,310 | 35'48 |
| | 1877..... | 97,235 | 818 | 796 | 896 | 889 | 3,399 | 34'95 |
| | 1878..... | 102,056 | 846 | 851 | 956 | 831 | 3,484 | 34'13 |
| | 1879..... | 107,603 | 857 | 943 | 1,007 | 907 | 3,714 | 34'51 |
| | 1880..... | 113,455 | 870 | 985 | 960 | 920 | 3,735 | 32'92 |
| | 1881..... | 104,966 | 938 | 920 | 946 | 937 | 3,741 | 35'64 |
| | 1882..... | 109,694 | 955 | 961 | 959 | 879 | 3,754 | 34'22 |
| | 1883..... | 115,642 | 943 | 929 | 926 | 958 | 3,756 | 32'48 |
| | 1884..... | 123,197 | 1,075 | 1,052 | 1,061 | 941 | 4,129 | 33'51 |
| | | | 8,888 | 9,160 | 9,381 | 8,755 | 36,184 | |
| Suburbs..... | 1875..... | 71,119 | 685 | 740 | 785 | 698 | 2,908 | 40'89 |
| | 1876..... | 73,872 | 721 | 772 | 832 | 733 | 3,058 | 41'39 |
| | 1877..... | 77,014 | 719 | 821 | 868 | 838 | 3,246 | 42'15 |
| | 1878..... | 80,833 | 854 | 900 | 1,014 | 906 | 3,674 | 45'45 |
| | 1879..... | 85,226 | 955 | 1,009 | 1,130 | 1,053 | 4,147 | 48'66 |
| | 1880..... | 89,861 | 1,026 | 1,197 | 1,182 | 1,214 | 4,619 | 51'40 |
| | 1881..... | 122,687 | 1,178 | 1,250 | 1,387 | 1,356 | 5,171 | 42'15 |
| | 1882..... | 128,214 | 1,383 | 1,458 | 1,532 | 1,503 | 5,876 | 45'83 |
| | 1883..... | 135,166 | 1,518 | 1,647 | 1,650 | 1,719 | 6,534 | 48'34 |
| | 1884..... | 143,997 | 1,806 | 1,969 | 2,058 | 1,870 | 7,743 | 53'77 |
| | | | 10,845 | 11,763 | 12,478 | 11,890 | 46,976 | |
| Country Districts | 1875..... | 433,264 | 3,893 | 4,113 | 4,282 | 4,170 | 16,458 | 37'98 |
| | 1876..... | 450,025 | 4,091 | 4,048 | 4,505 | 4,286 | 16,930 | 37'62 |
| | 1877..... | 469,163 | 4,083 | 4,220 | 4,657 | 4,246 | 17,206 | 36'67 |
| | 1878..... | 492,427 | 4,262 | 4,414 | 5,006 | 4,488 | 18,170 | 36'89 |
| | 1879..... | 519,119 | 4,419 | 4,639 | 5,127 | 4,887 | 19,072 | 36'73 |
| | 1880..... | 547,426 | 4,694 | 4,934 | 5,088 | 5,092 | 19,808 | 36'18 |
| | 1881..... | 535,353 | 4,860 | 4,813 | 5,181 | 5,227 | 20,081 | 37'51 |
| | 1882..... | 559,469 | 4,857 | 4,854 | 5,336 | 5,025 | 20,072 | 35'87 |
| | 1883..... | 589,806 | 4,917 | 5,179 | 5,424 | 5,471 | 20,991 | 35'58 |
| | 1884..... | 628,339 | 5,260 | 5,422 | 6,001 | 5,391 | 22,074 | 35'13 |
| | | | 45,336 | 46,636 | 50,607 | 48,283 | 190,862 | |
| New South Wales | 1875..... | 594,179 | 5,326 | 5,711 | 5,864 | 5,627 | 22,528 | 37'92 |
| | 1876..... | 617,166 | 5,650 | 5,685 | 6,210 | 5,753 | 23,298 | 37'75 |
| | 1877..... | 643,412 | 5,620 | 5,837 | 6,421 | 5,973 | 23,851 | 37'05 |
| | 1878..... | 675,316 | 5,962 | 6,165 | 6,976 | 6,225 | 25,328 | 37'50 |
| | 1879..... | 712,019 | 6,231 | 6,591 | 7,264 | 6,847 | 26,933 | 37'82 |
| | 1880..... | 750,742 | 6,590 | 7,116 | 7,230 | 7,226 | 28,162 | 37'51 |
| | 1881..... | 763,006 | 6,976 | 6,983 | 7,514 | 7,520 | 28,993 | 37'99 |
| | 1882..... | 797,377 | 7,195 | 7,273 | 7,827 | 7,407 | 29,702 | 37'25 |
| | 1883..... | 840,614 | 7,378 | 7,755 | 8,000 | 8,148 | 31,281 | 37'21 |
| | 1884..... | 895,533 | 8,141 | 8,443 | 9,160 | 8,202 | 33,946 | 37'90 |
| | | | 65,069 | 67,559 | 72,466 | 68,928 | 274,022 | |

Illegitimates. The number of children born out of wedlock during the year 1884 was 1,495, being 177 in excess of the previous year, and gives a percentage of 4'40 to total number of births registered.

(E.)

1495
177
1318

(E.)

TABLE showing the number of CHILDREN born out of WEDLOCK in the Colony of New South Wales, from 1st January, 1875, to 31st December, 1884.

| Year. | Sydney. | | | Suburban. | | | Country Districts. | | | Total. | | |
|----------|---------|----------|--------|-----------|----------|--------|--------------------|----------|--------|--------|----------|--------|
| | Males. | Females. | Total. | Males. | Females. | Total. | Males. | Females. | Total. | Males. | Females. | Total. |
| 1875 ... | 132 | 128 | 260 | 41 | 44 | 85 | 321 | 281 | 602 | 494 | 453 | 947 |
| 1876 ... | 170 | 136 | 306 | 43 | 45 | 88 | 309 | 247 | 556 | 522 | 428 | 950 |
| 1877 ... | 161 | 144 | 305 | 34 | 43 | 77 | 315 | 292 | 607 | 510 | 479 | 989 |
| 1878 ... | 165 | 152 | 317 | 54 | 54 | 108 | 317 | 279 | 596 | 536 | 485 | 1,021 |
| 1879 ... | 195 | 194 | 389 | 65 | 52 | 117 | 345 | 364 | 709 | 605 | 610 | 1,215 |
| 1880 ... | 204 | 207 | 411 | 69 | 81 | 150 | 351 | 314 | 665 | 624 | 602 | 1,226 |
| 1881 ... | 203 | 222 | 425 | 84 | 83 | 167 | 353 | 318 | 671 | 640 | 623 | 1,263 |
| 1882 ... | 220 | 220 | 440 | 75 | 86 | 161 | 340 | 320 | 660 | 635 | 626 | 1,261 |
| 1883 ... | 240 | 199 | 439 | 118 | 119 | 237 | 342 | 300 | 642 | 700 | 618 | 1,318 |
| 1884 ... | 272 | 255 | 527 | 132 | 127 | 259 | 340 | 369 | 709 | 744 | 751 | 1,495 |
| | 1,962 | 1,857 | 3,819 | 715 | 734 | 1,449 | 3,333 | 3,084 | 6,417 | 6,010 | 5,675 | 11,685 |

(F.)

TABLE showing the number of TRIPLETS and TWINS born in the Colony of New South Wales, from 1st January, 1875, to 31st December, 1884.

| Year. | Triplets. | | | | Twins. | | | |
|------------|---------------|--------|----------|--------|---------------|--------|----------|--------|
| | No. of Cases. | Males. | Females. | Total. | No. of Cases. | Males. | Females. | Total. |
| 1875 | 1 | | 3 | 3 | 200 | 180 | 219 | 399* |
| 1876 | 1 | 1 | 1 | 2* | 195 | 188 | 193 | 381*† |
| 1877 | | | | | 209 | 222 | 193 | 415§ |
| 1878 | 2 | 3 | 1 | 4† | 196 | 195 | 197 | 392 |
| 1879 | 2 | 1 | 5 | 6 | 203 | 206 | 198 | 404† |
| 1880 | | | | | 224 | 230 | 218 | 448 |
| 1881 | 4 | 8 | 4 | 12 | 224 | 219 | 227 | 446 |
| 1882 | | | | | 213 | 217 | 208 | 425* |
| 1883 | 2 | 3 | 3 | 6 | 287 | 277 | 297 | 574 |
| 1884 | 4 | 6 | 6 | 12 | 288 | 277 | 295 | 572¶ |
| | 16 | 22 | 23 | 45 | 2,239 | 2,211 | 2,245 | 4,456 |

* One still-born. † Two still-born. ‡ Nine still-born. § Three still-born. || Two still-born. ¶ Four still-born.

DEATHS.

There were 14,220 deaths recorded during the year 1884 as against 12,249 in the previous year, showing an increase of 1,971 deaths. The rate per 1,000 of estimated mean population was 15·88. This is 1·31 higher than the preceding year, and about the same as the average rate for the ten years. The death rate for Sydney was 20·57, which is 1·27 higher than the rate of the previous year, but 3·36 lower than the average rate of the decade. The suburban rate was 23·54, being 3·46 over the rate of the previous year, and also 2·81 higher than the average rate of the last ten years. The country districts show a death-rate of 13·19, which is higher by 0·81 than the rate of the preceding year, but slightly lower than the average of the decade.

(G.)

(G.)

TABLE showing the number of DEATHS registered in the Colony of New South Wales, during each Quarter of the Years 1875 to 1884.

| | | Estimated Population at the middle of each year. | 31 March. | 30 June. | 30 Sept. | 30 Dec. | Total. | Ratio per 1,000 living. |
|-------------------------|------|---|-----------|----------|----------|---------|---------|-------------------------------|
| Sydney | 1875 | 89,796 | 900 | 560 | 562 | 651 | 2,673 | 29'76 |
| | 1876 | 93,269 | 758 | 699 | 565 | 469 | 2,491 | 26'70 |
| | 1877 | 97,235 | 525 | 519 | 419 | 537 | 2,000 | 20'57 |
| | 1878 | 102,056 | 644 | 584 | 540 | 553 | 2,321 | 22'74 |
| | 1879 | 107,603 | 624 | 530 | 468 | 644 | 2,266 | 21'05 |
| | 1880 | 113,455 | 590 | 540 | 680 | 930 | 2,740 | 24'24 |
| | 1881 | 104,966 | 600 | 520 | 530 | 596 | 2,246 | 21'39 |
| | 1882 | 109,694 + | 684 | 614 | 604 | 623 | 2,525 | 23'02 |
| | 1883 | 115,642 + | 558 | 524 | 503 | 648 | 2,233 | 19'30 |
| | 1884 | 123,197 - | 634 | 579 | 574 | 748 | 2,535 | 20'51 |
| | | | 6,517 | 5,669 | 5,445 | 6,399 | 24,030 | |
| Suburbs | 1875 | 71,119 | 533 | 332 | 295 | 487 | 1,647 | 22'76 |
| | 1876 | 73,872 | 516 | 505 | 332 | 332 | 1,685 | 22'76 |
| | 1877 | 77,014 | 331 | 375 | 258 | 357 | 1,321 | 17'15 |
| | 1878 | 80,833 | 414 | 481 | 349 | 407 | 1,651 | 20'42 |
| | 1879 | 85,226 | 405 | 428 | 346 | 469 | 1,648 | 19'33 |
| | 1880 | 89,861 | 498 | 460 | 465 | 757 | 2,180 | 24'26 |
| | 1881 | 122,687 | 637 | 502 | 428 | 539 | 2,106 | 17'16 |
| | 1882 | 128,214 + | 667 | 604 | 526 | 700 | 2,497 | 19'47 |
| | 1883 | 135,166 + | 617 | 690 | 574 | 834 | 2,715 | 20'08 |
| | 1884 | 143,997 - | 839 | 798 | 703 | 1,051 | 3,391 | 23'54 |
| | | | 5,457 | 5,175 | 4,276 | 5,933 | 20,841 | |
| Country Districts | 1875 | 433,264 | 1,749 | 1,879 | 1,452 | 1,371 | 6,451 | 14'89 |
| | 1876 | 450,025 | 1,738 | 1,954 | 1,739 | 1,586 | 7,017 | 15'59 |
| | 1877 | 469,163 | 1,987 | 1,765 | 1,450 | 1,346 | 6,548 | 13'95 |
| | 1878 | 492,427 | 1,895 | 1,953 | 1,447 | 1,496 | 6,791 | 13'77 |
| | 1879 | 519,190 | 1,828 | 1,605 | 1,418 | 1,435 | 6,286 | 12'10 |
| | 1880 | 547,426 | 1,589 | 1,621 | 1,426 | 1,675 | 6,311 | 11'51 |
| | 1881 | 535,353 | 1,932 | 1,803 | 1,650 | 1,799 | 7,184 | 13'42 |
| | 1882 | 559,469 | 2,134 | 2,072 | 1,781 | 1,807 | 7,794 | 13'93 |
| | 1883 | 589,806 | 1,950 | 1,867 | 1,713 | 1,771 | 7,301 | 12'38 |
| | 1884 | 628,339 | 2,226 | 2,225 | 1,849 | 1,994 | 8,294 | 13'19 |
| | | | 19,028 | 18,744 | 15,925 | 16,280 | 69,977 | |
| New South Wales | 1875 | 594,179 | 3,182 | 2,771 | 2,309 | 2,509 | 10,771 | 18'12 |
| | 1876 | 617,166 | 3,012 | 3,158 | 2,636 | 2,387 | 11,193 | 18'13 |
| | 1877 | 643,412 | 2,843 | 2,659 | 2,127 | 2,240 | 9,869 | 15'34 |
| | 1878 | 675,316 | 2,953 | 3,018 | 2,336 | 2,456 | 10,763 | 15'94 |
| | 1879 | 712,019 | 2,857 | 2,563 | 2,232 | 2,548 | 10,200 | 14'32 |
| | 1880 | 750,742 | 2,677 | 2,621 | 2,571 | 3,362 | 11,231 | 14'96 |
| | 1881 | 763,006 | 3,169 | 2,825 | 2,608 | 2,934 | 11,536 | 15'12 |
| | 1882 | 797,377 | 3,485 | 3,290 | 2,911 | 3,130 | 12,816 | 16'07 |
| | 1883 | 840,614 | 3,125 | 3,081 | 2,790 | 3,253 | 12,249 | 14'57 |
| | 1884 | 895,533 | 3,699 | 3,602 | 3,126 | 3,793 | 14,220 | 15'88 |
| | | | 31,002 | 29,588 | 25,646 | 28,612 | 114,848 | |

The deaths of 6,228 children under the age of 5 years were registered in the Colony during the year 1884. This gives a percentage of 43·79 to the total deaths registered. This percentage is slightly higher than that for the previous year, and also than that for the decade. The number of these deaths registered in Sydney for the year was 1,053, being 41·53 per cent. of the total number of deaths. This proportion is 0·56 lower than that of the preceding year, and lower also by 0·52 than the average of the decade. In the Suburbs the number of infantile deaths was 1,838, which gives a percentage of 54·20 to total deaths. Here we find an increase on the figures of the previous year of 0·61 per cent., but a decrease of 0·80 on the average percentage of the decade. The Country Districts show there were 3,337 deaths of children under the age of 5 years, the percentage being 40·23 to the total number of deaths in the year. This percentage is 0·39 higher than that of the preceding year, but 0·32 lower than the average of the ten years' percentage.

(H.) INFANTILE MORTALITY.

| Year. | Total Deaths of the year. | Total Deaths under 5 years. | Percentage of total Deaths under 5 years to Deaths of the year. | Sydney. | | | Suburbs. | | | Country Districts. | | |
|----------------------|---------------------------|-----------------------------|---|-----------------------|-----------------------|---|-----------------------|-----------------------|---|-----------------------|-----------------------|---|
| | | | | Total Deaths of year. | Deaths under 5 years. | Percentage of Deaths under 5 years to total Deaths. | Total Deaths of year. | Deaths under 5 years. | Percentage of Deaths under 5 years to total Deaths. | Total Deaths of year. | Deaths under 5 years. | Percentage of Deaths under 5 years to total Deaths. |
| 1875..... | 10,771 | 4,958 | 46·03 | 2,673 | 1,264 | 47·29 | 1,647 | 913 | 55·43 | 6,451 | 2,781 | 43·10 |
| 1876..... | 11,193 | 4,670 | 41·72 | 2,491 | 1,024 | 41·10 | 1,685 | 917 | 54·42 | 7,017 | 2,729 | 38·89 |
| 1877..... | 9,869 | 4,293 | 43·49 | 2,000 | 815 | 40·75 | 1,321 | 723 | 54·73 | 6,548 | 2,755 | 42·07 |
| 1878..... | 10,763 | 4,884 | 45·37 | 2,321 | 1,022 | 44·00 | 1,651 | 920 | 55·72 | 6,791 | 2,942 | 43·32 |
| 1879..... | 10,200 | 4,369 | 42·83 | 2,266 | 899 | 39·67 | 1,648 | 902 | 54·73 | 6,286 | 2,568 | 40·85 |
| 1880..... | 11,231 | 4,910 | 43·71 | 2,740 | 1,293 | 47·19 | 2,180 | 1,276 | 58·53 | 6,311 | 2,341 | 37·09 |
| 1881..... | 11,536 | 4,889 | 42·38 | 2,246 | 848 | 37·75 | 2,106 | 1,147 | 54·46 | 7,184 | 2,894 | 40·28 |
| 1882..... | 12,816 | 5,452 | 42·54 | 2,525 | 990 | 39·21 | 2,497 | 1,355 | 54·26 | 7,794 | 3,107 | 39·86 |
| 1883..... | 12,249 | 5,304 | 43·30 | 2,233 | 940 | 42·09 | 2,715 | 1,455 | 53·59 | 7,301 | 2,909 | 39·84 |
| 1884..... | 14,220 | 6,228 | 43·79 | 2,535 | 1,053 | 41·53 | 3,391 | 1,838 | 54·20 | 8,294 | 3,337 | 40·23 |
| | 114,848 | 49,957 | 43·57 | 24,030 | 10,148 | | 20,841 | 11,446 | | 69,977 | 28,363 | |
| Mean of 10 years.... | 11,484 | 4,995 | 43·13 | 2,403 | 1,014 | | 2,034 | 1,144 | | 6,997 | 2,836 | |

The percentage of deaths for the year 1884 in the Colony from 1 to 5 years, and also in the City, Suburbs, and Country Districts, is as follows:—

| | Colony. | Sydney. | Suburbs. | Country. |
|------------------------|---------|---------|----------|----------|
| Under 1 year..... | 30·13 | 30·33 | 37·51 | 27·05 |
| From 1 to 2 years..... | 8·47 | 7·14 | 11·03 | 7·83 |
| „ 2 to 3 „..... | 2·53 | 2·09 | 3·15 | 2·41 |
| „ 3 to 4 „..... | 1·50 | 1·22 | 1·24 | 1·67 |
| „ 4 to 5 „..... | 1·15 | 0·70 | 1·26 | 1·25 |

TABLE showing the DEATHS at all AGES from 1 to 100 years and upwards, in Sydney, Suburbs, and Country Districts, for the year ended 31st December, 1884.

| | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 to 80 years. | 80 to 85 years. | 85 to 90 years. | 90 to 95 years. | 95 to 100 years. | 100 years and upwards. | Age not specified. | Grand total. |
|--------------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------------------|------------------------|--------------------|--------------|
| Males— | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sydney | 414 | 95 | 21 | 14 | 9 | 36 | 14 | 20 | 82 | 87 | 79 | 73 | 74 | 68 | 82 | 60 | 58 | 39 | 36 | 25 | 15 | 7 | .. | .. | .. | 6 | 1414 |
| Suburbs | 678 | 192 | 54 | 27 | 28 | 40 | 22 | 35 | 65 | 62 | 75 | 73 | 84 | 66 | 64 | 46 | 61 | 37 | 42 | 22 | 20 | 13 | 3 | .. | .. | 4 | 1815 |
| Country Districts | 1234 | 357 | 114 | 67 | 56 | 171 | 101 | 124 | 210 | 208 | 162 | 185 | 227 | 213 | 266 | 193 | 226 | 258 | 268 | 178 | 123 | 51 | 15 | 5 | .. | 80 | 5096 |
| Total | 2326 | 644 | 189 | 108 | 93 | 247 | 137 | 179 | 357 | 357 | 316 | 331 | 385 | 347 | 412 | 299 | 345 | 334 | 346 | 225 | 158 | 71 | 18 | 7 | 4 | 90 | 8325 |
| Females— | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sydney | 355 | 86 | 32 | 19 | 8 | 19 | 11 | 20 | 55 | 56 | 59 | 59 | 43 | 50 | 45 | 42 | 36 | 28 | 40 | 27 | 18 | 6 | 1 | 1 | .. | 5 | 1121 |
| Suburbs | 594 | 182 | 53 | 15 | 15 | 60 | 18 | 38 | 66 | 71 | 53 | 60 | 60 | 46 | 39 | 32 | 45 | 41 | 36 | 23 | 18 | 7 | 1 | 1 | .. | 2 | 1576 |
| Country Districts | 1010 | 293 | 86 | 72 | 48 | 142 | 93 | 115 | 146 | 111 | 108 | 93 | 120 | 91 | 91 | 71 | 101 | 105 | 109 | 73 | 60 | 25 | 8 | 4 | 2 | 21 | 3198 |
| Total | 1959 | 561 | 171 | 106 | 71 | 221 | 122 | 173 | 267 | 238 | 220 | 212 | 223 | 187 | 175 | 145 | 182 | 174 | 185 | 123 | 96 | 38 | 10 | 6 | 2 | 28 | 5895 |

The number of male and female deaths registered in the various Wards of the City during the year 1884 are shown in the next table, distinguishing deaths over and under 5 years of age.

| Wards. | Population Census, 1881. | Births. | | | Deaths. | | | | | | Total Deaths. |
|-------------------|--------------------------------|---------|----------|--------|----------------|----------|--------|----------------|----------|--------|------------------|
| | | | | | Under 5 years. | | | Above 5 years. | | | |
| | | Males. | Females. | Total. | Males. | Females. | Total. | Males. | Females. | Total. | |
| 1. Gipps | 10,983 | 193 | 181 | 374 | 46 | 48 | 94 | 62 | 46 | 108 | 202 |
| 2. Bourke | 5,300 | 39 | 42 | 81 | 8 | 15 | 23 | 318 | 183 | 501 | 524† |
| 3. Brisbane | 7,219 | 107 | 82 | 189 | 22 | 19 | 41 | 40 | 25 | 65 | 106 |
| 4. Macquarie ... | 8,083 | 123 | 109 | 232 | 38 | 23 | 61 | 47 | 23 | 70 | 131 |
| 5. Cook..... | 25,537 | 587 | 584 | 1,171 | 159 | 130 | 289 | 135 | 122 | 257 | 546 |
| 6. Fitzroy | 15,880 | 263 | 292 | 555 | 75 | 60 | 135 | 140 | 106 | 246 | 381† |
| 7. Phillip | 11,075 | 366 | 356 | 722 | 99 | 86 | 185 | 47 | 48 | 95 | 280§ |
| 8. Denison | 15,780 | 441 | 364 | 805 | 106 | 119 | 225 | 72 | 68 | 140 | 355 |
| Totals | *99,857 | 2,119 | 2,010 | 4,129 | 553 | 500 | 1,053 | 861 | 621 | 1,482 | 2,535 |

* Exclusive of the Islands in Port Jackson and shipping. † 345 of these deaths occurred in the Sydney Hospital, and 78 in the Hyde Park Asylum. ‡ St. Vincent's Hospital, 64 deaths; Sydney Gaol, 16; and Lunatic Reception House, Darlinghurst, 10. § Benevolent Asylum, 80.

The return immediately following gives the number of births and deaths in Sydney, and in each Suburb, and also the number of deaths of children under the age of five years. The proportion of these deaths to the total number of deaths registered in each of these Districts is as follows:—Sydney, 41·54; Balmain, 63·80; Glebe, 53·70; Newtown, 41·76; Redfern, 56·66; Paddington, 56·33; Canterbury, 59·35; St. Leonards, 45·02. The City percentage is lower than it would be if it were not for the number of adult deaths in the Hospitals. The same remark applies to Newtown, in which district the Prince Alfred Hospital is situate.

| | Population, Census 1881. | Births. | Deaths under 5 years. | Deaths. |
|-----------------------|-----------------------------|---------|--------------------------|---------|
| 1. Sydney | 103,379 | 4,129 | 1,053 | 2,535 |
| 2. Balmain | 16,929 | 910 | 206 | 316 |
| Leichhardt | | 279 | 69 | 115 |
| 3. Glebe | 10,856 | 716 | 166 | 309 |
| 4. Newtown | 15,745 | 1,037 | 268 | 642 |
| 5. Redfern | 23,638 | 760 | 214 | 355 |
| Waterloo | | 727 | 191 | 360 |
| 6. Paddington | 20,220 | 688 | 155 | 268 |
| Randwick | | 57 | 12 | 21 |
| Waverley | | 173 | 39 | 73 |
| Woollahra | | 208 | 52 | 96 |
| 7. Canterbury | | 535 | 103 | 186 |
| Ashfield | 22,434 | 177 | 68 | 104 |
| Petersham | | 878 | 200 | 335 |
| 8. St. Leonards | 11,010 | 527 | 82 | 175 |
| Manly | | 71 | 13 | 36 |

| Ward. | Percentage of | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | Deaths under 5 years to total Deaths in each Ward. | | | | | | | | | | Deaths under 5 years to Births in each Ward. | | | | | | | | | | Total Deaths to Births in each Ward. | | | | | | | | | | Total Deaths to Population in each Ward. | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | (Census, 1871 and 1881.) | | | | | | | | | |
| 1875. | 1876. | 1877. | 1878. | 1879. | 1880. | 1881. | 1882. | 1883. | 1884. | 1875. | 1876. | 1877. | 1878. | 1879. | 1880. | 1881. | 1882. | 1883. | 1884. | 1875. | 1876. | 1877. | 1878. | 1879. | 1880. | 1881. | 1882. | 1883. | 1884. | 1875. | 1876. | 1877. | 1878. | 1879. | 1880. | 1881. | 1882. | 1883. | 1884. | |
| 1. Gipps | 56.13 | 42.13 | 51.40 | 43.30 | 38.17 | 57.72 | 42.64 | 45.68 | 45.68 | 46.53 | 37.37 | 23.04 | 22.66 | 24.25 | 16.04 | 36.60 | 22.52 | 23.44 | 18.73 | 25.13 | 66.58 | 54.68 | 44.09 | 56.00 | 44.39 | 63.40 | 52.82 | 51.30 | 41.01 | 54.01 | 2.82 | 2.41 | 2.00 | 2.50 | 2.07 | 2.74 | 1.79 | 1.79 | 1.47 | 1.84 |
| *2. Bourke | 12.50 | 6.57 | 9.46 | 9.05 | 5.43 | 6.41 | 4.69 | 4.52 | 7.42 | 4.39 | 55.09 | 25.20 | 35.00 | 31.75 | 25.74 | 30.48 | 25.26 | 30.77 | 42.86 | 28.39 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 9.89 | 9.26 | 8.44 | 8.41 | 9.11 | 9.40 | 9.66 | 10.02 | 8.40 | 9.89 |
| 3. Brisbane | 49.05 | 45.15 | 41.10 | 52.38 | 44.60 | 48.54 | 45.04 | 41.13 | 39.42 | 38.63 | 38.01 | 36.47 | 39.13 | 30.43 | 27.55 | 36.72 | 31.05 | 27.13 | 25.79 | 21.69 | 77.49 | 80.78 | 70.87 | 58.10 | 61.77 | 75.66 | 68.95 | 65.96 | 65.41 | 56.03 | 2.89 | 2.83 | 2.24 | 2.02 | 1.91 | 2.35 | 1.81 | 1.72 | 1.44 | 1.47 |
| 4. Macquarie | 50.27 | 49.71 | 48.61 | 51.65 | 48.25 | 52.06 | 46.85 | 41.18 | 44.63 | 46.56 | 33.21 | 29.29 | 24.65 | 29.77 | 26.44 | 39.61 | 26.27 | 23.33 | 22.98 | 26.29 | 66.07 | 58.92 | 50.70 | 57.63 | 54.79 | 76.08 | 56.08 | 56.67 | 51.49 | 56.46 | 2.33 | 2.29 | 1.81 | 1.90 | 1.80 | 2.44 | 1.77 | 1.68 | 1.50 | 1.62 |
| 5. Cook | 58.27 | 58.27 | 52.25 | 55.45 | 54.48 | 57.63 | 49.39 | 48.28 | 51.61 | 52.93 | 41.00 | 34.65 | 20.56 | 26.67 | 23.12 | 31.96 | 19.98 | 25.62 | 23.44 | 24.68 | 70.37 | 59.47 | 39.35 | 48.09 | 42.44 | 55.41 | 40.45 | 53.07 | 45.43 | 46.63 | 3.62 | 3.37 | 2.56 | 2.99 | 2.96 | 3.94 | 1.61 | 2.16 | 1.83 | 2.14 |
| 6. Fitzroy | 46.91 | 40.97 | 38.34 | 39.02 | 36.73 | 44.58 | 31.19 | 36.99 | 34.83 | 35.43 | 39.48 | 33.48 | 21.41 | 26.78 | 22.08 | 30.20 | 20.44 | 24.84 | 22.00 | 24.32 | 84.16 | 81.72 | 55.85 | 68.62 | 60.12 | 67.75 | 65.53 | 67.16 | 63.18 | 68.65 | 2.23 | 3.09 | 2.11 | 2.73 | 2.45 | 2.77 | 2.06 | 2.01 | 1.83 | 2.40 |
| 7. Phillip | 61.59 | 49.82 | 58.95 | 64.16 | 58.76 | 65.22 | 63.09 | 62.83 | 61.76 | 66.07 | 38.28 | 28.25 | 27.44 | 34.62 | 27.27 | 35.71 | 23.48 | 29.11 | 26.02 | 25.62 | 62.15 | 56.71 | 46.54 | 53.96 | 46.41 | 54.76 | 37.22 | 46.34 | 43.59 | 38.78 | 3.54 | 3.42 | 2.81 | 3.59 | 3.57 | 4.23 | 2.10 | 2.74 | 2.45 | 2.53 |
| 8. Denison | 64.53 | 54.02 | 54.03 | 56.42 | 51.84 | 60.96 | 55.48 | 53.46 | 61.29 | 63.38 | 44.31 | 30.92 | 25.00 | 32.94 | 27.34 | 33.25 | 23.58 | 27.93 | 29.27 | 27.95 | 63.68 | 57.24 | 46.27 | 53.38 | 52.73 | 62.75 | 42.50 | 52.24 | 47.75 | 44.10 | 2.92 | 2.57 | 2.08 | 2.92 | 2.95 | 3.69 | 1.85 | 2.29 | 2.36 | 2.25 |

* The Sydney Hospital is situated in Bourke Ward.

| Ward. | Percentage of— | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Deaths under 5 years to total Deaths in each District. | | | | | | | | | | Deaths under 5 years to Births in each District. | | | | | | | | | | Total Deaths to Births in each District. | | | | | | | | | | Total Deaths to Population in each District. (Census, 1871 and 1881.) | | | | | | | | | |
| | 1875. | 1876. | 1877. | 1878. | 1879. | 1880. | 1881. | 1882. | 1883. | 1884. | 1875. | 1876. | 1877. | 1878. | 1879. | 1880. | 1881. | 1882. | 1883. | 1884. | 1875. | 1876. | 1877. | 1878. | 1879. | 1880. | 1881. | 1882. | 1883. | 1884. | 1875. | 1876. | 1877. | 1878. | 1879. | 1880. | 1881. | 1882. | 1883. | 1884. |
| 1. Sydney | 47.29 | 41.10 | 40.70 | 44.00 | 39.67 | 47.19 | 37.75 | 39.21 | 42.09 | 41.54 | 39.97 | 30.93 | 23.24 | 29.33 | 24.20 | 34.62 | 22.67 | 26.10 | 25.02 | 25.50 | 84.53 | 75.25 | 58.84 | 66.62 | 61.01 | 73.09 | 60.04 | 67.26 | 59.45 | 61.39 | 3.50 | 3.27 | 2.62 | 3.05 | 2.97 | 3.59 | 2.17 | 2.44 | 2.16 | 2.45 |
| 2. Balmain | 61.43 | 63.05 | 52.94 | 64.35 | 55.03 | 62.41 | 62.92 | 54.02 | 57.09 | 65.18 | 33.24 | 34.13 | 18.24 | 27.04 | 17.63 | 24.52 | 22.92 | 19.92 | 19.62 | 22.63 | 54.12 | 54.13 | 34.45 | 42.02 | 32.03 | 39.00 | 36.43 | 36.88 | 34.37 | 34.72 | 3.05 | 2.94 | 2.22 | 3.14 | 2.74 | 3.83 | 1.74 | 1.93 | 2.10 | 2.54 |
| * Leichhardt | .. | .. | .. | .. | .. | .. | .. | 63.33 | 51.85 | 60.00 | .. | .. | .. | .. | .. | .. | 26.83 | 22.10 | 24.73 | .. | .. | .. | .. | .. | .. | .. | 42.25 | 42.63 | 41.21 | | | | | | | | | | | |
| 3. Glebe | 68.52 | 53.25 | 56.52 | 50.31 | 55.30 | 56.00 | 57.87 | 59.07 | 55.38 | 53.72 | 33.44 | 28.21 | 26.13 | 24.69 | 23.96 | 32.60 | 22.09 | 30.11 | 23.15 | 23.18 | 52.64 | 53.00 | 46.45 | 49.09 | 43.36 | 58.30 | 38.18 | 50.98 | 41.80 | 43.15 | 2.77 | 2.95 | 2.51 | 2.85 | 2.97 | 4.21 | 1.81 | 2.38 | 2.39 | 2.84 |
| 4. Newtown | 52.90 | 53.55 | 57.17 | 51.37 | 55.60 | 58.33 | 58.53 | 56.18 | 40.33 | 41.74 | 39.24 | 27.83 | 24.73 | 25.24 | 25.74 | 27.04 | 24.17 | 28.01 | 20.04 | 20.15 | 74.19 | 51.97 | 43.34 | 49.14 | 46.29 | 46.36 | 41.29 | 49.86 | 49.70 | 61.90 | 3.69 | 2.66 | 2.59 | 3.24 | 3.15 | 3.94 | 1.82 | 2.36 | 2.69 | 4.07 |
| 5. Redfern | 60.90 | 54.16 | 60.00 | 58.94 | 58.62 | 61.42 | 57.40 | 61.05 | 55.64 | 60.28 | 32.00 | 27.95 | 23.23 | 25.35 | 24.54 | 27.52 | 25.41 | 25.03 | 22.50 | 23.16 | 52.50 | 51.61 | 38.70 | 42.97 | 41.84 | 44.80 | 44.26 | 41.00 | 40.44 | 46.71 | 2.72 | 2.96 | 2.22 | 2.68 | 3.07 | 3.45 | 2.03 | 2.18 | 2.39 | 3.02 |
| 6. Waterloo | 68.04 | 55.34 | 57.92 | 67.20 | 56.84 | 64.31 | 54.76 | 62.77 | 63.57 | 53.05 | 36.87 | 32.30 | 26.53 | 31.65 | 23.72 | 31.01 | 21.45 | 25.43 | 30.93 | 26.27 | 54.19 | 58.35 | 45.81 | 47.09 | 41.73 | 44.00 | 39.18 | 40.50 | 48.66 | 49.51 | 3.08 | 3.26 | 2.60 | 2.95 | 3.12 | 3.67 | | | | |
| 7. Paddington | 54.06 | 54.64 | 52.90 | 55.56 | 54.14 | 56.80 | 48.57 | 49.78 | 51.84 | 57.83 | 32.33 | 33.48 | 10.29 | 23.06 | 20.28 | 34.42 | 20.20 | 20.24 | 22.28 | 22.52 | 59.87 | 66.06 | 36.47 | 41.51 | 37.47 | 60.60 | 41.58 | 40.66 | 42.98 | 38.95 | 2.27 | 2.77 | 1.69 | 2.19 | 2.15 | 3.35 | 1.52 | 1.75 | 2.03 | 2.26 |
| * Randwick | .. | .. | .. | .. | .. | .. | .. | 31.57 | 31.03 | 57.14 | .. | .. | .. | 23.06 | 25.00 | 30.00 | 15.38 | 13.63 | 12.50 | 21.05 | .. | .. | .. | 54.76 | 50.00 | 53.33 | 65.38 | 43.18 | 40.27 | 36.84 | .. | .. | | | | | | | | |
| * Waverley | 32.26 | 20.63 | 30.84 | 43.48 | 53.25 | 56.86 | 43.87 | 35.18 | 65.57 | 53.97 | 37.03 | 13.02 | 18.18 | 22.95 | 18.56 | 30.36 | 30.38 | 18.09 | 25.97 | 22.54 | .. | 63.04 | 49.35 | 47.54 | 41.42 | 56.82 | 46.83 | 51.42 | 39.61 | 42.19 | 1.79 | 1.68 | 2.28 | 2.12 | 2.82 | 1.51 | 1.77 | 1.54 | 1.91 | |
| * Woollahra | .. | .. | .. | .. | .. | .. | .. | 43.75 | 44.15 | 54.16 | .. | .. | .. | .. | .. | .. | 14.01 | 15.90 | 18.78 | 25.00 | .. | .. | .. | .. | .. | .. | 41.12 | 36.36 | 42.54 | 46.15 | .. | .. | | | | | | | | |
| †8. Concord | 44.70 | 55.00 | 58.25 | 59.17 | 55.73 | 58.49 | 55.32 | 53.52 | 61.50 | 55.37 | 23.89 | 37.42 | 32.08 | 35.86 | 26.98 | 31.74 | 29.34 | 24.25 | 26.68 | 19.25 | 53.46 | 68.10 | 55.08 | 60.61 | 48.41 | 54.27 | 53.05 | 45.31 | 43.37 | 34.76 | 2.41 | 3.15 | 2.92 | 3.41 | 3.46 | 4.52 | 1.65 | 2.10 | 2.30 | 2.74 |
| †9. St. George | 39.00 | 53.60 | 45.55 | 41.12 | 50.86 | 53.27 | 52.18 | 50.00 | 58.33 | 50.97 | 21.10 | 26.80 | 17.89 | 15.63 | 16.43 | 22.00 | 16.10 | 18.75 | 22.25 | 22.77 | 54.13 | 50.00 | 39.29 | 38.15 | 32.31 | 40.60 | 30.87 | 37.50 | 38.14 | 38.15 | 2.21 | 2.36 | 1.88 | 2.32 | 2.12 | 3.31 | | | | |
| 10. St. Leonards..... | 35.90 | 50.00 | 50.00 | 50.46 | 43.01 | 53.78 | 41.30 | 44.64 | 46.26 | 46.85 | 13.40 | 25.20 | 15.60 | 21.43 | 15.03 | 19.69 | 15.32 | 18.24 | 14.65 | 15.55 | 37.32 | 50.41 | 31.20 | 42.46 | 35.00 | 36.60 | 37.09 | 40.87 | 31.63 | 33.20 | 1.52 | 2.38 | 1.52 | 2.28 | 2.12 | 2.82 | 1.51 | 1.77 | 1.54 | 1.91 |
| * Manly | .. | .. | .. | 40.00 | 56.25 | 32.00 | 20.60 | 48.14 | 43.48 | 36.11 | .. | .. | .. | 10.81 | 32.14 | 21.62 | 21.43 | 25.49 | 22.73 | 18.30 | .. | .. | .. | 27.03 | 57.14 | 67.59 | .. | 52.94 | 52.27 | 50.70 | .. | .. | | | | | | | | |

* Waterloo was not created a separate Registry District till January, 1872 ; Randwick a Sub-district of Paddington, in September, 1882 ; and Waverley, a Sub-district of Paddington, 1st August, 1876 ; Woollahra, a Sub-district of Paddington, 1st August, 1878 ; Manly, a Sub-district of St. Leonards, 1st July ; Leichhardt, a Sub-district of Balmain, 1st July, 1882. † By Census of 1881, Concord was included in the Electoral District of Canterbury, and St. George in that of Petersham.

The number of deaths during the year assigned to diseases under the various classes are as follows:—

| | No. of Deaths. | Percentage to total Deaths. |
|---------------------------------|----------------|-----------------------------|
| Zymotic | 2,820 | 19·83 |
| Constitutional | 1,859 | 13·07 |
| Local | 5,787 | 40·71 |
| Developmental | 2,641 | 18·57 |
| Violent | 990 | 6·96 |
| Unspecified or undefined | 123 | 0·86 |

The diseases which proved most fatal in the *Zymotic Class* were:—Measles, 45; Scarlatina, 229; Diphtheria, 165; Croup, 160; Whooping-cough, 201; Typhus and Infantile Fever, 516; Diarrhoea, 763; Cholera, 72; Rheumatism, 46; Want of Breast Milk, 71; Alcoholism, 95; Hydatid, 20.

In the Class termed *Constitutional* we find the greatest number of deaths from the following diseases:—Dropsy, 175; Cancer, 233; Tumour, 45; Mortification, 39; Tabes Mesenterica, 216; Phthisis, 1,003; Hydrocephalus, 64; Abscess, 37.

The Class of *Local Diseases* shows the following causes of death as the most prominent:—Cephalitis, 260; Apoplexy, 230; Paralysis, 197; Epilepsy, 135; Convulsions, 815; Brain Disease, &c., 148; Pericarditis, 32; Aneurism, 51; Heart Disease, &c., 601; Bronchitis, 748; Pleurisy, 73; Pneumonia, 627; Congestion of Lungs, 157; Asthma, 56; Gastritis, 125; Enteritis, 528; Peritonitis, 115; Liver Disease, 177; Nephritis, 43; Nephria, 113; Cystitis, 27; Kidney Disease, &c., 64.

The *Developmental Class* furnishes the following as the principal causes of death:—Premature Birth, 307; Spina Bifida, 8; other Malformations, 69; Teething, 277; Old Age, 876; Atrophy and Debility, 975; Childbirth, 119.

Under the head of *Violence* the records shew the following as the chief causes of death:—*By Accident or Negligence*—Fractures and Contusions, 403; Wounds (Gunshot and Cuts), 43; Burns and Scalds, 95; Sunstroke, 41; Poison, 42; Drowning, 203; Suffocation, 29.

Homicide produced the following causes of death:—Murder, 13; Manslaughter, 6. The various means of *Suicide* were:—Wounds, 30; Poison, 15; Drowning, 11; Hanging, 18.

(K.)

| | 1875. Per- centage. | 1876. Per- centage. | 1877. Per- centage. | 1878. Per- centage. | 1879. Per- centage. | 1880. Per- centage. | 1881. Per- centage. | 1882. Per- centage. | 1883. Per- centage. | 1884. Per- centage. |
|---|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| CLASS I.—ZYMOTIC DISEASES. | | | | | | | | | | |
| Order 1.—Miasmatic Diseases—Small-pox, Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 27·12 | 26·36 | 19·85 | 22·66 | 18·37 | 17·09 | 16·08 | 17·52 | 16·83 | 17·60 |
| 2.—Euthetic Diseases—Syphilis, Gonorrhoea, &c. | 0·23 | 0·44 | 0·26 | 0·21 | 0·31 | 0·36 | 0·26 | 0·34 | 0·25 | 0·29 |
| 3.—Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c. | 1·66 | 2·31 | 2·57 | 2·28 | 1·53 | 1·55 | 1·99 | 2·13 | 1·46 | 1·47 |
| 4.—Parasitic Diseases—Thrush, Worms, &c. | 0·39 | 0·42 | 0·59 | 0·46 | 0·42 | 0·39 | 0·42 | 0·42 | 0·42 | 0·47 |
| | 29·46 | 29·53 | 23·27 | 25·61 | 20·63 | 19·39 | 18·75 | 20·41 | 18·96 | 19·83 |
| CLASS II.—CONSTITUTIONAL. | | | | | | | | | | |
| Order 1.—Diathetic Diseases—Gout, Dropsy, Cancer, &c. | 3·24 | 3·58 | 3·78 | 3·39 | 3·38 | 3·79 | 3·83 | 3·68 | 3·58 | 3·54 |
| 2.—Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c. | 8·22 | 7·83 | 8·67 | 8·41 | 9·99 | 9·26 | 9·98 | 9·04 | 10·04 | 9·53 |
| | 11·46 | 11·41 | 12·45 | 11·80 | 13·37 | 13·05 | 13·81 | 12·72 | 13·62 | 13·07 |
| CLASS III.—LOCAL. | | | | | | | | | | |
| Order 1.—Nervous—Apoplexy, Paralysis, Insanity, Convulsions, Cephalitis, Brain Disease, &c. | 12·13 | 11·55 | 12·62 | 13·26 | 13·53 | 13·34 | 13·36 | 12·82 | 13·01 | 12·68 |
| 2.—Circulation—Pericarditis, Aneurism, Heart Disease, &c. | 4·61 | 4·79 | 4·84 | 4·99 | 5·92 | 5·34 | 4·96 | 4·79 | 5·23 | 4·81 |
| 3.—Respiratory—Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 10·13 | 10·09 | 10·87 | 10·03 | 10·23 | 13·79 | 13·14 | 13·66 | 12·47 | 12·12 |
| 4.—Digestive—Gastritis, Enteritis, Peritonitis, Hernia, &c. | 6·64 | 6·36 | 7·27 | 7·07 | 7·35 | 6·54 | 7·17 | 6·73 | 7·23 | 8·60 |
| 5.—Urinary—Nephritis, Ischuria, Diabetes, &c. | 1·62 | 1·80 | 1·92 | 1·73 | 2·32 | 1·87 | 2·06 | 1·86 | 1·75 | 1·96 |
| 6.—Generation—Ovarian Dropsy, Uterus Diseases, &c. | 0·21 | 0·24 | 0·08 | 0·07 | 0·11 | 0·12 | 0·16 | 0·14 | 0·09 | 0·13 |
| 7.—Joints—Arthritis, Ostitis, Periostitis, &c. | 0·18 | 0·18 | 0·11 | 0·10 | 0·16 | 0·19 | 0·13 | 0·12 | 0·11 | 0·16 |
| 8.—Integumentary—Phlegmon, Ulcer, Skin Diseases, &c. | 0·10 | 0·20 | 0·16 | 0·12 | 0·19 | 0·18 | 0·13 | 0·31 | 0·19 | 0·25 |
| | 35·62 | 35·21 | 37·87 | 37·37 | 39·81 | 41·37 | 41·11 | 40·43 | 40·08 | 40·71 |
| CLASS IV.—DEVELOPMENTAL. | | | | | | | | | | |
| Order 1.—Children—Cyanosis, Spina-Bifida, Teething, &c. | 4·68 | 4·23 | 6·28 | 5·63 | 4·89 | 4·40 | 4·25 | 4·07 | 5·00 | 4·72 |
| 2.—Adults—Paramenia, Childbirth, &c. | 0·98 | 1·26 | 1·03 | 0·80 | 0·72 | 0·97 | 0·89 | 0·73 | 0·85 | 0·84 |
| 3.—Old People—Old Age, &c. | 4·96 | 5·45 | 5·08 | 5·90 | 6·46 | 6·24 | 6·55 | 6·88 | 7·09 | 6·16 |
| 4.—Nutrition—Atrophy, Debility | 5·57 | 4·98 | 5·51 | 5·03 | 5·60 | 6·00 | 6·25 | 6·05 | 6·79 | 6·85 |
| | 16·19 | 15·92 | 17·90 | 17·36 | 17·67 | 17·61 | 17·94 | 18·73 | 19·73 | 18·57 |
| CLASS V.—VIOLENCE. | | | | | | | | | | |
| Order 1.—Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 6·02 | 6·34 | 6·72 | 6·83 | 7·41 | 6·87 | 6·69 | 6·32 | 6·24 | 6·13 |
| 2.—Wounds in Battle—Gunshot Wounds... .. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3.—Homicide—Murder and Manslaughter | 0·15 | 0·24 | 0·21 | 0·21 | 0·16 | 0·28 | 0·19 | 0·16 | 0·14 | 0·13 |
| 4.—Suicide—Poison, Drowning, Hanging, &c. | 0·48 | 0·42 | 0·61 | 0·23 | 0·45 | 0·60 | 0·71 | 0·44 | 0·44 | 0·57 |
| 5.—Execution—Hanging | 0·02 | 0·03 | 0·01 | 0·01 | 0·01 | 0·03 | 0·02 | 0·03 | 0·01 | 0·02 |
| Unclassified—Violent Deaths | 0·07 | ... | ... | ... | ... | 0·13 | 0·23 | 0·13 | 0·12 | 0·11 |
| | 6·74 | 7·03 | 7·55 | 7·28 | 8·03 | 7·91 | 7·84 | 7·08 | 6·95 | 6·96 |
| Unspecified | 0·59 | 0·90 | 0·96 | 0·58 | 0·49 | 0·67 | 0·55 | 0·63 | 0·66 | 0·86 |

(L.)

| Periods. | Births. | | Deaths. | | Mean Temperature. | Mean Height of Barometer. | Rain. | |
|-------------------------|---------|----------|---------|----------|----------------------|---------------------------------|--------|-------|
| | Sydney. | Suburbs. | Sydney. | Suburbs. | | | Depth. | Days. |
| January | 313 | 374 | 239 | 205 | 71'7 | 29'946 | 2'43 | 12 |
| February | 269 | 334 | 200 | 166 | 71'0 | 30'018 | 4'30 | 13 |
| March | 307 | 378 | 212 | 175 | 69'8 | 30'091 | 3'50 | 12 |
| April | 302 | 376 | 189 | 177 | 64'4 | 30'138 | 5'78 | 13 |
| May | 309 | 401 | 195 | 180 | 58'5 | 30'082 | 7'01 | 14 |
| June | 305 | 397 | 183 | 159 | 53'6 | 30'126 | 4'28 | 10 |
| July | 320 | 423 | 179 | 142 | 52'6 | 30'188 | 3'80 | 13 |
| August | 319 | 424 | 190 | 147 | 56'1 | 30'132 | 2'89 | 9 |
| September | 300 | 404 | 175 | 138 | 59'0 | 30'050 | 4'83 | 14 |
| October | 305 | 424 | 206 | 170 | 62'7 | 30'007 | 3'87 | 14 |
| November | 288 | 397 | 199 | 206 | 66'8 | 29'943 | 2'38 | 13 |
| December | 282 | 373 | 235 | 218 | 70'2 | 29'898 | 1'66 | 12 |
| Mean of 12 months | 301 | 375 | 208 | 173 | 63'0 | 30'051 | 3'89 | 12 |

I have the honor to be, Sir,

Your obedient servant,

EDWARD GRANTWARD,

Registrar-General.

INDEX TO TABLES.

Births—

| | |
|---|----|
| Quarterly Abstract (1884) | 4 |
| " " (1875 to 1884) | 8 |
| Children out of Wedlock | 9 |
| Triplets and Twins | 9 |
| In the Colony | 17 |
| In each District | 17 |
| In each Ward of the City, in proportion to Deaths, &c. | 13 |
| In each Suburban District | 13 |
| At Sea, Registered in the Colony | 60 |
| In each Ward of the City | 12 |

Deaths—

| | |
|---|----|
| Quarterly Abstract (1884) | 4 |
| " " (1875 to 1884) | 10 |
| In the Colony | 17 |
| In each District | 17 |
| In each Ward of the City, in proportion to Deaths, &c. | 13 |
| In each Suburban District | 13 |
| Infants (1875 to 1884) | 11 |
| Males, at Ages, New South Wales, with Diseases and Ages... .. | 20 |
| " " City of Sydney, | 29 |
| " " Suburban Districts, | 38 |
| " " Country Districts, | 47 |
| Females | 23 |
| " " New South Wales, | 23 |
| " " City of Sydney, | 32 |
| " " Suburban Districts, | 41 |
| " " Country Districts, | 50 |
| Both Sexes | 26 |
| " " New South Wales, | 26 |
| " " City of Sydney, | 35 |
| " " Suburban Districts, | 44 |
| " " Country Districts, | 53 |
| From each cause, in the City of Sydney | 57 |
| Monthly Mortality | 56 |
| At Sea, registered in the Colony | 60 |
| Mortality, Temperature, &c. | 15 |
| Diseases classified (1875, 1876, 1877, 1878, 1879, 1880, 1881, 1882, 1883, and 1884, compared) | 14 |
| In each Ward of the City | 12 |
| Deaths from all Ages (from 1 to 100 years and upwards) | 12 |

Marriages—

| | |
|---|----|
| Quarterly Abstract (1884) | 4 |
| " " (1875 to 1884) | 5 |
| In the Colony | 17 |
| In each District | 17 |
| Denominations (1884) | 19 |
| " (1875 to 1884) | 6 |
| Registration Districts and District Registrars... .. | 60 |
| Temperature, Height of Barometer, Rain, &c. (1875 to 1884) | 15 |

APPENDIX.

A.

TABLE showing the number of MARRIAGES, BIRTHS, and DEATHS, registered in the Colony of New South Wales, during the Year ended 31st December, 1884.

| | Marriages. | Births. | | | Deaths. | | |
|--------------------------|------------|---------|----------|--------|---------|----------|--------|
| | | Males. | Females. | Total. | Males. | Females. | Total. |
| Sydney | 1,999 | 2,119 | 2,010 | 4,129 | 1,414 | 1,121 | 2,535 |
| Suburban Districts | 1,425 | 3,945 | 3,798 | 7,743 | 1,815 | 1,576 | 3,391 |
| Metropolitan | 3,424 | 6,064 | 5,808 | 11,872 | 3,229 | 2,697 | 5,926 |
| Country Districts | 4,058 | 11,353 | 10,721 | 22,074 | 5,096 | 3,198 | 8,294 |
| Total | 7,482 | 17,417 | 16,529 | 33,946 | 8,325 | 5,895 | 14,220 |

B.

TABLE showing the number of MARRIAGES, BIRTHS, and DEATHS registered in each District of the Colony of New South Wales, during the Year ended 31st December, 1884.

| District. | Popula- tion, Census, 1881. | Mar- riages. | Total. | | Births. | | | | Deaths. | | Excess of Births over Deaths. |
|----------------------------|--------------------------------------|-----------------|---------|---------|-----------------------------------|-------|-------------------------|-----|---------|-----|--|
| | | | Births. | Deaths. | Including Illegitimate Births. | | Illegitimate Births. | | M. | F. | |
| | | | | | M. | F. | M. | F. | | | |
| I.—NORTH-EASTERN. | | | | | | | | | | | |
| 1. Richmond River | 9,266 | 19 | 133 | 24 | 63 | 70 | ... | 4 | 16 | 8 | 109 |
| Lismore | | 84 | 415 | 115 | 221 | 194 | 4 | 2 | 78 | 37 | 300 |
| 2. Tweed River | 7,744 | 7 | 60 | 13 | 28 | 32 | ... | ... | 9 | 4 | 47 |
| 3. Grafton | | 62 | 330 | 74 | 178 | 152 | ... | 7 | 42 | 32 | 256 |
| Macleay | | 29 | 201 | 36 | 108 | 93 | 3 | 1 | 21 | 15 | 165 |
| Ulmarra | 7,123 | 22 | 75 | 23 | 44 | 31 | ... | ... | 18 | 5 | 52 |
| 4. Macleay River | | 54 | 264 | 55 | 131 | 133 | 1 | 2 | 27 | 28 | 209 |
| Bellinger River | | 14 | 42 | 12 | 25 | 17 | ... | ... | 5 | 7 | 30 |
| Nambucca River | 9,309 | 3 | 38 | 6 | 22 | 16 | ... | 1 | 6 | ... | 32 |
| 5. Port Macquarie | | 15 | 85 | 15 | 38 | 47 | ... | 2 | 10 | 5 | 70 |
| 6. Manning River | | 48 | 315 | 51 | 164 | 151 | 2 | 3 | 34 | 17 | 264 |
| Copeland | 5,945 | ... | 30 | 2 | 18 | 12 | ... | ... | ... | 2 | 28 |
| 7. Port Stephens | | 14 | 102 | 36 | 50 | 52 | 4 | ... | 24 | 12 | 66 |
| 8. Dungog | | 20 | 94 | 23 | 38 | 56 | ... | 2 | 13 | 10 | 71 |
| 9. Clarence Town | 5,643 | 8 | 52 | 15 | 28 | 24 | 1 | 2 | 8 | 7 | 37 |
| 10. Paterson | | 10 | 90 | 30 | 43 | 47 | 1 | ... | 14 | 16 | 60 |
| 11. Raymond Terrace | | 21 | 76 | 26 | 44 | 32 | 1 | 2 | 13 | 13 | 50 |
| 12. Maitland (East) | 4,103 | 32 | 105 | 42 | 46 | 59 | 6 | 2 | 22 | 20 | 63 |
| Maitland (West) | 5,703 | 88 | 330 | 194 | 190 | 140 | 8 | 7 | 104 | 90 | 136 |
| Upper Hunter | ... | ... | 5 | ... | 4 | 1 | ... | ... | ... | ... | 5 |
| Minmi | | 7 | 112 | 45 | 57 | 55 | 1 | ... | 30 | 15 | 67 |
| Greta | | 22 | 134 | 33 | 64 | 70 | 3 | ... | 17 | 16 | 101 |
| 13. Morpeth | 4,944 | 31 | 171 | 60 | 86 | 85 | 1 | 1 | 33 | 27 | 111 |
| 14. Patrick's Plains | 7,021 | 51 | 278 | 99 | 139 | 139 | 8 | 9 | 49 | 59 | 179 |
| 15. Muswellbrook | 11,321 | 17 | 76 | 29 | 34 | 42 | 1 | 1 | 19 | 10 | 47 |
| Denman | | 10 | 29 | 8 | 12 | 17 | ... | ... | 3 | 5 | 21 |
| 16. Scone | | 26 | 120 | 22 | 54 | 66 | ... | 2 | 15 | 7 | 98 |
| 17. Murrurundi | ... | 12 | 59 | 20 | 31 | 28 | 1 | ... | 12 | 8 | 39 |
| Total | | 726 | 3,821 | 1,108 | 1,960 | 1,861 | 46 | 50 | 642 | 466 | 2,713 |
| II.—NORTH MIDLAND. | | | | | | | | | | | |
| 1. Tenterfield | 4,855 | 40 | 225 | 59 | 119 | 106 | 2 | 7 | 40 | 19 | 166 |
| 2. Wellingrove | 6,900 | 47 | 269 | 103 | 142 | 127 | 3 | 6 | 62 | 41 | 166 |
| Emmaville | | 23 | 131 | 35 | 62 | 69 | 3 | 3 | 27 | 8 | 96 |
| 3. Inverell | 7,186 | 45 | 269 | 84 | 134 | 135 | 4 | 5 | 54 | 30 | 185 |
| 4. Armidale | 15,222 | 80 | 382 | 129 | 190 | 192 | 5 | 8 | 75 | 54 | 253 |
| Walcha | | 11 | 95 | 26 | 51 | 44 | 2 | ... | 14 | 12 | 69 |
| Uralla | | 12 | 111 | 38 | 55 | 56 | 1 | 2 | 21 | 17 | 73 |
| Bundarra | | 14 | 80 | 20 | 45 | 35 | 2 | 2 | 10 | 10 | 60 |
| Total | | 272 | 1,562 | 494 | 798 | 764 | 22 | 33 | 303 | 191 | 1,068 |
| III.—NORTH-WESTERN. | | | | | | | | | | | |
| 1. Tamworth | 13,238 | 65 | 305 | 119 | 168 | 137 | 10 | 10 | 68 | 51 | 186 |
| Manilla | | 1 | 96 | 18 | 51 | 45 | 1 | ... | 11 | 7 | 78 |
| Gunnedah | | 48 | 290 | 120 | 145 | 145 | 3 | 19 | 68 | 52 | 170 |
| Quirindi | | 3 | 12 | 5 | 7 | 5 | ... | ... | 2 | 3 | 7 |
| 2. Nundle | 5,490 | 1 | 55 | 17 | 30 | 25 | ... | ... | 9 | 8 | 38 |
| 3. Warialda | | 8 | 102 | 26 | 63 | 39 | 4 | 1 | 18 | 8 | 76 |
| Moree | | 13 | 114 | 26 | 54 | 60 | 1 | 2 | 18 | 8 | 88 |
| Bingera | 13,004 | 7 | 71 | 26 | 40 | 31 | 1 | 4 | 17 | 9 | 45 |
| 4. Cassilis | | 9 | 54 | 16 | 28 | 26 | 1 | ... | 12 | 4 | 38 |
| Merriwa | | 11 | 39 | 7 | 20 | 19 | ... | 1 | 7 | ... | 32 |
| 5. Dubbo | 2,219 | 87 | 399 | 147 | 204 | 195 | 9 | 7 | 87 | 60 | 252 |
| 6. Coonabarabran | | 12 | 47 | 12 | 18 | 29 | 2 | 2 | 4 | 8 | 35 |
| Coonamble | ... | 14 | 102 | 48 | 58 | 44 | 4 | 6 | 25 | 23 | 54 |

B—continued.

| District. | Popula- tion, Census, 1881. | Mar- riages. | Total. | | Births. | | | | Deaths. | | Excess of Births over Deaths. | |
|-----------------------------------|--------------------------------------|-----------------|---------|---------|-----------------------------------|-------|-------------------------|-----|---------|-------|--|----|
| | | | Births. | Deaths. | Including Illegitimate Births. | | Illegitimate Births. | | M. | F. | | |
| | | | | | M. | F. | M. | F. | | | | |
| III.—NORTH-WESTERN— <i>contd.</i> | | | | | | | | | | | | |
| 7. Molong | 6,877 | 32 | 252 | 80 | 136 | 116 | 6 | 5 | 44 | 36 | 172 | |
| 8. Forbes | | 7,759 | 30 | 154 | 70 | 76 | 78 | 2 | 3 | 38 | 32 | 84 |
| Condobolin | | | 9 | 47 | 21 | 24 | 23 | 2 | 1 | 13 | 8 | 26 |
| Parkes | | | 14 | 95 | 38 | 48 | 47 | 2 | ... | 23 | 15 | 57 |
| Nymagee | 3,490 | 16 | 80 | 38 | 39 | 41 | 2 | ... | 19 | 19 | 42 | |
| 9. Walgett | | 15 | 84 | 39 | 43 | 41 | 2 | 2 | 26 | 13 | 45 | |
| 10. Narrabri | | 28 | 174 | 78 | 85 | 89 | 2 | 2 | 46 | 32 | 96 | |
| TOTAL | | 423 | 2,572 | 951 | 1,337 | 1,235 | 54 | 65 | 555 | 396 | 1,621 | |
| IV.—METROPOLITAN. | | | | | | | | | | | | |
| 1. City of Sydney | 103,379 | 1,999 | 4,129 | 2,535 | 2,119 | 2,010 | 272 | 255 | 1,414 | 1,121 | 1,594 | |
| 2. Balmain | 16,929 | 167 | 910 | 316 | 470 | 440 | 5 | 8 | 179 | 137 | 594 | |
| Leichhardt | | 39 | 279 | 115 | 152 | 127 | 1 | 2 | 66 | 49 | 164 | |
| 3. Glebe | 10,856 | 178 | 716 | 309 | 350 | 366 | 14 | 8 | 159 | 150 | 407 | |
| 4. Newtown | 15,745 | 191 | 1,037 | 642 | 522 | 515 | 31 | 23 | 365 | 277 | 395 | |
| 5. Redfern | 23,638 | 87 | 760 | 355 | 393 | 367 | 22 | 18 | 186 | 169 | 405 | |
| 6. Waterloo | | 137 | 727 | 360 | 376 | 351 | 15 | 19 | 187 | 173 | 367 | |
| 7. Paddington | 20,220 | 127 | 688 | 268 | 361 | 327 | 16 | 21 | 117 | 151 | 420 | |
| Randwick | | 9 | 57 | 21 | 28 | 29 | 1 | ... | 13 | 8 | 36 | |
| Waverley | | 40 | 173 | 73 | 80 | 93 | 3 | 4 | 34 | 39 | 100 | |
| Woollahra | | 70 | 208 | 96 | 117 | 91 | 1 | 3 | 43 | 53 | 112 | |
| 8. Canterbury | 22,434 | 92 | 535 | 186 | 284 | 251 | 3 | 5 | 110 | 76 | 349 | |
| Petersham | | 149 | 878 | 335 | 420 | 458 | 11 | 12 | 180 | 155 | 543 | |
| Ashfield | | 21 | 177 | 104 | 90 | 87 | 4 | ... | 58 | 46 | 73 | |
| 9. St. Leonards | 11,010 | 102 | 527 | 175 | 267 | 260 | 4 | 3 | 94 | 81 | 352 | |
| Manly | | 16 | 71 | 36 | 35 | 36 | 1 | 1 | 24 | 12 | 35 | |
| Total | | 3,424 | 11,872 | 5,926 | 6,064 | 5,808 | 404 | 382 | 3,229 | 2,697 | 5,946 | |
| V.—EAST MIDLAND. | | | | | | | | | | | | |
| 1. Newcastle | 15,596 | 228 | 844 | 394 | 434 | 410 | 6 | 9 | 218 | 176 | 450 | |
| Lambton | 14,773 | 64 | 450 | 140 | 237 | 213 | 8 | 6 | 73 | 67 | 310 | |
| Wallsend | | 61 | 316 | 97 | 167 | 149 | 5 | 3 | 56 | 41 | 219 | |
| 2. Wollombi | 5,334 | 4 | 32 | 6 | 22 | 10 | 1 | 1 | 5 | 1 | 26 | |
| Millfield | | 13 | 50 | 9 | 25 | 25 | 1 | ... | 6 | 3 | 41 | |
| 3. McDonald River | 8,699 | 6 | 29 | 5 | 16 | 13 | ... | ... | 3 | 2 | 24 | |
| 4. Brisbane Water | | 18 | 135 | 43 | 65 | 70 | 3 | 3 | 23 | 20 | 92 | |
| 5. Windsor | 6,031 | 29 | 240 | 92 | 132 | 108 | 8 | 4 | 47 | 45 | 148 | |
| 6. Richmond | | 15 | 92 | 28 | 44 | 48 | ... | 2 | 16 | 12 | 64 | |
| 7. Penrith | 8,432 | 38 | 267 | 107 | 145 | 122 | 3 | 3 | 58 | 49 | 160 | |
| 8. Parramatta | | 88 | 330 | 380 | 182 | 148 | 7 | 6 | 302 | 78 | | |
| Central Cumberland | 15,256 | 39 | 457 | 160 | 233 | 224 | 3 | 5 | 90 | 79 | 288 | |
| 9. Ryde | | 32 | 189 | 157 | 98 | 91 | 2 | 6 | 93 | 64 | 32 | |
| 10. Liverpool | 15,723 | 25 | 225 | 301 | 120 | 105 | 2 | 3 | 262 | 39 | | |
| 11. Campbelltown | | 16 | 88 | 25 | 49 | 39 | 1 | 1 | 10 | 15 | 63 | |
| 12. Camden | | 18 | 137 | 46 | 69 | 68 | 3 | 1 | 29 | 17 | 91 | |
| 13. Picton | | 10 | 95 | 44 | 55 | 40 | 1 | 3 | 24 | 20 | 51 | |
| Total | | 704 | 3,976 | 2,043 | 2,093 | 1,883 | 54 | 56 | 1,315 | 728 | 2,059 | |
| VI.—WEST MIDLAND. | | | | | | | | | | | | |
| 1. Carcoar | 10,482 | 44 | 330 | 131 | 153 | 177 | 3 | 4 | 71 | 60 | 199 | |
| 2. Cowra | | 31 | 156 | 30 | 79 | 77 | 1 | 3 | 16 | 14 | 126 | |
| 3. Hartley | 8,673 | 51 | 344 | 95 | 178 | 166 | 2 | 1 | 55 | 40 | 249 | |
| 4. Bathurst | | 89 | 344 | 160 | 190 | 154 | 9 | 6 | 103 | 57 | 184 | |
| East Macquarie | 12,828 | 27 | 198 | 58 | 114 | 84 | 2 | 1 | 29 | 29 | 140 | |
| West Macquarie | | 26 | 165 | 26 | 98 | 67 | 4 | 3 | 17 | 9 | 139 | |
| 5. Sofala | 9,472 | 8 | 59 | 15 | 28 | 31 | 1 | ... | 9 | 6 | 44 | |
| 6. Orange | | 111 | 430 | 160 | 227 | 203 | 7 | 12 | 96 | 64 | 270 | |
| 7. Wellington | 6,034 | 23 | 172 | 61 | 92 | 80 | 4 | 5 | 36 | 25 | 111 | |
| 8. Tambaroora | | ... | 9 | 4 | 6 | 3 | ... | ... | 3 | 1 | 5 | |
| Hill End | 17,977 | 11 | 42 | 21 | 12 | 30 | ... | ... | 11 | 10 | 21 | |
| 9. Mudgee | | 50 | 343 | 155 | 189 | 154 | 6 | 7 | 104 | 51 | 188 | |
| Gulgong | | 15 | 106 | 50 | 53 | 53 | 3 | 1 | 32 | 18 | 56 | |
| 10. Rylstone | | 12 | 124 | 26 | 59 | 65 | 3 | 3 | 15 | 11 | 98 | |
| Total | | 498 | 2,822 | 992 | 1,478 | 1,344 | 45 | 46 | 597 | 395 | 1,830 | |
| VII.—SOUTH-WESTERN. | | | | | | | | | | | | |
| 1. Wollongong | 7,209 | 46 | 207 | 60 | 119 | 88 | 1 | 1 | 37 | 23 | 147 | |
| Woonona | | 7 | 145 | 27 | 66 | 79 | ... | 5 | 12 | 15 | 118 | |
| 2. Kiama | 5,735 | 34 | 175 | 52 | 87 | 88 | 1 | 1 | 28 | 24 | 123 | |
| 3. Berrima | | 34 | 254 | 80 | 124 | 130 | 3 | 2 | 51 | 29 | 174 | |
| Robertson | 8,393 | 8 | 132 | 20 | 72 | 60 | 2 | ... | 13 | 7 | 112 | |
| 4. Shoalhaven | | 40 | 235 | 65 | 110 | 125 | 1 | ... | 32 | 33 | 170 | |
| 5. Milton | 11,484 | 15 | 65 | 23 | 37 | 28 | ... | 1 | 18 | 5 | 42 | |
| 6. Broulee | | 26 | 135 | 40 | 68 | 67 | 2 | 1 | 33 | 7 | 95 | |
| 7. Eden | | 8 | 64 | 9 | 41 | 23 | 1 | ... | 6 | 3 | 55 | |
| 8. Bega | | 51 | 269 | 54 | 131 | 138 | 5 | 7 | 29 | 25 | 215 | |
| Total | | 269 | 1,681 | 430 | 855 | 826 | 16 | 18 | 259 | 171 | 1,251 | |

B—continued.

| District. | Popula- tion, Census 1881. | Mar- riages. | Total. | | Births. | | | | Deaths. | | Excess of Births over Deaths. |
|----------------------|-------------------------------------|-----------------|---------|---------|-----------------------------------|--------|-------------------------|-----|---------|-------|--|
| | | | Births. | Deaths. | Including Illegitimate Births. | | Illegitimate Births. | | M. | F. | |
| | | | | | M. | F. | M. | F. | | | |
| VIII.—SOUTH MIDLAND. | | | | | | | | | | | |
| 1. Braidwood | 6,948 | 30 | 183 | 69 | 89 | 94 | 3 | 2 | 39 | 30 | 114 |
| 2. Cooma | 10,751 | 44 | 329 | 96 | 156 | 173 | 4 | 8 | 58 | 38 | 233 |
| 3. Bombala | | 41 | 171 | 36 | 77 | 94 | 2 | 3 | 25 | 11 | 135 |
| 4. Goulburn | 17,204 | 123 | 352 | 192 | 178 | 174 | 12 | 13 | 108 | 84 | 160 |
| Argyle | | 20 | 348 | 91 | 181 | 167 | 3 | 3 | 64 | 27 | 257 |
| Crookwell | | 23 | 68 | 28 | 32 | 36 | ... | ... | 19 | 9 | 40 |
| 5. Albury | 5,715 | 88 | 224 | 91 | 118 | 106 | 2 | 4 | 57 | 34 | 133 |
| Hume | 9,281 | 47 | 325 | 74 | 157 | 168 | 6 | 5 | 38 | 36 | 251 |
| 6. Gundagai | 6,531 | 17 | 170 | 91 | 80 | 90 | 4 | 2 | 58 | 33 | 79 |
| Adelong | | 18 | 107 | 43 | 46 | 61 | 1 | 1 | 20 | 23 | 64 |
| Cootamundra | | 34 | 125 | 54 | 67 | 58 | 6 | ... | 30 | 24 | 71 |
| 7. Tumut | 6,685 | 28 | 121 | 47 | 55 | 66 | ... | 2 | 23 | 24 | 74 |
| 8. Yass | 7,893 | 32 | 202 | 67 | 110 | 92 | 5 | 1 | 47 | 20 | 135 |
| Gunning | | 15 | 77 | 35 | 31 | 46 | 1 | 1 | 21 | 14 | 42 |
| 9. Queanbeyan | 5,459 | 38 | 230 | 117 | 119 | 111 | 10 | 6 | 72 | 45 | 113 |
| 10. Burrowa | 4,306 | 25 | 140 | 60 | 66 | 74 | 4 | 4 | 36 | 24 | 80 |
| Grenfell | 5,546 | 27 | 120 | 47 | 54 | 66 | 1 | 3 | 29 | 18 | 73 |
| Barmedman | | ... | 15 | 11 | 8 | 7 | ... | ... | 7 | 4 | 4 |
| Temora | | 24 | 88 | 37 | 45 | 43 | 2 | 2 | 23 | 14 | 51 |
| 11. Young | 11,850 | 63 | 267 | 103 | 144 | 123 | 3 | 5 | 73 | 30 | 164 |
| Murrumburrah | | 9 | 115 | 40 | 55 | 60 | 1 | 3 | 28 | 12 | 75 |
| Total | | 746 | 3,777 | 1,429 | 1,868 | 1,909 | 70 | 68 | 875 | 554 | 2,348 |
| IX.—SOUTH-WESTERN. | | | | | | | | | | | |
| 1. Deniliquin | 8,908 | 33 | 136 | 51 | 68 | 68 | 2 | 5 | 23 | 28 | 85 |
| Jerilderie | | 9 | 40 | 19 | 26 | 14 | ... | 1 | 11 | 8 | 21 |
| 2. Moama | | 7 | 58 | 24 | 27 | 31 | 1 | 1 | 19 | 5 | 34 |
| 3. Moulamein | 8,135 | 3 | 21 | 4 | 9 | 12 | ... | ... | 4 | ... | 17 |
| 4. Balranald | | 10 | 52 | 23 | 25 | 27 | 1 | ... | 18 | 5 | 29 |
| 5. Bourke | 8,125 | 35 | 202 | 120 | 105 | 97 | 6 | 6 | 89 | 31 | 82 |
| Brewarrina | | 12 | 37 | 22 | 19 | 18 | 1 | 1 | 19 | 3 | 15 |
| Cobar | | 33 | 110 | 87 | 55 | 55 | 3 | 3 | 54 | 33 | 23 |
| 6. Hay | * | 70 | 201 | 104 | 101 | 100 | 2 | 2 | 70 | 34 | 97 |
| Hillston | * | 29 | 143 | 40 | 65 | 78 | 2 | 3 | 24 | 16 | 103 |
| 7. Wentworth | 6,194 | 19 | 117 | 55 | 63 | 54 | ... | ... | 39 | 16 | 62 |
| Silverton | | 4 | 8 | 12 | 3 | 5 | ... | 1 | 11 | 1 | |
| 8. Wilcannia | | 34 | 93 | 54 | 50 | 43 | 1 | ... | 42 | 12 | 39 |
| Milparinka | 18,347 | 2 | 20 | 15 | 11 | 9 | ... | ... | 8 | 7 | 5 |
| Menindie | | 6 | 28 | 12 | 15 | 13 | ... | ... | 10 | 2 | 16 |
| 9. Wagga | | 83 | 429 | 115 | 227 | 202 | 6 | 4 | 54 | 61 | 314 |
| Narrandera | 18,347 | 26 | 137 | 78 | 80 | 57 | 5 | ... | 49 | 29 | 59 |
| Urana | | 5 | 31 | 12 | 15 | 16 | ... | ... | 6 | 6 | 19 |
| Total | | 420 | 1,863 | 847 | 964 | 899 | 30 | 27 | 550 | 297 | 1,020 |
| GRAND TOTAL | | 7,482 | 33,946 | 14,220 | 17,417 | 16,529 | 744 | 751 | 8,325 | 5,895 | 19,856 |

The deaths in the districts of Parramatta, Liverpool, and Silverton exceed the births by 130, which will reduce the excess of births over deaths to 19,726. * Included in Balranald.

C.

MARRIAGES—1884.

| Denominations. | Sydney. | | | | Suburbs. | | | | Country Districts. | | | | Total. | | | |
|---------------------------------|-----------------|--------|-----|-------|-----------------|--------|-----|-------|--------------------|--------|-----|-------|-----------------|--------|-----|-------|
| | Mar- riages. | Marks. | | | Mar- riages. | Marks. | | | Mar- riages. | Marks. | | | Mar- riages. | Marks. | | |
| | | M. | F. | Total | | M. | F. | Total | | M. | F. | Total | | M. | F. | Total |
| Church of England | 871 | 24 | 37 | 61 | 470 | 15 | 15 | 30 | 1,552 | 125 | 129 | 254 | 2,893 | 164 | 181 | 345 |
| Roman Catholic | 367 | 18 | 20 | 38 | 188 | 9 | 12 | 21 | 893 | 53 | 77 | 130 | 1,448 | 80 | 109 | 189 |
| Presbyterian | 182 | 2 | 5 | 7 | 204 | 5 | 5 | 10 | 623 | 24 | 30 | 54 | 1,009 | 31 | 40 | 71 |
| Wesleyan | 76 | 1 | ... | 1 | 176 | 1 | 3 | 4 | 507 | 21 | 18 | 39 | 759 | 23 | 21 | 44 |
| Methodist | 16 | ... | ... | ... | 48 | 1 | 1 | 2 | 101 | 2 | 4 | 6 | 165 | 3 | 5 | 8 |
| Congregational | 255 | 8 | 14 | 22 | 169 | ... | ... | ... | 60 | 2 | 2 | 4 | 484 | 10 | 16 | 26 |
| Baptist | 47 | 3 | 2 | 5 | 15 | 1 | 1 | 2 | 55 | 2 | 1 | 3 | 117 | 6 | 4 | 10 |
| Hebrew | 25 | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | 27 | ... | ... | ... |
| German Evangelical | 2 | ... | ... | ... | 3 | ... | ... | ... | 13 | 1 | 1 | 2 | 18 | 1 | 1 | 2 |
| Christians | 1 | ... | ... | ... | 4 | ... | ... | ... | ... | ... | ... | ... | 5 | ... | ... | ... |
| Unitarians | 2 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 3 | ... | ... | ... |
| Friends | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... |
| Salvation Army | 1 | ... | ... | ... | 1 | 1 | ... | ... | 1 | ... | ... | ... | 3 | 1 | ... | ... |
| Independent (unconnected) | ... | ... | ... | ... | ... | ... | ... | ... | 5 | ... | 1 | 1 | 5 | ... | 1 | 1 |
| Free Church of England | ... | ... | ... | ... | ... | ... | ... | ... | 4 | ... | 1 | 1 | 4 | ... | 1 | 1 |
| Bible Christians | ... | ... | ... | ... | ... | ... | ... | ... | 4 | ... | ... | ... | 4 | ... | ... | ... |
| Registrar's Office | 153 | 3 | 6 | 9 | 144 | 8 | 12 | 20 | 240 | 20 | 36 | 56 | 537 | 31 | 54 | 85 |
| | 1,999 | 59 | 84 | 143 | 1,425 | 41 | 49 | 90 | 4,058 | 250 | 300 | 550 | 7,482 | 350 | 433 | 783 |

D 1.

DEATHS from all causes, of MALES, at different ages, registered in NEW SOUTH WALES, from 1st January to 31st December, 1884.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---------------------------------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS I.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Small-pox | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 1a. Chicken-pox | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 2. Measles | 4 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 25 |
| 3. Scarletina | 10 | 19 | 13 | 13 | 11 | 24 | 5 | 3 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 101 |
| 3a. Diphtheria | 4 | 12 | 11 | 10 | 8 | 26 | 6 | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | 2 | ... | ... | ... | ... | 82 |
| 4. Quinsy | 2 | 1 | 1 | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | 2 | 1 | ... | 1 | ... | ... | ... | 10 |
| 5. Croup | 13 | 14 | 18 | 13 | 15 | 13 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 87 |
| 6. Whooping-cough | 40 | 21 | 4 | 3 | 2 | 3 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 74 |
| 7. Typhus (and Infantile Fever) | 17 | 11 | 8 | 6 | 11 | 10 | 17 | 39 | 52 | 47 | 18 | 12 | 10 | 11 | 6 | 6 | 3 | 4 | ... | ... | 1 | 289 |
| 8. Erysipelas | 4 | ... | ... | 1 | ... | 1 | ... | 2 | ... | 1 | ... | 1 | 1 | 3 | ... | 1 | 2 | 1 | ... | ... | ... | 18 |
| 9. Metria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... |
| 10. Carbuncle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 11. Influenza | 16 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | 2 | ... | ... | ... | 21 |
| 12. Dysentery | 33 | 10 | 3 | 1 | ... | 3 | 1 | ... | 1 | ... | 2 | 3 | 4 | 4 | 4 | ... | 2 | 8 | 6 | 2 | 1 | 88 |
| 13. Diarrhoea | 252 | 75 | 11 | 2 | 2 | 3 | 1 | ... | 2 | 2 | ... | 1 | 3 | 3 | 11 | 2 | 7 | 9 | 10 | 4 | 1 | 401 |
| 14. Cholera | 20 | 9 | 1 | 1 | ... | 1 | ... | ... | 1 | ... | ... | 3 | ... | 3 | 3 | ... | 1 | ... | 2 | 1 | ... | 43 |
| 15. Ague | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | 1 | ... | 6 |
| 16. Remittent Fever | 1 | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 4 |
| 17. Rheumatism | ... | ... | ... | ... | 1 | 3 | 2 | 3 | 1 | 1 | 1 | ... | 5 | 4 | 1 | 2 | 3 | 1 | ... | 1 | ... | 29 |
| 18. Pyæmia | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | 1 | 2 | 2 | 1 | ... | 2 | ... | 1 | ... | ... | ... | ... | 12 |
| | 418 | 182 | 72 | 53 | 52 | 91 | 35 | 50 | 59 | 58 | 25 | 20 | 29 | 25 | 32 | 13 | 23 | 26 | 19 | 9 | 4 | 1,295 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis | 10 | 1 | 1 | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 14 |
| 2. Stricture of the Urethra | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 2 | ... | 2 | 2 | 1 | ... | 3 | 1 | ... | 12 |
| 3. Hydrophobia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Glanders | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 10 | 1 | 1 | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | 2 | ... | 2 | 2 | 1 | ... | 3 | 1 | ... | 26 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Privation | ... | ... | ... | 1 | ... | ... | ... | ... | 2 | ... | 2 | 4 | 2 | 2 | 3 | 2 | 2 | 1 | 4 | 2 | 4 | 31 |
| 2. Want of Breast Milk | 34 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 36 |
| 3. Purpura and Scurvy | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 5 |
| 4. Alcoholism— | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| a. Del. Tremens | ... | ... | ... | ... | ... | ... | ... | ... | 3 | ... | 6 | ... | 5 | 2 | 2 | ... | 1 | 1 | ... | ... | 1 | 21 |
| b. Intemperance | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 7 | 8 | 8 | 9 | 6 | 4 | 1 | 2 | 1 | ... | 2 | 52 |
| | 37 | 2 | ... | 1 | ... | ... | ... | ... | 6 | 3 | 15 | 13 | 15 | 13 | 12 | 6 | 4 | 4 | 5 | 2 | 7 | 145 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Thrush | 26 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 26 |
| 2. Worms, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2a. Hydatid | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | ... | 2 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | ... | ... | ... | 15 |
| | 26 | ... | ... | ... | ... | ... | 1 | 2 | 1 | ... | 2 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | ... | ... | ... | 41 |
| Total, Class I | 491 | 185 | 73 | 54 | 52 | 91 | 35 | 51 | 68 | 63 | 41 | 35 | 47 | 40 | 48 | 22 | 29 | 31 | 28 | 12 | 11 | 1,507 |
| CLASS II.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gout | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | 1 | ... | ... | 1 | ... | ... | ... | 6 |
| 2. Dropsy | 5 | 1 | 3 | 1 | ... | 5 | 2 | 1 | 2 | ... | 5 | 4 | 8 | 5 | 9 | 8 | 10 | 11 | 3 | 11 | 2 | 96 |
| 3. Cancer | ... | 1 | ... | ... | ... | ... | ... | ... | 2 | ... | 2 | 9 | 9 | 12 | 17 | 20 | 10 | 22 | 8 | 11 | ... | 123 |
| 3a. Tumour | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | ... | 2 | 1 | 5 | 1 | 1 | 2 | ... | 2 | ... | ... | ... | 17 |
| 3b. Polypus | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Noma | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 2 |
| 5. Mortification | ... | ... | ... | 1 | ... | ... | 1 | 1 | 1 | 1 | 2 | 3 | 3 | ... | 4 | 1 | 1 | 3 | 1 | 4 | ... | 27 |
| | 5 | 3 | 4 | 2 | ... | 5 | 3 | 2 | 6 | 1 | 11 | 18 | 27 | 19 | 32 | 31 | 21 | 40 | 12 | 27 | 2 | 271 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula | 3 | ... | ... | ... | ... | 2 | ... | ... | 1 | 1 | 1 | 2 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 12 |
| 2. Tabes Mesenterica | 80 | 37 | 5 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 124 |
| 3. Phthisis | 23 | 7 | 3 | ... | 2 | 7 | 2 | 22 | 80 | 95 | 77 | 61 | 71 | 53 | 46 | 26 | 21 | 14 | 3 | 2 | 3 | 618 |
| 3a. Hemoptysis | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | 1 | 3 | 1 | 1 | ... | 1 | ... | ... | ... | ... | 11 |
| 4. Hydrocephalus | 21 | 11 | 4 | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 39 |
| 4a. Abscess | 2 | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | 1 | 1 | 3 | 2 | 3 | 2 | 1 | 2 | 2 | ... | ... | 23 |
| | 129 | 55 | 12 | 2 | 3 | 11 | 4 | 22 | 83 | 99 | 80 | 65 | 78 | 56 | 51 | 28 | 23 | 16 | 5 | 2 | 3 | 827 |
| Total, Class II | 134 | 58 | 16 | 4 | 3 | 13 | 7 | 24 | 89 | 100 | 91 | 83 | 105 | 75 | 83 | 59 | 44 | 56 | 17 | 29 | 5 | 1,098 |

D 1--continued.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 45 | 32 | 14 | 4 | 1 | 12 | 3 | 1 | 5 | 5 | 2 | 4 | 2 | ... | 3 | ... | ... | ... | ... | 3 | ... | 136 |
| 2. Apoplexy | ... | ... | ... | 1 | ... | ... | 1 | 1 | 1 | 2 | 5 | 8 | 9 | 14 | 17 | 16 | 17 | 24 | 13 | 8 | 2 | 139 |
| 3. Paralysis | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | 6 | 4 | 7 | 12 | 23 | 14 | 20 | 17 | 19 | 16 | 2 | 142 |
| 4. Insanity | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 3 | ... | 1 | ... | 1 | 1 | 1 | 1 | 2 | 1 | ... | 13 |
| 5. Chorea | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6. Epilepsy | 2 | 1 | 1 | 1 | 1 | 5 | 9 | 5 | 7 | 7 | 8 | 8 | 3 | 1 | 4 | 2 | 3 | 3 | 2 | 2 | 1 | 76 |
| 7. Convulsions | 352 | 85 | 10 | ... | 1 | 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 452 |
| 8. Brain Disease, &c. | 8 | 5 | 1 | 1 | 1 | 5 | ... | 6 | 5 | 4 | 4 | 8 | 13 | 8 | 5 | 5 | 8 | 7 | 3 | 1 | 1 | 99 |
| | 407 | 123 | 26 | 7 | 5 | 26 | 13 | 13 | 19 | 20 | 28 | 32 | 35 | 35 | 53 | 38 | 49 | 52 | 39 | 31 | 6 | 1,057 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | ... | ... | ... | ... | ... | 3 | 3 | 2 | 3 | 2 | ... | 1 | ... | 1 | 2 | 3 | 2 | ... | 1 | ... | ... | 23 |
| 2. Aneurism | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 6 | 8 | 4 | 5 | 4 | 3 | 4 | ... | 1 | ... | 39 |
| 3. Heart Disease, &c. | 8 | 4 | 2 | 5 | 1 | 12 | 7 | 5 | 13 | 15 | 9 | 27 | 24 | 29 | 44 | 27 | 37 | 26 | 46 | 25 | 5 | 371 |
| | 9 | 4 | 2 | 5 | 1 | 15 | 10 | 7 | 16 | 18 | 11 | 34 | 32 | 34 | 51 | 34 | 42 | 30 | 47 | 26 | 5 | 433 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | 2 | 3 | 2 | 1 | 2 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | 15 |
| 2. Bronchitis | 168 | 48 | 17 | 7 | 7 | 14 | 4 | 1 | 3 | 4 | 4 | 7 | 10 | 6 | 11 | 13 | 19 | 19 | 25 | 22 | 1 | 410 |
| 3. Pleurisy | ... | 1 | 1 | ... | ... | 1 | 6 | 4 | 2 | 2 | 4 | 6 | 9 | 4 | 4 | 1 | 4 | 1 | 4 | 1 | ... | 50 |
| 4. Pneumonia | 58 | 22 | 16 | 5 | 5 | 15 | 10 | 12 | 22 | 19 | 21 | 18 | 30 | 24 | 30 | 16 | 18 | 11 | 7 | 13 | 6 | 378 |
| 4a. Congestion of the Lungs, pulmonary ... | 25 | 13 | 2 | 6 | ... | 3 | 1 | 1 | 1 | 4 | 2 | 1 | 1 | 3 | 4 | 10 | 3 | 4 | 2 | 2 | 1 | 89 |
| 5. Asthma | 3 | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | 2 | 3 | 4 | 2 | 4 | 3 | 3 | 2 | 6 | 1 | 1 | 36 |
| 6. Lung Disease, &c. | 1 | 1 | 1 | ... | ... | 1 | ... | ... | 3 | 1 | ... | 5 | 3 | 4 | 2 | 2 | ... | ... | ... | ... | ... | 24 |
| | 257 | 88 | 39 | 20 | 14 | 35 | 16 | 21 | 33 | 30 | 31 | 38 | 54 | 48 | 55 | 49 | 44 | 41 | 41 | 39 | 9 | 1,002 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis | 38 | 7 | 4 | 1 | 1 | ... | 1 | 1 | 3 | 1 | ... | 1 | 1 | 1 | 1 | 1 | ... | 3 | ... | ... | ... | 65 |
| 2. Enteritis | 114 | 29 | 9 | 3 | 3 | 11 | 12 | 10 | 30 | 18 | 13 | 11 | 7 | 6 | 8 | 5 | 4 | 8 | 1 | 1 | 1 | 304 |
| 3. Peritonitis | 9 | ... | 1 | ... | ... | 1 | 1 | 3 | 1 | 5 | 5 | 1 | 4 | 2 | 3 | 3 | 4 | 1 | ... | 2 | ... | 46 |
| 4. Ascites | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 3 | 1 | ... | 1 | ... | 1 | 1 | ... | ... | ... | 1 | ... | 9 |
| 5. Ulceration of Intestines | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | 2 | ... | 2 | ... | 1 | 1 | ... | ... | ... | ... | 8 |
| 6. Hernia | 3 | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 2 | 2 | 1 | 1 | ... | 2 | 2 | 2 | 2 | 2 | 1 | 20 |
| 7. Ileus | 7 | 2 | ... | ... | ... | ... | ... | 2 | 1 | 2 | 1 | 3 | 1 | 4 | ... | 1 | ... | 1 | ... | ... | ... | 25 |
| 8. Intussusception | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| 9. Stricture of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 10. Fistula | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 3 |
| 11. Stomach Disease, &c. ... | 7 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | 3 | 2 | 1 | 1 | 5 | ... | 1 | ... | ... | 22 |
| 12. Pancreas Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 |
| 13. Hepatitis | 1 | 1 | 1 | ... | ... | 1 | 1 | ... | ... | 1 | 2 | 2 | 1 | 1 | 2 | 5 | ... | 2 | 5 | ... | ... | 26 |
| 14. Jaundice | 15 | ... | 1 | ... | ... | ... | 2 | ... | 1 | 2 | 2 | 2 | 1 | ... | ... | 1 | ... | ... | 2 | ... | ... | 27 |
| 15. Liver Disease, &c. | 5 | 1 | ... | ... | ... | 1 | 2 | 1 | 2 | 5 | 3 | 10 | 13 | 12 | 18 | 14 | 17 | 5 | 7 | 1 | ... | 117 |
| 16. Spleen Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | 202 | 41 | 17 | 4 | 4 | 14 | 17 | 17 | 40 | 38 | 32 | 31 | 37 | 28 | 40 | 33 | 30 | 26 | 17 | 10 | 2 | 680 |
| ORDER 5. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | ... | 1 | 1 | ... | ... | 3 | 1 | 2 | 1 | 4 | ... | 1 | 1 | 2 | 2 | ... | 3 | 2 | 4 | 4 | 1 | 33 |
| 2. Ischuria | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 4 |
| 3. Nephria | 1 | ... | ... | 1 | ... | ... | 1 | 1 | 4 | ... | 11 | 4 | 6 | 6 | 8 | 11 | 10 | 5 | 1 | 2 | ... | 73 |
| 4. Diabetes | ... | ... | ... | ... | ... | 1 | ... | ... | 2 | ... | ... | 1 | 1 | ... | ... | 5 | 2 | 3 | ... | ... | ... | 15 |
| 5. Stone | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | 4 |
| 6. Cystitis | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | 1 | 2 | ... | 4 | 3 | 5 | 5 | 4 | ... | ... | 27 |
| 7. Kidney Disease, &c. | 1 | ... | ... | 1 | 1 | 1 | ... | ... | 1 | 1 | 1 | 1 | 7 | 6 | 7 | 4 | 5 | 3 | 6 | ... | ... | 46 |
| | 2 | 1 | 1 | 3 | 1 | 5 | 2 | 4 | 5 | 10 | 12 | 8 | 10 | 18 | 17 | 22 | 26 | 20 | 17 | 17 | 1 | 202 |
| ORDER 7. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 6 |
| 1a. Ostitis Periostitis, &c. | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | 1 | ... | ... | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | 7 |
| 2. Joint Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | ... | ... | 1 | 2 | 1 | 1 | ... | 1 | ... | 2 | 2 | 2 | 2 | ... | ... | ... | ... | ... | ... | 14 |
| ORDER 8. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | 1 | ... | ... | ... | ... | 1 |
| 2. Ulcer | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 7 |
| 3. Skin Disease, &c. | 10 | 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 14 |
| | 11 | 4 | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | 1 | 1 | 1 | ... | 1 | ... | ... | ... | 1 | 22 |
| Total, Class III | 888 | 261 | 85 | 39 | 26 | 97 | 60 | 63 | 114 | 117 | 114 | 145 | 171 | 166 | 219 | 176 | 192 | 169 | 161 | 123 | 24 | 3,410 |

| CAUSES OF DEATH. | Under 1 year. | 1 to 3 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS IV.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth | 176 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 176 |
| 2. Cyanosis..... | 7 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 7 |
| 3. Spina Bifida | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| 4. Other Malformations.. | 42 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 42 |
| 5. Teething | 81 | 66 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 147 |
| | 311 | 66 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 377 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Old Age | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 51 | 55 | 125 | 311 | 4 | 546 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility.. | 476 | 54 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 531 |
| Total Class IV. | 787 | 120 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 51 | 55 | 125 | 311 | 4 | 1454 |
| CLASS V.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Fractures & Contusions | 2 | 4 | 1 | 1 | 4 | 15 | 17 | 12 | 39 | 39 | 28 | 40 | 24 | 31 | 27 | 19 | 14 | 13 | 4 | 5 | 9 | 348 |
| 2. Wounds { a. Gunshot | ... | ... | ... | 1 | ... | ... | 3 | 4 | 2 | 2 | 1 | 1 | ... | 1 | ... | 3 | 1 | ... | ... | ... | 2 | 21 |
| b. Cuts..... | 1 | ... | ... | 1 | ... | 1 | 1 | 4 | 2 | 2 | 1 | ... | 1 | 1 | 1 | ... | 1 | ... | ... | ... | ... | 17 |
| 3. Burns and Scalds | 4 | 4 | 5 | 4 | ... | 2 | ... | 1 | 1 | ... | 1 | 1 | 2 | 2 | ... | 1 | 1 | 2 | 1 | ... | 3 | 35 |
| 3a. Sunstroke | 2 | ... | 2 | 2 | 1 | 2 | ... | 1 | 3 | 2 | ... | 1 | 3 | 2 | ... | 3 | 2 | ... | 2 | ... | 3 | 31 |
| 4. Poison | 4 | ... | ... | ... | ... | 2 | 1 | 2 | 1 | 2 | 1 | 3 | 4 | 3 | 1 | ... | 1 | 1 | ... | 1 | ... | 27 |
| 4a. Bite of Snake or Insect | 1 | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | 1 | ... | 1 | ... | 7 |
| 5. Drowning | 1 | 11 | 5 | 1 | 6 | 19 | 12 | 10 | 25 | 16 | 11 | 5 | 14 | 8 | 12 | 2 | 2 | 1 | 3 | ... | 8 | 172 |
| 6. Suffocation..... | 9 | ... | ... | ... | 1 | 1 | ... | ... | ... | 1 | 1 | 1 | ... | 2 | ... | ... | 1 | 1 | 1 | ... | 1 | 20 |
| 7. Otherwise | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 2 | ... | ... | ... | ... | 7 |
| | 24 | 19 | 14 | 11 | 12 | 42 | 35 | 34 | 74 | 64 | 45 | 52 | 48 | 50 | 44 | 29 | 24 | 20 | 11 | 7 | 26 | 685 |
| ORDER 2.—VIOLENT DEATHS IN BATTLE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gunshot Wounds..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Sword and Bayonet Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ORDER 3.—HOMICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Murder | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | 5 |
| 2. Manslaughter..... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 4 |
| | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 4 | ... | ... | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | 9 |
| ORDER 4.—SUICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Wounds { Gunshot ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | 1 | 3 | 3 | 2 | ... | 1 | 1 | ... | ... | 2 | ... | 1 | 17 |
| Cut, Stab, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 4 | 1 | 2 | ... | ... | ... | 1 | 12 |
| 2. Poison | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | ... | 2 | 1 | 1 | 1 | 1 | ... | ... | ... | ... | 1 | 9 |
| 3. Drowning | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | 1 | 1 | 1 | 1 | ... | 1 | ... | ... | ... | 1 | 8 |
| 4. Hanging..... | ... | ... | ... | ... | ... | ... | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | ... | ... | 1 | ... | 1 | 14 |
| 5. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 6 |
| | ... | ... | ... | ... | ... | ... | 3 | 6 | 5 | 9 | 8 | 5 | 4 | 8 | 5 | 3 | ... | 3 | ... | 7 | ... | 66 |
| ORDER 5.—EXECUTION. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Hanging..... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| Violent Deaths (Open verdicts) | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | 4 | 1 | ... | ... | 3 | 1 | 2 | ... | ... | ... | ... | 15 |
| Total, Class V. | 26 | 19 | 14 | 11 | 12 | 42 | 35 | 38 | 82 | 75 | 58 | 62 | 54 | 55 | 55 | 35 | 29 | 21 | 14 | 7 | 33 | 777 |
| Sudden Deaths (cause unascertained) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Causes not specified or ill-defined | ... | 1 | ... | ... | ... | 1 | ... | 3 | 4 | 2 | 12 | 6 | 8 | 11 | 7 | 7 | ... | 2 | 1 | 1 | 13 | 79 |
| GRAND TOTALS..... | 2326 | 644 | 189 | 108 | 93 | 247 | 137 | 179 | 357 | 357 | 316 | 331 | 385 | 347 | 412 | 299 | 345 | 334 | 346 | 483 | 90 | 8325 |

D 2.

DEATHS from all causes of FEMALES, at different ages, registered in NEW SOUTH WALES, from 1st January to 31st December, 1884.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---------------------------------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS 1.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Small-pox | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 |
| 1a. Chicken-pox | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Measles | 4 | 6 | 1 | 2 | ... | ... | 1 | ... | 1 | ... | 1 | 1 | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | 20 |
| 3. Scarlatina | 9 | 20 | 19 | 28 | 9 | 27 | 9 | 3 | ... | 3 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 128 |
| 3a. Diphtheria | 5 | 8 | 18 | 11 | 6 | 24 | 4 | 3 | 2 | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 83 |
| 4. Quinsy | ... | 2 | ... | 1 | 1 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 8 |
| 5. Croup | 6 | 13 | 16 | 7 | 14 | 13 | 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 73 |
| 6. Whooping-cough | 70 | 29 | 10 | 5 | 2 | 9 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 127 |
| 7. Typhus (and Infantile Fever) | 10 | 15 | 5 | 5 | 5 | 15 | 32 | 31 | 35 | 18 | 15 | 13 | 7 | 3 | 5 | 5 | 1 | 2 | 3 | ... | 2 | 227 |
| 8. Erysipelas | 3 | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | 3 | 2 | ... | 1 | ... | 12 |
| 9. Metria | ... | ... | ... | ... | ... | ... | ... | 3 | 4 | 10 | 3 | 2 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 24 |
| 10. Carbuncle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11. Influenza | 15 | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 19 |
| 12. Dysentery | 28 | 7 | ... | 1 | 1 | 1 | 1 | ... | ... | 1 | 3 | 2 | 2 | ... | 2 | 1 | 5 | 2 | 3 | 2 | ... | 62 |
| 13. Diarrhoea | 228 | 71 | 7 | 3 | 1 | 8 | ... | ... | 3 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 7 | 4 | 4 | 5 | ... | 362 |
| 14. Cholera | 23 | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 29 |
| 15. Ague | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 16. Remittent Fever | 2 | 2 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 7 |
| 17. Rheumatism | ... | ... | ... | ... | ... | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 1 | ... | ... | ... | ... | 1 | 1 | ... | ... | 17 |
| 18. Pyæmia | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 3 | ... | 2 | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | 9 |
| | 405 | 178 | 77 | 64 | 39 | 102 | 55 | 42 | 48 | 43 | 26 | 25 | 18 | 9 | 13 | 11 | 16 | 13 | 12 | 10 | 2 | 1,208 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis | 11 | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 16 |
| 2. Stricture of the Urethra | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Hydrophobia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Glanders | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 11 | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 16 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Privation | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 |
| 2. Want of Breast Milk | 35 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 35 |
| 3. Purpura and Scurvy | 5 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 6 |
| 4. Alcoholism— | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 4 |
| a Del. Tremens | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 2 | 1 | 2 | 3 | 2 | 3 | 1 | 1 | ... | ... | ... | ... | 18 |
| b Intemperance | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 40 | ... | ... | ... | ... | 1 | ... | ... | 1 | 3 | 3 | 2 | 2 | 3 | 2 | 4 | 1 | 1 | 1 | ... | ... | 64 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Thrush | 19 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 20 |
| 2. Worms, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2a. Hydatid | ... | ... | 1 | ... | ... | ... | ... | 2 | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 5 |
| | 19 | 1 | 1 | ... | ... | ... | ... | 2 | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 25 |
| Total, Class 1 | 475 | 179 | 78 | 64 | 39 | 103 | 55 | 44 | 49 | 46 | 32 | 27 | 21 | 12 | 16 | 16 | 18 | 14 | 13 | 10 | 2 | 1,313 |
| CLASS II.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gout | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | 1 | ... | ... | 3 |
| 2. Dropsy | 4 | 2 | ... | ... | 1 | 1 | 5 | ... | 6 | 5 | 4 | 4 | 9 | 5 | 6 | 7 | 6 | 8 | 2 | 4 | ... | 79 |
| 3. Cancer | ... | ... | ... | ... | 1 | 1 | ... | ... | 2 | 2 | 4 | 7 | 14 | 20 | 11 | 13 | 12 | 8 | 12 | 4 | ... | 110 |
| 3a. Tumour | ... | 1 | ... | ... | 1 | ... | 1 | ... | ... | 3 | 3 | 2 | 4 | 3 | 4 | 2 | 2 | 1 | 1 | ... | ... | 28 |
| 3b. Polypus | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Noma | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 5. Mortification | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | 2 | 1 | 2 | 2 | ... | 1 | 1 | 1 | ... | ... | ... | ... | 12 |
| | 4 | 3 | 1 | ... | 3 | 2 | 6 | ... | 9 | 12 | 12 | 15 | 29 | 29 | 23 | 23 | 21 | 17 | 16 | 8 | ... | 233 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula | 2 | ... | ... | ... | ... | 2 | ... | ... | ... | 3 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 8 |
| 2. Tabes Mesenterica | 60 | 27 | 4 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 92 |
| 3. Phthisis | 10 | 9 | 2 | 2 | 2 | 8 | 13 | 40 | 75 | 43 | 43 | 42 | 29 | 24 | 18 | 11 | 4 | 3 | 2 | 2 | 3 | 385 |
| 3a. Hemoptysis | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 4. Hydrocephalus | 17 | 7 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 25 |
| 4a. Abscess | 4 | ... | 1 | ... | ... | ... | ... | ... | 2 | 2 | ... | ... | 1 | ... | ... | 2 | 2 | ... | ... | ... | ... | 14 |
| | 93 | 43 | 7 | 2 | 2 | 12 | 13 | 40 | 77 | 45 | 48 | 44 | 30 | 25 | 18 | 13 | 6 | 3 | 2 | 2 | 3 | 528 |
| Total, Class II | 97 | 46 | 8 | 2 | 5 | 14 | 19 | 40 | 86 | 57 | 60 | 59 | 59 | 54 | 41 | 36 | 27 | 20 | 18 | 10 | 3 | 761 |

D 2—continued.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|--|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------------|
| CLASS III.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 51 | 24 | 10 | 3 | 3 | 15 | 4 | 3 | 3 | 2 | 1 | ... | 1 | 2 | 1 | ... | ... | ... | ... | ... | 1 | 124 |
| 2. Apoplexy | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | 7 | 2 | 7 | 8 | 9 | 13 | 8 | 9 | 10 | 2 | 12 | 1 | 91 |
| 3. Paralysis | ... | ... | 1 | ... | ... | ... | ... | 2 | 1 | 3 | 1 | 1 | 5 | 5 | 1 | 7 | 6 | 3 | 7 | 11 | 1 | 55 |
| 4. Insanity | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | 4 |
| 5. Chorea | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 |
| 6. Epilepsy | ... | ... | 1 | 3 | 1 | 5 | 3 | 3 | 7 | 8 | 6 | 7 | 5 | 1 | 1 | 3 | ... | 3 | ... | 1 | 1 | 59 |
| 7. Convulsions | 289 | 67 | 5 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 363 |
| 8. Brain Disease, &c..... | 2 | 1 | ... | ... | 1 | ... | 1 | 3 | 3 | ... | 2 | 3 | 5 | 5 | 7 | 5 | 5 | 2 | 2 | 2 | ... | 49 |
| | 342 | 92 | 17 | 7 | 5 | 22 | 9 | 13 | 15 | 20 | 13 | 18 | 24 | 23 | 23 | 23 | 20 | 19 | 11 | 26 | 4 | 746 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | 2 | ... | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | 9 |
| 2. Aneurism | 1 | ... | ... | 1 | ... | ... | ... | ... | 1 | 1 | 2 | 1 | ... | 2 | 1 | 1 | 1 | ... | ... | 1 | ... | 12 |
| 3. Heart Disease, &c. ... | 8 | ... | 1 | ... | 1 | 9 | 3 | 7 | 10 | 19 | 13 | 9 | 17 | 21 | 24 | 14 | 19 | 23 | 15 | 14 | 3 | 230 |
| | 9 | ... | 1 | 1 | 1 | 10 | 4 | 7 | 11 | 22 | 15 | 12 | 18 | 24 | 25 | 15 | 20 | 23 | 15 | 15 | 3 | 251 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | 2 | ... | 1 | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | 8 |
| 2. Bronchitis | 149 | 45 | 16 | 7 | 4 | 4 | 3 | 4 | 1 | 6 | 4 | 7 | 5 | 13 | 6 | 11 | 10 | 11 | 16 | 16 | ... | 338 |
| 3. Pleurisy | ... | ... | ... | ... | ... | 4 | 1 | 2 | 5 | 1 | 1 | 2 | 2 | 1 | 2 | ... | 2 | ... | ... | ... | ... | 23 |
| 4. Pneumonia | 53 | 24 | 18 | 4 | 4 | 12 | 5 | 14 | 10 | 17 | 12 | 9 | 8 | 11 | 9 | 7 | 9 | 9 | 10 | 3 | 1 | 249 |
| 4a. Congestion of the Lungs, pulmonary. | 24 | 6 | 4 | 3 | 2 | 3 | 3 | ... | 7 | 1 | 3 | ... | 1 | 2 | 4 | ... | 1 | 3 | ... | 1 | ... | 68 |
| 5. Asthma | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | 2 | ... | 5 | 3 | 3 | 1 | 1 | 1 | ... | ... | 20 |
| 6. Lung Disease, &c..... | ... | ... | ... | ... | ... | 1 | ... | 1 | 4 | 1 | 2 | ... | 1 | 1 | ... | 1 | 2 | 1 | ... | ... | ... | 15 |
| | 229 | 75 | 39 | 15 | 11 | 25 | 12 | 21 | 28 | 26 | 23 | 19 | 20 | 28 | 26 | 22 | 27 | 25 | 27 | 22 | 1 | 721 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis | 32 | 9 | 2 | ... | 1 | 6 | ... | 1 | ... | ... | 1 | 3 | 1 | 2 | 1 | ... | ... | ... | ... | 1 | ... | 60 |
| 2. Enteritis | 82 | 29 | 6 | 5 | 2 | 12 | 6 | 13 | 11 | 8 | 3 | 9 | 10 | 3 | 5 | 4 | 5 | 8 | 2 | 1 | ... | 224 |
| 3. Peritonitis | 6 | 2 | ... | ... | ... | 1 | 2 | 3 | 14 | 14 | 9 | 6 | 6 | 2 | 1 | ... | 2 | 1 | ... | ... | ... | 69 |
| 4. Ascites | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 2 | ... | 2 | 1 | 1 | ... | ... | ... | ... | 10 |
| 5. Ulceration of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 2 | 1 | 1 | 1 | 2 | ... | ... | 1 | ... | 10 |
| 6. Hernia | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | 2 | ... | 1 | ... | ... | 7 |
| 7. Ileus | 4 | ... | ... | ... | ... | 3 | ... | 2 | ... | ... | ... | 1 | 1 | ... | ... | 3 | 1 | 2 | 1 | ... | ... | 18 |
| 8. Intussusception | 2 | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 6 |
| 9. Strictures of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10. Fistula | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11. Stomach Disease, &c. | 4 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 1 | 2 | ... | ... | 2 | 1 | 1 | ... | ... | 16 |
| 12. Pancreas Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 13. Hepatitis | 2 | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 5 | 4 | 2 | 8 | 1 | 5 | 2 | 5 | 1 | ... | ... | 38 |
| 14. Jaundice | 8 | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | 1 | 1 | 1 | 3 | 2 | ... | 1 | 2 | 2 | ... | ... | 23 |
| 15. Liver Disease, &c..... | 5 | 1 | ... | ... | ... | ... | ... | ... | 3 | 6 | 2 | 4 | 13 | 8 | 4 | 2 | 5 | 5 | 1 | 1 | ... | 60 |
| 16. Spleen Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | 147 | 43 | 9 | 5 | 3 | 19 | 11 | 17 | 29 | 27 | 25 | 31 | 34 | 27 | 27 | 18 | 22 | 23 | 16 | 8 | 1 | 542 |
| ORDER 5. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | 1 | 2 | ... | ... | ... | 2 | ... | ... | 1 | ... | ... | 1 | 1 | 1 | ... | 1 | ... | 1 | ... | ... | ... | 10 |
| 2. Ischuria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Nephria | 1 | 1 | 1 | ... | ... | 1 | 2 | 1 | 4 | 3 | 7 | 3 | 3 | 4 | 2 | 3 | 4 | ... | ... | ... | ... | 40 |
| 4. Diabetes | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 2 | ... | ... | 3 | ... | 1 | ... | ... | ... | 7 |
| 5. Stone | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 2 |
| 6. Cystitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7. Kidney disease | ... | ... | ... | ... | ... | ... | ... | 2 | 3 | 2 | 4 | 1 | 1 | 2 | 1 | ... | 1 | 1 | ... | ... | ... | 18 |
| | 2 | 3 | 1 | ... | ... | 3 | 2 | 1 | 8 | 6 | 9 | 8 | 6 | 7 | 4 | 5 | 8 | 2 | 2 | ... | ... | 77 |
| ORDER 6. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 4 |
| 2. Uterus Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 4 | 1 | 3 | 2 | 1 | ... | ... | 1 | 1 | ... | ... | ... | 14 |
| | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 5 | 1 | 4 | 2 | 1 | 1 | ... | 2 | 1 | ... | ... | ... | 18 |
| ORDER 7. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 1a. Ostitis Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Joint Disease, &c..... | ... | ... | ... | 1 | ... | 2 | 1 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 6 |
| | ... | ... | ... | 1 | ... | 3 | 1 | 1 | 1 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 9 |
| ORDER 8. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Ulcer | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 7 |
| 3. Skin Disease, &c. | 2 | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 6 |
| | 2 | 1 | ... | 1 | ... | ... | ... | 2 | ... | ... | 2 | ... | ... | 1 | 1 | ... | 2 | 1 | ... | ... | ... | 13 |
| TOTAL CLASS III | 731 | 214 | 67 | 30 | 20 | 82 | 39 | 61 | 94 | 102 | 90 | 91 | 107 | 111 | 107 | 85 | 97 | 96 | 73 | 71 | 9 | 2,377 |

D 2—continued.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|--------------------------------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS IV.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Premature birth | 131 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 131 |
| 2. Cyanosis..... | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 3. Spina Bifida | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 4. Other Malformations.. | 26 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 27 |
| 5. Teething | 80 | 49 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 130 |
| | 243 | 49 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 294 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Paramenia | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 6 |
| 2. Childbirth (<i>see</i> Metria) | ... | ... | ... | ... | ... | ... | ... | 6 | 22 | 20 | 26 | 26 | 10 | 1 | ... | ... | ... | ... | ... | ... | 2 | 113 |
| | ... | ... | ... | ... | ... | ... | ... | 7 | 24 | 21 | 26 | 26 | 12 | 1 | ... | ... | ... | ... | ... | ... | 2 | 119 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Old Age..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 30 | 39 | 78 | 180 | 1 | 330 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility. | 397 | 46 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 444 |
| Total Class IV. | 640 | 95 | 3 | ... | ... | ... | ... | 7 | 24 | 21 | 26 | 26 | 12 | 1 | ... | 2 | 30 | 39 | 78 | 180 | 3 | 1,187 |
| CLASS V.—ORDER 1.— | | | | | | | | | | | | | | | | | | | | | | |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Fractures & Contusions | 4 | 3 | 5 | 1 | ... | 5 | 4 | 3 | 4 | 2 | 2 | 1 | 4 | 3 | 3 | ... | 5 | 3 | 1 | 1 | 1 | 55 |
| 2. Wounds { <i>a</i> Gunshot. | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| <i>b</i> Cuts | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 3. Burns and Scalds | 2 | 10 | 6 | 3 | 4 | 7 | 2 | 8 | 1 | 2 | 1 | ... | 5 | ... | ... | 3 | 2 | 2 | ... | 2 | ... | 60 |
| 3 <i>a</i> . Sunstroke | ... | 1 | 1 | 2 | 1 | ... | 1 | ... | 1 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 10 |
| 4. Poison | 1 | 3 | ... | 1 | ... | 1 | ... | 1 | 1 | 1 | ... | 2 | 1 | ... | ... | 1 | ... | 1 | ... | 1 | ... | 15 |
| 4 <i>a</i> . Bite of Snake or Insect | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 5. Drowning | ... | 7 | 1 | ... | ... | 8 | ... | 4 | 1 | ... | 2 | ... | 3 | ... | 1 | 2 | 1 | ... | ... | 1 | ... | 31 |
| 6. Suffocation | 7 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 9 |
| 7. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 |
| | 14 | 24 | 14 | 8 | 5 | 22 | 9 | 15 | 10 | 6 | 6 | 1 | 15 | 4 | 4 | 5 | 9 | 5 | 3 | 4 | 4 | 187 |
| ORDER 2.—VIOLENT | | | | | | | | | | | | | | | | | | | | | | |
| DEATHS IN BATTLE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gunshot Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Sword and Bayonet | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wounds..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ORDER 3.—HOMICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Murder | 2 | ... | ... | 1 | ... | ... | ... | 1 | 1 | 1 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 8 |
| 2. Manslaughter | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| | 2 | 1 | 1 | 1 | ... | ... | ... | 1 | 1 | 1 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 10 |
| ORDER 4.—SUICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Wounds { Gunshot ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 |
| Cut, Stab, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 6 |
| 2. Poison | ... | ... | ... | ... | ... | ... | 2 | 1 | 1 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 3. Drowning | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 4. Hanging..... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 |
| 5. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 |
| | ... | ... | ... | ... | ... | ... | 4 | 1 | 3 | 2 | 1 | ... | 1 | 2 | 1 | ... | ... | ... | ... | ... | ... | 15 |
| ORDER 5.—EXECUTION. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Hanging..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Violent Deaths (open | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| verdicts) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total Class V. | 16 | 25 | 15 | 9 | 5 | 22 | 9 | 19 | 12 | 10 | 10 | 3 | 15 | 6 | 6 | 6 | 9 | 5 | 3 | 4 | 4 | 213 |
| Sudden Deaths (cause | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| unascertained) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Causes not specified or | ... | 2 | ... | 1 | 2 | ... | ... | 2 | 2 | 2 | 2 | 6 | 9 | 3 | 5 | ... | 1 | ... | ... | ... | 7 | 44 |
| ill-defined. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| GRAND TOTAL | 1,959 | 561 | 171 | 106 | 71 | 221 | 122 | 173 | 267 | 238 | 220 | 212 | 223 | 187 | 175 | 145 | 182 | 174 | 185 | 275 | 28 | 5,895 |

D 3.

DEATHS from all causes, of BOTH SEXES, at different ages, registered in NEW SOUTH WALES, from 1st January to 31st December, 1884.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---------------------------------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS I.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Small-pox | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 1a. Chicken-pox | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 2. Measles | 8 | 14 | 3 | 4 | 2 | 2 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | 45 |
| 3. Scarletina | 19 | 39 | 32 | 41 | 20 | 51 | 14 | 6 | 1 | 3 | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | 1 | 229 |
| 3a. Diphtheria | 9 | 20 | 29 | 21 | 14 | 50 | 10 | 3 | 2 | 2 | ... | ... | 1 | ... | 2 | ... | 2 | ... | ... | ... | ... | 165 |
| 4. Quinsy | 2 | 3 | 1 | 1 | 1 | 4 | ... | ... | ... | ... | 1 | ... | ... | ... | 2 | 1 | ... | 1 | ... | 1 | ... | 18 |
| 5. Croup | 19 | 27 | 34 | 20 | 29 | 26 | 4 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 160 |
| 6. Whooping-cough | 110 | 50 | 14 | 8 | 4 | 12 | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 201 |
| 7. Typhus (and Infantile Fever) | 27 | 26 | 13 | 11 | 16 | 25 | 49 | 70 | 87 | 65 | 33 | 25 | 17 | 14 | 11 | 11 | 4 | 6 | 3 | ... | 3 | 516 |
| 8. Erysipelas | 7 | ... | ... | 1 | ... | 2 | ... | 2 | ... | 2 | ... | 1 | 1 | 4 | ... | 1 | 5 | 3 | ... | 1 | ... | 30 |
| 9. Metria | ... | ... | ... | ... | ... | ... | ... | 3 | 4 | 10 | 3 | 2 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 24 |
| 10. Carbuncle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 |
| 11. Influenza | 31 | ... | ... | 1 | ... | 1 | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | 1 | 3 | ... | 1 | ... | 40 |
| 12. Dysentery | 61 | 17 | 3 | 2 | 1 | 4 | 2 | ... | 1 | 1 | 5 | 5 | 6 | 4 | 6 | 1 | 7 | 10 | 9 | 4 | 1 | 150 |
| 13. Diarrhoea | 480 | 146 | 18 | 5 | 3 | 11 | 1 | ... | 5 | 4 | 2 | 4 | 6 | 6 | 15 | 6 | 14 | 13 | 14 | 9 | 1 | 763 |
| 14. Cholera | 43 | 14 | 1 | 1 | ... | 1 | ... | ... | 1 | ... | ... | ... | 3 | ... | 3 | 1 | 1 | ... | 2 | 1 | ... | 72 |
| 15. Ague | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | 1 | ... | 6 |
| 16. Remittent Fever | 3 | 2 | 1 | 1 | ... | 1 | ... | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 11 |
| 17. Rheumatism | ... | ... | ... | ... | 1 | 3 | 4 | 5 | 4 | 4 | 3 | 2 | 6 | 4 | 1 | 2 | 3 | 2 | 1 | 1 | ... | 46 |
| 18. Pyæmia | 3 | 1 | ... | ... | ... | 1 | ... | ... | ... | 4 | 2 | 4 | 1 | ... | 3 | ... | 1 | ... | 1 | ... | ... | 21 |
| | 823 | 360 | 149 | 117 | 91 | 193 | 90 | 92 | 107 | 101 | 51 | 45 | 47 | 34 | 45 | 24 | 39 | 39 | 31 | 19 | 6 | 2503 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis | 21 | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | 3 | ... | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | 30 |
| 2. Stricture of the Urethra | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 2 | ... | 2 | 2 | 1 | ... | 3 | 1 | ... | 12 |
| 3. Hydrophobia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Glanders | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 21 | 1 | 1 | ... | ... | ... | ... | ... | 1 | 1 | 3 | ... | 3 | ... | 2 | 3 | 2 | ... | 3 | 1 | ... | 42 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Privation | ... | ... | ... | 1 | ... | ... | ... | ... | 2 | ... | 2 | 4 | 2 | 2 | 3 | 2 | 2 | 1 | 5 | 2 | 4 | 32 |
| 2. Want of Breast Milk | 69 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 71 |
| 3. Purpura and Scurvy... .. | 8 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 11 |
| 4. Alcoholism— | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| a. Del. Tremens | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 1 | 7 | 1 | 5 | 2 | 2 | 1 | 1 | 1 | ... | ... | 1 | 25 |
| b. Intemperance | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 5 | 9 | 9 | 10 | 12 | 8 | 7 | 2 | 3 | 1 | ... | 2 | 70 |
| | 77 | 2 | ... | 1 | ... | 1 | ... | ... | 7 | 6 | 18 | 15 | 17 | 16 | 14 | 10 | 5 | 5 | 6 | 2 | 7 | 209 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Thrush | 45 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 46 |
| 2. Worms, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2a. Hydatid | ... | ... | 1 | ... | ... | ... | ... | 3 | 2 | 1 | 1 | 2 | 1 | 2 | 3 | 1 | 1 | 1 | 1 | ... | ... | 20 |
| | 45 | 1 | 1 | ... | ... | ... | ... | 3 | 2 | 1 | 1 | 2 | 1 | 2 | 3 | 1 | 1 | 1 | 1 | ... | ... | 66 |
| Total, Class I..... | 966 | 364 | 151 | 118 | 91 | 194 | 90 | 95 | 117 | 109 | 78 | 62 | 68 | 52 | 64 | 38 | 47 | 45 | 41 | 22 | 13 | 2,820 |
| CLASS II.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gout | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 2 | 2 | ... | ... | 1 | 1 | ... | ... | 9 |
| 2. Dropsy | 9 | 3 | 3 | 1 | 1 | 6 | 7 | 1 | 8 | 5 | 9 | 8 | 17 | 10 | 15 | 15 | 16 | 19 | 5 | 15 | 2 | 175 |
| 3. Cancer | ... | 1 | ... | ... | ... | 1 | ... | ... | 4 | 2 | 6 | 16 | 23 | 32 | 28 | 33 | 22 | 30 | 20 | 15 | ... | 233 |
| 3a. Tumour | ... | 2 | 1 | ... | 1 | ... | 1 | ... | 1 | 3 | 5 | 3 | 9 | 4 | 5 | 4 | 2 | 3 | 1 | ... | ... | 45 |
| 3b. Polypus | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Noma | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 3 |
| 5. Mortification | ... | ... | ... | 1 | 1 | ... | 1 | 1 | 2 | 3 | 3 | 5 | 5 | ... | 5 | 2 | 2 | 3 | 1 | 4 | ... | 39 |
| | 9 | 6 | 5 | 2 | 3 | 7 | 9 | 2 | 15 | 13 | 23 | 33 | 56 | 48 | 55 | 54 | 42 | 57 | 28 | 35 | 2 | 504 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula | 5 | ... | ... | ... | ... | 4 | ... | ... | 1 | 1 | 4 | 2 | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 20 |
| 2. Tabes Mesenterica | 140 | 64 | 9 | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 216 |
| 3. Phthisis | 33 | 16 | 5 | 2 | 4 | 15 | 15 | 62 | 155 | 138 | 120 | 103 | 100 | 77 | 64 | 37 | 25 | 17 | 5 | 4 | 6 | 1,003 |
| 3a. Hæmoptysis | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 3 | 3 | 3 | 1 | 1 | ... | ... | ... | ... | ... | ... | 15 |
| 4. Hydrocephalus | 38 | 18 | 4 | 1 | 1 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 64 |
| 4a. Abscess | 6 | ... | 1 | ... | ... | 1 | 1 | ... | 3 | 3 | 1 | 1 | 4 | 2 | 3 | 4 | 3 | 2 | 2 | ... | ... | 37 |
| | 222 | 98 | 19 | 4 | 5 | 23 | 17 | 62 | 160 | 144 | 128 | 109 | 108 | 81 | 69 | 41 | 29 | 19 | 7 | 4 | 6 | 1,355 |
| Total, Class II | 231 | 104 | 24 | 6 | 8 | 30 | 26 | 64 | 175 | 157 | 151 | 142 | 164 | 129 | 124 | 95 | 71 | 76 | 35 | 39 | 8 | 1,859 |

D 3—continued.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS III.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 96 | 56 | 24 | 7 | 4 | 27 | 7 | 4 | 8 | 7 | 3 | 4 | 3 | 2 | 4 | ... | ... | ... | ... | 3 | 1 | 260 |
| 2. Apoplexy | ... | ... | ... | 1 | ... | 1 | ... | 2 | 2 | 9 | 7 | 15 | 17 | 23 | 30 | 24 | 26 | 34 | 15 | 20 | 3 | 230 |
| 3. Paralysis | ... | ... | 1 | ... | 1 | ... | ... | 2 | 1 | 4 | 7 | 5 | 12 | 17 | 24 | 21 | 26 | 20 | 26 | 27 | 3 | 197 |
| 4. Insanity | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 4 | ... | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | ... | 17 |
| 5. Chorea | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 6. Epilepsy | 2 | 1 | 2 | 4 | 2 | 10 | 12 | 8 | 14 | 15 | 14 | 15 | 8 | 2 | 5 | 5 | 3 | 6 | 2 | 3 | 2 | 135 |
| 7. Convulsions | 641 | 152 | 15 | 1 | 1 | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 815 |
| 8. Brain Disease, &c..... | 10 | 6 | 1 | 1 | 2 | 5 | 1 | 9 | 8 | 4 | 6 | 11 | 18 | 13 | 12 | 10 | 13 | 9 | 5 | 3 | 1 | 148 |
| | 749 | 215 | 43 | 14 | 10 | 48 | 22 | 26 | 34 | 40 | 41 | 50 | 59 | 58 | 76 | 61 | 69 | 71 | 50 | 57 | 10 | 1,803 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | ... | ... | ... | ... | ... | 4 | 4 | 2 | 4 | 4 | ... | 3 | 1 | 2 | 2 | 3 | 2 | ... | 1 | ... | ... | 32 |
| 2. Aneurism | 2 | ... | ... | 1 | ... | ... | ... | ... | ... | 2 | 4 | 7 | 8 | 6 | 6 | 5 | 4 | ... | ... | 2 | ... | 51 |
| 3. Heart Disease, &c..... | 16 | 4 | 3 | 5 | 2 | 21 | 10 | 12 | 23 | 34 | 22 | 36 | 41 | 50 | 68 | 41 | 56 | 49 | 61 | 39 | 8 | 601 |
| | 18 | 4 | 3 | 6 | 2 | 25 | 14 | 14 | 27 | 40 | 26 | 46 | 50 | 58 | 76 | 49 | 62 | 53 | 62 | 41 | 8 | 684 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | 4 | 3 | 3 | 2 | 3 | 3 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | 1 | ... | 2 | ... | 23 |
| 2. Bronchitis | 317 | 93 | 33 | 14 | 11 | 18 | 7 | 5 | 4 | 10 | 8 | 14 | 15 | 19 | 17 | 24 | 29 | 30 | 41 | 38 | 1 | 748 |
| 3. Pleurisy | ... | 1 | 1 | ... | ... | 4 | 2 | 8 | 9 | 3 | 3 | 6 | 8 | 10 | 6 | 4 | 3 | 4 | 1 | ... | ... | 73 |
| 4. Pneumonia | 111 | 46 | 34 | 9 | 9 | 27 | 15 | 26 | 32 | 36 | 33 | 27 | 38 | 35 | 39 | 23 | 27 | 20 | 17 | 16 | 7 | 627 |
| 4a. Congestion of the Lungs, Pulmonary ... | 49 | 19 | 6 | 9 | 2 | 6 | 4 | 1 | 8 | 5 | 5 | 1 | 2 | 5 | 8 | 10 | 4 | 7 | 2 | 3 | 1 | 157 |
| 5. Asthma | 4 | ... | ... | 1 | ... | ... | ... | 1 | 1 | ... | 3 | 4 | 6 | 2 | 9 | 6 | 6 | 3 | 7 | 2 | 1 | 56 |
| 6. Lung Disease, &c..... | 1 | 1 | 1 | ... | ... | 2 | ... | 1 | 7 | 2 | 2 | 5 | 4 | 5 | 2 | 3 | 2 | 1 | ... | ... | ... | 39 |
| | 486 | 163 | 78 | 35 | 25 | 60 | 28 | 42 | 61 | 56 | 54 | 57 | 74 | 76 | 81 | 71 | 71 | 66 | 68 | 61 | 10 | 1,723 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis | 70 | 16 | 6 | 1 | 2 | 6 | 1 | 2 | 3 | 1 | 1 | 4 | 2 | 3 | 2 | 1 | ... | 3 | ... | 1 | ... | 125 |
| 2. Enteritis | 196 | 58 | 15 | 8 | 5 | 23 | 18 | 23 | 41 | 26 | 16 | 20 | 17 | 9 | 13 | 9 | 9 | 16 | 3 | 2 | 1 | 528 |
| 3. Peritonitis | 15 | 2 | 1 | ... | ... | 2 | 3 | 6 | 15 | 19 | 14 | 7 | 10 | 4 | 4 | 3 | 6 | 2 | ... | 2 | ... | 115 |
| 4. Ascites | 1 | ... | 2 | ... | ... | ... | ... | ... | ... | 3 | 2 | 1 | 3 | ... | 1 | 3 | 1 | 1 | ... | 1 | ... | 19 |
| 5. Ulceration of Intestines | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 1 | 4 | 1 | 1 | 2 | 3 | ... | ... | 1 | ... | 18 |
| 6. Hernia | 4 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 2 | 3 | 2 | 1 | ... | 3 | 4 | 2 | 3 | 1 | 27 |
| 7. Ileus | 11 | 2 | ... | ... | ... | 3 | ... | 4 | 1 | 2 | 1 | 4 | 2 | 4 | 3 | 2 | 2 | 2 | ... | ... | ... | 43 |
| 8. Intussusception | 4 | 1 | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | ... | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | 11 |
| 9. Stricture of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 10. Fistula | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | 3 |
| 11. Stomach Disease, &c... | 11 | 2 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 3 | 2 | 5 | 2 | 1 | 3 | 6 | 1 | 1 | ... | 38 |
| 12. Pancreas Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 |
| 13. Hepatitis | 3 | 1 | 1 | ... | ... | 1 | 1 | ... | ... | 2 | 4 | 7 | 5 | 3 | 10 | 6 | 5 | 4 | 10 | 1 | ... | 64 |
| 14. Jaundice | 23 | ... | 1 | ... | ... | ... | 2 | 2 | 1 | 3 | 3 | 2 | ... | 3 | 3 | ... | 1 | 2 | 4 | ... | ... | 50 |
| 15. Liver Disease, &c..... | 10 | 2 | ... | ... | ... | 1 | 2 | 1 | 2 | 8 | 9 | 12 | 17 | 25 | 26 | 18 | 19 | 10 | 12 | 2 | 1 | 177 |
| 16. Spleen Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| | 349 | 84 | 26 | 9 | 7 | 33 | 28 | 34 | 69 | 65 | 57 | 62 | 71 | 55 | 67 | 51 | 52 | 49 | 33 | 18 | 3 | 1,222 |
| ORDER 5. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | 1 | 3 | 1 | ... | ... | 5 | 1 | 2 | 2 | 4 | ... | 2 | 2 | 2 | 2 | 1 | 3 | 3 | 4 | 4 | 1 | 43 |
| 2. Ischuria | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 4 |
| 3. Nephria | 2 | 1 | 1 | 1 | ... | ... | 3 | 2 | 8 | 4 | 18 | 7 | 9 | 10 | 10 | 14 | 14 | 5 | 1 | 2 | ... | 112 |
| 4. Diabetes | ... | ... | ... | ... | ... | 2 | ... | ... | 1 | 2 | ... | ... | 1 | 3 | ... | ... | 8 | 2 | 4 | ... | ... | 23 |
| 5. Stone | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 2 | 1 | 1 | ... | ... | 6 |
| 6. Cystitis | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | 1 | 1 | 2 | ... | 4 | 3 | 5 | 5 | 4 | ... | 27 |
| 7. Kidney Disease, &c. ... | 1 | ... | ... | 1 | 1 | 1 | ... | 2 | 4 | 3 | 5 | 2 | 8 | 8 | 8 | 8 | 4 | 6 | 4 | 6 | ... | 64 |
| | 4 | 4 | 2 | 3 | 1 | 8 | 4 | 5 | 13 | 16 | 21 | 16 | 16 | 25 | 21 | 27 | 34 | 22 | 19 | 17 | 1 | 279 |
| ORDER 6. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 4 |
| 2. Uterus Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 4 | 1 | 3 | 2 | 1 | ... | ... | 1 | 1 | ... | ... | 14 |
| | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 5 | 1 | 4 | 2 | 1 | 1 | ... | 2 | 1 | ... | ... | 18 |
| ORDER 7. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | ... | ... | ... | ... | ... | 2 | 1 | 1 | 1 | ... | ... | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | 9 |
| 1a. Ostitis Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 |
| 2. Joint Disease, &c..... | ... | ... | ... | 1 | 1 | 3 | 1 | 1 | ... | 2 | ... | ... | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | 13 |
| | ... | ... | ... | 1 | 1 | 5 | 2 | 2 | 1 | 2 | ... | 2 | 3 | 2 | 2 | ... | ... | ... | ... | ... | ... | 23 |
| ORDER 8. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | ... | ... | 1 |
| 2. Ulcer | 1 | ... | ... | 1 | ... | ... | ... | 2 | ... | ... | ... | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | ... | ... | 14 |
| 3. Skin Diseases, &c..... | 12 | 5 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 20 |
| | 13 | 5 | ... | 1 | ... | ... | 1 | ... | 3 | ... | ... | 2 | 1 | 1 | 2 | 1 | 1 | 2 | 1 | ... | 1 | 35 |
| Total, Class III | 1,619 | 475 | 152 | 69 | 46 | 179 | 99 | 124 | 208 | 219 | 204 | 236 | 278 | 277 | 326 | 261 | 289 | 265 | 234 | 194 | 33 | 5,787 |

D 3—continued.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|------------------------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS IV.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth | 307 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 307 |
| 2. Cyanosis..... | 10 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 10 |
| 3. Spina Bifida | 8 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 8 |
| 4. Other Malformations.. | 68 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 69 |
| 5. Teething | 161 | 115 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 277 |
| | 554 | 115 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 671 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Paramenia | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 6 |
| 2. Childbirth (see Metria) | ... | ... | ... | ... | ... | ... | ... | 6 | 22 | 20 | 26 | 26 | 10 | 1 | ... | ... | ... | ... | ... | ... | 2 | 113 |
| | ... | ... | ... | ... | ... | ... | ... | 7 | 24 | 21 | 26 | 26 | 12 | 1 | ... | ... | ... | ... | ... | ... | 2 | 119 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Old Age..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 81 | 94 | 203 | 491 | 5 | 876 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility.. | 873 | 100 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 975 |
| Total, Class IV..... | 1,427 | 215 | 4 | ... | ... | ... | ... | 7 | 24 | 21 | 26 | 26 | 12 | 1 | ... | 2 | 81 | 94 | 203 | 491 | 7 | 2,641 |
| CLASS V.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Fractures & Contusions | 6 | 7 | 6 | 2 | 4 | 20 | 21 | 15 | 43 | 41 | 30 | 41 | 28 | 34 | 30 | 19 | 19 | 16 | 5 | 6 | 10 | 403 |
| 2. Wounds { a Gunshot | ... | ... | ... | 1 | ... | ... | 4 | 4 | 4 | 2 | 1 | 1 | ... | 1 | ... | 3 | 1 | ... | ... | ... | 2 | 24 |
| b Cuts ... | 1 | ... | 1 | 1 | ... | 2 | 1 | 4 | 2 | 2 | 1 | ... | ... | 1 | 1 | 1 | ... | 1 | ... | ... | ... | 19 |
| 3. Burns and Scalds | 6 | 14 | 11 | 7 | 4 | 9 | 2 | 9 | 2 | 2 | 2 | 1 | 7 | 2 | ... | 4 | 3 | 4 | 1 | 2 | 3 | 95 |
| 3a. Sunstroke..... | 2 | 1 | 3 | 4 | 2 | 2 | 1 | 1 | 4 | 3 | ... | 1 | 4 | 2 | ... | 3 | 2 | ... | 2 | ... | 4 | 41 |
| 4. Poison | 5 | 3 | ... | 1 | ... | 3 | 1 | 2 | 2 | 3 | 2 | 3 | 6 | 4 | 1 | ... | 2 | 1 | 1 | 1 | 1 | 42 |
| 4a. Bite of Snake or Insect | 1 | ... | 1 | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | ... | 1 | ... | ... | 8 |
| 5. Drowning | 1 | 18 | 6 | 1 | 6 | 27 | 12 | 14 | 26 | 16 | 13 | 5 | 17 | 8 | 13 | 4 | 3 | 1 | 3 | 1 | 8 | 203 |
| 6. Suffocation | 16 | ... | ... | 1 | 1 | 1 | ... | ... | ... | 1 | 1 | 1 | ... | 2 | ... | ... | 1 | 1 | 2 | ... | 1 | 29 |
| 7. Otherwise | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 2 | ... | ... | ... | 1 | 8 |
| | 38 | 43 | 28 | 19 | 17 | 64 | 44 | 49 | 84 | 70 | 51 | 53 | 63 | 54 | 48 | 34 | 33 | 25 | 14 | 11 | 30 | 872 |
| ORDER 2.— | | | | | | | | | | | | | | | | | | | | | | |
| VIOLENT DEATHS IN | | | | | | | | | | | | | | | | | | | | | | |
| BATTLE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gunshot Wounds..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Sword and Bayonet | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ORDER 3.—HOMICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Murder | 2 | ... | ... | 1 | ... | ... | ... | ... | 2 | 3 | 1 | 1 | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | 13 |
| 2. Manslaughter | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 6 |
| | 3 | 1 | 1 | 1 | ... | ... | ... | ... | 2 | 5 | 1 | 1 | 1 | 2 | ... | ... | ... | 1 | ... | ... | ... | 19 |
| ORDER 4.—SUICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Wounds { Gunshot ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | 1 | 3 | 3 | 2 | ... | 1 | 1 | ... | ... | 2 | ... | 1 | 17 |
| Cut, Stab, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | ... | 1 | 5 | 1 | 2 | ... | ... | ... | 1 | 13 |
| 2. Poison | ... | ... | ... | ... | ... | ... | ... | 2 | 3 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | ... | ... | ... | ... | ... | 15 |
| 3. Drowning | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 2 | 2 | 1 | 1 | 1 | 1 | ... | 1 | ... | ... | ... | 1 | 11 |
| 4. Hanging..... | ... | ... | ... | ... | ... | ... | ... | 3 | 3 | 1 | 2 | 1 | 1 | 1 | 2 | 2 | ... | ... | 1 | ... | 1 | 18 |
| 5. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 3 | 7 |
| | ... | ... | ... | ... | ... | ... | ... | 7 | 7 | 8 | 11 | 9 | 5 | 5 | 10 | 6 | 3 | ... | 3 | ... | 7 | 81 |
| ORDER 5.—EXECUTION. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Hanging..... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| Violent Deaths (open ver- | | | | | | | | | | | | | | | | | | | | | | |
| dicts) | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | 5 | 1 | ... | ... | 3 | 1 | 2 | ... | ... | ... | ... | 16 |
| Total, Class V..... | 42 | 44 | 29 | 20 | 17 | 64 | 44 | 57 | 94 | 85 | 68 | 65 | 69 | 61 | 61 | 41 | 38 | 26 | 17 | 11 | 37 | 990 |
| Sudden Deaths (cause un- | | | | | | | | | | | | | | | | | | | | | | |
| ascertained) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Causes not specified or ill- | | | | | | | | | | | | | | | | | | | | | | |
| defined | ... | 3 | ... | 1 | 2 | 1 | ... | 5 | 6 | 4 | 14 | 12 | 17 | 14 | 12 | 7 | 1 | 2 | 1 | 1 | 20 | 123 |
| GRAND TOTAL | 4,285 | 1205 | 360 | 214 | 164 | 468 | 259 | 352 | 624 | 595 | 536 | 543 | 608 | 534 | 587 | 444 | 527 | 508 | 531 | 758 | 118 | 14,220 |

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|--|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS III.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 7 | 9 | 2 | 2 | ... | 3 | 1 | ... | 1 | 3 | 2 | 1 | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 33 |
| 2. Apoplexy | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 2 | 7 | 2 | 2 | 5 | 4 | 1 | 1 | 26 |
| 3. Paralysis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 2 | ... | 1 | 2 | 1 | 3 | ... | 10 |
| 4. Insanity | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5. Chorea | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6. Epilepsy | 2 | 1 | ... | ... | ... | 1 | ... | ... | ... | 2 | 3 | 2 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 13 |
| 7. Convulsions | 69 | 14 | 2 | ... | 1 | 4 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 90 |
| 8. Brain Disease, &c..... | 2 | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | 2 | ... | 1 | ... | 1 | 1 | 3 | 2 | 2 | ... | ... | 16 |
| | 80 | 24 | 4 | 2 | 1 | 9 | 1 | ... | 1 | 6 | 9 | 4 | 1 | 3 | 12 | 3 | 6 | 9 | 7 | 5 | 1 | 188 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | ... | ... | ... | ... | ... | 1 | ... | ... | 2 | 1 | ... | ... | ... | 1 | ... | 3 | ... | ... | ... | ... | ... | 8 |
| 2. Aneurism | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 3 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | 7 |
| 3. Heart Disease, &c..... | 1 | ... | ... | ... | ... | 2 | ... | ... | 3 | 6 | 3 | 7 | 2 | 8 | 11 | 4 | 5 | 4 | 1 | 4 | ... | 61 |
| | 2 | ... | ... | ... | ... | 3 | ... | ... | 5 | 8 | 3 | 10 | 2 | 9 | 11 | 8 | 5 | 5 | 1 | 4 | ... | 76 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 2. Bronchitis | 20 | 9 | 2 | 1 | 1 | 3 | 1 | ... | ... | ... | 1 | 3 | 3 | 3 | 1 | 3 | 8 | 2 | 3 | 4 | ... | 68 |
| 3. Pleurisy | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 2 | ... | ... | ... | 1 | ... | ... | 5 |
| 4. Pneumonia | 11 | 2 | ... | 1 | 1 | 2 | 2 | ... | 4 | 4 | 4 | 4 | 7 | 3 | 4 | 1 | 2 | 1 | 1 | 1 | 1 | 56 |
| 4a. Congestion of the Lungs, pulmonary... | 5 | 1 | ... | 1 | ... | 1 | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | 2 | 1 | 1 | 1 | 2 | ... | 17 |
| 5. Asthma | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 2 | 1 | 1 | ... | 1 | 1 | 1 | ... | ... | 11 |
| 6. Lung Disease, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| | 38 | 13 | 2 | 3 | 2 | 7 | 3 | ... | 6 | 4 | 6 | 14 | 12 | 8 | 8 | 6 | 11 | 5 | 7 | 7 | 1 | 163 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis | 4 | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 6 |
| 2. Enteritis | 20 | 3 | ... | 1 | ... | 1 | ... | 1 | 3 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | ... | ... | ... | ... | 38 |
| 3. Peritonitis | 2 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | 1 | 1 | ... | ... | 1 | 1 | ... | ... | ... | 8 |
| 4. Ascites | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 |
| 5. Ulceration of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 6. Hernia | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 3 |
| 7. Ileus | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 8. Intussusception | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 9. Stricture of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10. Fistula | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 11. Stomach Disease, &c... | 2 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 3 |
| 12. Pancreas Disease, &c... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 13. Hepatitis | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 3 |
| 14. Jaundice | 3 | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 6 |
| 15. Liver Disease, &c..... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 2 | 3 | 1 | 5 | 3 | 1 | ... | 1 | 1 | ... | ... | 20 |
| 16. Spleen Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 34 | 4 | 3 | 1 | ... | 1 | 1 | 1 | 4 | 5 | 5 | 6 | 7 | 3 | 6 | 6 | 3 | 1 | 2 | 2 | ... | 95 |
| ORDER 5. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 2 | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 6 |
| 2. Ischuria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 2 |
| 3. Nephria | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 4 | 2 | 2 | 2 | 4 | 3 | 3 | 1 | ... | ... | ... | ... | 23 |
| 4. Diabetes | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | ... | ... | ... | 3 |
| 5. Stone | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6. Cystitis | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 1 | 1 | 1 | ... | ... | ... | 5 |
| 7. Kidney Disease, &c. ... | 1 | ... | ... | ... | 1 | ... | ... | ... | 1 | 1 | ... | 1 | 2 | 2 | 3 | 1 | 1 | ... | ... | ... | ... | 14 |
| | 1 | ... | ... | ... | 1 | 1 | ... | 1 | 2 | 4 | 5 | 4 | 3 | 6 | 6 | 7 | 6 | 3 | 2 | 1 | ... | 53 |
| ORDER 7. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 1a. Ostitis Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Joint Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| ORDER 8. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Ulcer | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Skin Disease, &c. | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 |
| | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 3 |
| Total, Class III..... | 157 | 41 | 9 | 6 | 4 | 21 | 5 | 3 | 18 | 28 | 28 | 38 | 25 | 29 | 43 | 30 | 32 | 23 | 19 | 19 | 2 | 580 |

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS IV.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth..... | 31 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 31 |
| 2. Cyanosis | 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 3. Spina Bifida..... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 4. Other Malformations... | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| 5. Teething | 4 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 7 |
| | 46 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 49 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Old Age | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 | 4 | 10 | 27 | ... | ... | 46 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility... | 100 | 8 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 108 |
| Total, Class IV..... | 146 | 11 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 | 4 | 10 | 27 | ... | ... | 203 |
| CLASS V.—ORDER 1.— | | | | | | | | | | | | | | | | | | | | | | |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Fractures & Contusions | ... | 1 | 1 | ... | ... | ... | 1 | ... | 7 | 7 | 6 | 6 | 7 | 4 | 3 | 6 | 3 | 1 | ... | 1 | ... | 54 |
| 2. Wounds { a. Gunshot | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| { b. Cuts | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 3. Burns and Scalds | ... | 1 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 3a. Sunstroke | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 |
| 4. Poison | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 2 |
| 4a. Bite of Snake or Insect | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5. Drowning | ... | 1 | ... | ... | ... | 1 | 2 | ... | 4 | 1 | ... | 2 | 3 | 1 | 2 | ... | ... | ... | ... | ... | 1 | 18 |
| 6. Suffocation | 3 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 7. Otherwise | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 5 |
| | 3 | 3 | 3 | 1 | ... | 1 | 3 | ... | 12 | 9 | 8 | 8 | 10 | 6 | 7 | 7 | 5 | 1 | ... | 1 | 1 | 89 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| VIOLENT DEATHS IN BATTLE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gunshot Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Sword and Bayonet Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ORDER 3.—HOMICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Murder | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 2. Manslaughter | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 |
| | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 4 |
| ORDER 4.—SUICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Wounds { Gunshot..... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| { Cut, Stab, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | 1 | ... | 1 | ... | ... | ... | ... | 4 |
| 2. Poison | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 4 |
| 3. Drowning | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 4. Hanging | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 5. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | ... | ... | ... | ... | ... | ... | 1 | 4 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | ... | 1 | ... | ... | ... | ... | 13 |
| ORDER 5.—EXECUTION. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Hanging | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| Violent Deaths, not classed (Open verdicts—Found drowned, &c.) | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | 4 | 1 | ... | ... | 3 | 1 | 2 | ... | ... | ... | ... | 15 |
| Total, Class V. | 5 | 3 | 3 | 1 | ... | 1 | 3 | 2 | 18 | 13 | 13 | 10 | 11 | 9 | 11 | 8 | 8 | 1 | ... | 1 | 1 | 122 |
| Causes not specified or ill-defined | ... | 1 | ... | ... | ... | ... | ... | 1 | 4 | 2 | 4 | 1 | 4 | 4 | 2 | 3 | ... | 1 | 1 | ... | 3 | 31 |
| GRAND TOTAL | 414 | 95 | 21 | 14 | 9 | 36 | 14 | 20 | 82 | 87 | 79 | 73 | 74 | 68 | 82 | 60 | 58 | 39 | 36 | 47 | 6 | 1,414 |

E 2.

DEATHS from all causes, of FEMALES, at different ages, registered in SYDNEY, from 1st January to 31st December, 1884.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|----------------------------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS I.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Small-pox | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1a. Chicken-pox | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Measles | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 3. Scarlatina | 1 | 1 | 2 | 5 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 11 |
| 3a. Diphtheria | ... | 1 | 1 | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| 4. Quinsy | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5. Croup | ... | 2 | 3 | 1 | 3 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 11 |
| 6. Whooping-cough | 12 | 4 | ... | 3 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 20 |
| 7. Typhus (and Infantile Fever). | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 5 | 11 | 4 | 1 | 3 | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | 36 |
| 8. Erysipelas | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | 2 |
| 9. Metria | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 10. Carbuncle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11. Influenza | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 12. Dysentery | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | ... | ... | ... | 1 | ... | ... | ... | ... | 6 |
| 13. Diarrhoea | 41 | 13 | 2 | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | 2 | 4 | 3 | 3 | 2 | 2 | ... | 75 |
| 14. Cholera | 7 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 9 |
| 15. Ague | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 16. Remittent Fever | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 17. Rheumatism | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 18. Pyæmia | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 4 |
| | 66 | 24 | 9 | 13 | 5 | 5 | 4 | 5 | 13 | 10 | 2 | 4 | 4 | 2 | 2 | 4 | 5 | 4 | 3 | 2 | 1 | 187 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis | 9 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | 13 |
| 2. Stricture of the Urethra | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 9 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | 13 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Privation | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Want of Breast Milk | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| 3. Purpura and Scurvy... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 4. Alcoholism:— | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| a. Del. Tremens..... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 3 |
| b. Intemperance ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | 7 |
| | 6 | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | 1 | 1 | 2 | 1 | 2 | ... | ... | ... | ... | ... | ... | 16 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Thrush | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 2. Worms, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2a. Hydatid | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| Total, Class I | 83 | 24 | 9 | 13 | 5 | 5 | 4 | 5 | 13 | 12 | 4 | 5 | 6 | 4 | 3 | 7 | 6 | 4 | 3 | 2 | 1 | 218 |
| CLASS II.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gout | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 |
| 2. Dropsy | 2 | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | 1 | 3 | 4 | 3 | 3 | 3 | 1 | 1 | ... | ... | ... | 24 |
| 3. Cancer | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | ... | 5 | 1 | 3 | 3 | ... | 6 | 3 | ... | 25 |
| 3a. Tumour | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | ... | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | 6 |
| 3b. Polypus | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Noma | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5. Mortification | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 |
| | 2 | ... | ... | ... | ... | ... | ... | ... | 3 | 2 | 4 | 5 | 4 | 11 | 5 | 7 | 4 | 1 | 7 | 3 | ... | 58 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Tabes Mesenterica ... | 14 | 4 | 2 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 21 |
| 3. Phthisis | 4 | 1 | ... | ... | ... | 1 | 2 | 6 | 18 | 9 | 17 | 18 | 6 | 10 | 2 | 3 | 1 | ... | 1 | 1 | ... | 100 |
| 3a. Hæmoptysis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 4. Hydrocephalus | 7 | 2 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 10 |
| 4a. Abscess..... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| | 25 | 7 | 3 | ... | ... | 4 | 2 | 6 | 18 | 10 | 17 | 19 | 6 | 10 | 2 | 3 | 1 | ... | 1 | 1 | ... | 135 |
| Total, Class II | 27 | 7 | 3 | ... | ... | 4 | 2 | 6 | 21 | 12 | 21 | 24 | 10 | 21 | 7 | 10 | 5 | 1 | 8 | 4 | ... | 193 |

| CAUSES OF DEATH. | | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---|-----|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS III.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 14 | 4 | 1 | 1 | 1 | 2 | 1 | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 26 |
| 2. Apoplexy | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | 2 | 1 | 4 | 7 | 1 | 2 | 2 | ... | ... | 5 | ... | 27 |
| 3. Paralysis | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | 2 | 3 | 1 | 4 | ... | 1 | 1 | ... | ... | 15 |
| 4. Insanity | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 5. Chorea | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6. Epilepsy | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | 2 | 2 | ... | 1 | 3 | ... | ... | ... | ... | ... | ... | 11 |
| 7. Convulsions | 51 | 9 | 3 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 65 |
| 8. Brain Disease, &c..... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | 1 | 3 | 1 | 3 | 1 | 2 | 1 | ... | ... | ... | ... | 16 |
| | 66 | 13 | 5 | 2 | 1 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 8 | 8 | 12 | 6 | 8 | 3 | 1 | 6 | ... | ... | 161 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 2. Aneurism | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 3 |
| 3. Heart Disease, &c. ... | 1 | ... | ... | ... | ... | 2 | ... | 1 | 4 | 3 | 3 | 2 | 4 | 1 | 4 | 2 | 2 | 1 | ... | 3 | ... | ... | 33 |
| | 1 | ... | ... | ... | ... | 2 | ... | 1 | 4 | 3 | 4 | 4 | 4 | 3 | 4 | 3 | 2 | 1 | ... | 3 | ... | ... | 39 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Bronchitis | 28 | 9 | 5 | 2 | 1 | ... | ... | ... | ... | 2 | 1 | 3 | ... | 4 | 1 | 3 | 2 | 6 | 3 | 3 | ... | ... | 73 |
| 3. Pleurisy | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 4. Pneumonia | 8 | 4 | 2 | ... | 1 | ... | ... | ... | ... | 6 | 5 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 1 | ... | ... | 39 |
| 4a. Congestion of the Lungs, Pulmonary... | 6 | ... | 2 | 1 | ... | ... | ... | ... | 2 | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | 14 |
| 5. Asthma | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 2 | 2 | 1 | 1 | ... | ... | ... | ... | 7 |
| 6. Lung Disease, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| | 42 | 13 | 9 | 3 | 2 | ... | ... | ... | 5 | 9 | 7 | 6 | 2 | 6 | 6 | 6 | 5 | 9 | 4 | 4 | ... | ... | 138 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis | 7 | 2 | 1 | ... | ... | 2 | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | ... | ... | ... | ... | 1 | ... | ... | 16 |
| 2. Enteritis | 15 | 4 | ... | ... | ... | 3 | ... | 3 | 2 | 2 | ... | ... | 1 | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 32 |
| 3. Peritonitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | ... | 1 | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 6 |
| 4. Ascites | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | 6 |
| 5. Ulceration of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6. Hernia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7. Ileus | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 3 |
| 8. Intussusception..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9. Stricture of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10. Fistula | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11. Stomach Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 12. Pancreas Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 13. Hepatitis | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 1 | ... | 1 | ... | 1 | 1 | ... | ... | ... | ... | 8 |
| 14. Jaundice | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | 2 | ... | ... | ... | 4 |
| 15. Liver Disease, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | 2 | ... | 1 | 1 | ... | 3 | 1 | ... | ... | ... | ... | 11 |
| 16. Spleen Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 24 | 6 | 1 | ... | ... | 5 | 1 | 3 | 2 | 4 | 6 | 6 | 6 | 2 | 4 | 3 | 4 | 6 | 3 | 1 | ... | ... | 87 |
| ORDER 5. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Ischuria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Nephria | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | 1 | 1 | 1 | 2 | ... | ... | ... | ... | ... | ... | ... | 10 |
| 4. Diabetes..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 |
| 5. Stone | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6. Cystitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7. Kidney disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 2 | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 6 |
| | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 3 | 3 | 2 | 1 | 2 | ... | 1 | ... | 1 | ... | ... | ... | 17 |
| ORDER 6. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 3 |
| 2. Uterus Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 3 | 1 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 7 |
| ORDER 7. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1a. Ostitis Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Joint Disease, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| ORDER 8. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Ulcer | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 |
| 3. Skin Disease, &c. | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 2 |
| TOTAL CLASS III | | 135 | 32 | 15 | 5 | 3 | 10 | 2 | 6 | 14 | 24 | 28 | 25 | 22 | 20 | 28 | 20 | 20 | 20 | 9 | 14 | ... | 452 |

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|--------------------------------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| | | | | | | | | | | | | | | | | | | | | | | |
| CLASS IV.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Premature birth | 25 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 25 |
| 2. Cyanosis | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 3. Spina Bifida | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 4. Other Malformations.. | 3 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 5. Teething | 4 | 6 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 11 |
| | 34 | 6 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 42 |
| | | | | | | | | | | | | | | | | | | | | | | |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Paramenia | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 2. Childbirth (<i>see</i> Metria) | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 3 | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 10 |
| | ... | ... | ... | ... | ... | ... | ... | 1 | 4 | 4 | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 13 |
| | | | | | | | | | | | | | | | | | | | | | | |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Old Age | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 3 | 1 | 20 | 33 | ... | 59 |
| | | | | | | | | | | | | | | | | | | | | | | |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility. | 73 | 13 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 86 |
| Total Class IV. | 107 | 19 | 2 | ... | ... | ... | ... | 1 | 4 | 4 | 2 | 1 | 1 | ... | ... | 2 | 3 | 1 | 20 | 33 | ... | 200 |
| | | | | | | | | | | | | | | | | | | | | | | |
| CLASS V.—ORDER 1.— | | | | | | | | | | | | | | | | | | | | | | |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Fractures & Contusions | ... | ... | 1 | ... | ... | ... | 3 | ... | ... | 1 | ... | ... | ... | 1 | 1 | ... | 1 | 2 | ... | ... | ... | 10 |
| 2. Wounds { <i>a</i> Gunshot. | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| <i>b</i> Cuts | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Burns and Scalds | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 3 | ... | ... | ... | ... | ... | 5 |
| 3 <i>a</i> . Sunstroke | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 4. Poison | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4 <i>a</i> . Bite of Snake or Insect | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5. Drowning | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 6. Suffocation | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 7. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 1 | 1 | 2 | ... | ... | ... | 3 | ... | 1 | 2 | 1 | ... | ... | 1 | 1 | 3 | 1 | 2 | ... | ... | ... | 19 |
| | | | | | | | | | | | | | | | | | | | | | | |
| ORDER 2.—VIOLENT | | | | | | | | | | | | | | | | | | | | | | |
| DEATHS IN BATTLE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gunshot Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Sword and Bayonet | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | | | | | | | | | | | | | | | | | | | | | | |
| ORDER 3.—HOMICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Murder | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 2. Manslaughter | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| | | | | | | | | | | | | | | | | | | | | | | |
| ORDER 4.—SUICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Wounds { Gunshot ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | | | | | | | |

E 3.

DEATHS from all causes, of BOTH SEXES, at different ages, registered in SYDNEY, from 1st January to 31st December, 1884.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---------------------------------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS I.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Small-pox | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1a. Chicken-pox | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Measles | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 3. Scarlatina | 3 | 3 | 2 | 7 | ... | 5 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 21 |
| 3a. Diphtheria | 1 | 2 | 1 | 3 | 1 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 11 |
| 4. Quinsy | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 5. Croup | 3 | 3 | 5 | 2 | 4 | 5 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 23 |
| 6. Whooping-cough | 18 | 9 | 2 | 3 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 33 |
| 7. Typhus (and Infantile Fever) | 1 | 1 | 1 | 2 | 3 | 2 | 6 | 9 | 28 | 19 | 6 | 5 | 7 | 3 | 2 | 2 | ... | 2 | ... | ... | 1 | 100 |
| 8. Erysipelas | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | 1 | 2 | ... | ... | ... | 6 |
| 9. Metria | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 10. Carbuncle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11. Influenza | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 12. Dysentery | 5 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 2 | 1 | 1 | ... | 1 | ... | ... | ... | ... | ... | 12 |
| 13. Diarrhoea | 81 | 31 | 4 | 2 | ... | ... | ... | 1 | 2 | ... | ... | 2 | 2 | 3 | 4 | 3 | 3 | 4 | 2 | ... | ... | 144 |
| 14. Cholera | 8 | 2 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 14 |
| 15. Ague | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 16. Remittent Fever | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | ... | 1 | 2 | 1 | 1 | 1 | ... | ... | ... | ... | 1 |
| 17. Rheumatism | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 3 | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 9 |
| 18. Pyæmia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 7 |
| | 124 | 51 | 15 | 19 | 9 | 16 | 7 | 9 | 32 | 29 | 8 | 8 | 17 | 9 | 8 | 7 | 6 | 7 | 5 | 2 | 1 | 389 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis | 17 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | 21 |
| 2. Stricture of the Urethra | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 2 | ... | ... | 4 |
| 3. Hydrophobia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Glanders | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 17 | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | ... | ... | 2 | 1 | ... | 2 | ... | ... | 25 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Privation | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Want of Breast Milk | 7 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 9 |
| 3. Purpura and Scurvy... .. | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 4. Alcoholism— | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| a. Del. Tremens ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 4 | 1 | 2 | 2 | 1 | 1 | ... | 1 | ... | ... | ... | ... | 14 |
| b. Intemperance ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 3 | ... | 3 | 4 | 3 | 3 | ... | 1 | ... | ... | ... | ... | 20 |
| | 8 | 2 | ... | 1 | ... | ... | ... | 1 | 4 | 7 | 2 | 5 | 6 | 4 | 4 | ... | 2 | ... | ... | ... | ... | 46 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Thrush | 7 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 7 |
| 2. Worms, &c. | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... |
| 2a. Hydatid | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| | 7 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 9 |
| Total, Class I..... | 156 | 53 | 15 | 20 | 9 | 16 | 7 | 10 | 34 | 33 | 16 | 10 | 23 | 15 | 12 | 14 | 7 | 9 | 7 | 2 | 1 | 469 |
| CLASS II.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gout | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | 1 | 1 | ... | ... | 5 |
| 2. Dropsy | 2 | 1 | 1 | ... | ... | ... | ... | ... | 2 | 1 | 2 | 4 | 6 | 4 | 5 | 6 | 3 | 3 | 1 | ... | ... | 41 |
| 3. Cancer | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 2 | 1 | 8 | 5 | 7 | 5 | 1 | 6 | 3 | ... | 41 |
| 3a. Tumour | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 1 | 1 | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | 9 |
| 3b. Polypus | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Noma | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5. Mortification | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | ... | 1 | ... | ... | 1 | ... | ... | 5 |
| | 2 | 1 | 1 | ... | ... | ... | ... | ... | 4 | 2 | 7 | 8 | 10 | 15 | 11 | 15 | 8 | 5 | 9 | 3 | ... | 101 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula | ... | ... | ... | ... | ... | 2 | ... | ... | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| 2. Tabes Mesenterica ... | 37 | 13 | 3 | ... | ... | 1 | 1 | ... | ... | 31 | 34 | 33 | 16 | 21 | 12 | 7 | 8 | 1 | 1 | 1 | ... | 55 |
| 3. Phthisis | 7 | 1 | ... | ... | 1 | 2 | 4 | 15 | 36 | 1 | 1 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 231 |
| 3a. Hemoptysis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| 4. Hydrocephalus | 13 | 2 | 1 | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 18 |
| 4a. Abscess | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | 5 |
| | 58 | 16 | 5 | ... | 1 | 7 | 5 | 15 | 38 | 33 | 36 | 35 | 17 | 21 | 13 | 7 | 9 | 1 | 1 | 1 | ... | 319 |
| Total, Class II | 60 | 17 | 6 | ... | 1 | 7 | 5 | 15 | 42 | 35 | 43 | 43 | 27 | 36 | 24 | 22 | 17 | 6 | 10 | 4 | ... | 420 |

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS III.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 21 | 13 | 3 | 3 | 1 | 5 | 2 | ... | 2 | 3 | 2 | 1 | ... | ... | 2 | ... | ... | ... | ... | 1 | ... | 59 |
| 2. Apoplexy | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | 3 | 1 | 6 | 14 | 3 | 4 | 7 | 4 | 6 | 1 | 53 |
| 3. Paralysis | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | 2 | ... | 2 | 3 | 2 | 1 | 5 | 2 | 2 | 4 | ... | 25 |
| 4. Insanity | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 5. Chorea | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6. Epilepsy | 2 | 1 | ... | ... | ... | 1 | ... | ... | 1 | 4 | 3 | 4 | 2 | 1 | 2 | 3 | ... | ... | ... | ... | ... | 24 |
| 7. Convulsions | 120 | 23 | 5 | 1 | 1 | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 155 |
| 8. Brain Disease, &c..... | 3 | ... | ... | ... | ... | 1 | ... | ... | 1 | 1 | 4 | 1 | 4 | 1 | 4 | 2 | 5 | 3 | 2 | ... | ... | 32 |
| | 146 | 37 | 9 | 4 | 2 | 12 | 2 | 1 | 4 | 10 | 14 | 9 | 9 | 11 | 24 | 9 | 14 | 12 | 8 | 11 | 1 | 349 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | ... | ... | ... | ... | ... | 1 | ... | ... | 2 | 1 | ... | 2 | ... | 2 | ... | 3 | ... | ... | ... | ... | ... | 11 |
| 2. Aneurism | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 3 | ... | 1 | ... | 2 | ... | 1 | ... | ... | ... | 10 |
| 3. Heart Disease, &c..... | 2 | ... | ... | ... | ... | 4 | ... | 1 | 7 | 9 | 6 | 9 | 6 | 9 | 15 | 6 | 7 | 5 | 1 | 7 | ... | 94 |
| | 3 | ... | ... | ... | ... | 5 | ... | 1 | 9 | 11 | 7 | 14 | 6 | 12 | 15 | 11 | 7 | 6 | 1 | 7 | ... | 115 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 2. Bronchitis | 48 | 18 | 7 | 3 | 2 | 3 | 1 | ... | ... | 2 | 2 | 6 | 3 | 7 | 2 | 6 | 10 | 8 | 6 | 7 | ... | 141 |
| 3. Pleurisy | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | 1 | 1 | 2 | ... | ... | ... | 1 | ... | ... | 7 |
| 4. Pneumonia | 19 | 6 | 2 | 1 | 2 | 2 | 2 | ... | 4 | 10 | 9 | 6 | 8 | 5 | 6 | 2 | 3 | 3 | 2 | 2 | 1 | 95 |
| 4a. Congestion of the Lungs, Pulmonary ... | 11 | 1 | 2 | 2 | ... | 1 | ... | ... | 3 | ... | 1 | 1 | ... | ... | 1 | 2 | 2 | 1 | 1 | 2 | ... | 31 |
| 5. Asthma | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 4 | 2 | 1 | 3 | 2 | 1 | 2 | 1 | ... | ... | ... | 18 |
| 6. Lung Disease, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 1 | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 6 |
| | 80 | 26 | 11 | 6 | 4 | 7 | 3 | ... | 11 | 13 | 13 | 20 | 14 | 14 | 14 | 12 | 16 | 14 | 11 | 11 | 1 | 301 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis | 11 | 2 | 3 | ... | ... | 2 | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | ... | ... | ... | ... | 1 | ... | 22 |
| 2. Enteritis | 35 | 7 | ... | 1 | ... | 4 | ... | 4 | 5 | 3 | 1 | 1 | 3 | 1 | 1 | 1 | 2 | 1 | ... | ... | ... | 70 |
| 3. Peritonitis | 2 | ... | ... | ... | ... | 1 | ... | ... | 2 | 3 | ... | 2 | 1 | ... | ... | 2 | 1 | ... | ... | ... | ... | 14 |
| 4. Ascites | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | ... | ... | 2 | 1 | 1 | ... | ... | ... | 7 |
| 5. Ulceration of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 6. Hernia | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 3 |
| 7. Ileus | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 5 |
| 8. Intussusception | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 9. Stricture of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10. Fistula | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | 2 |
| 11. Stomach Disease, &c... | 2 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 4 |
| 12. Pancreas Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 13. Hepatitis | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 4 | 1 | ... | 1 | 1 | 1 | 1 | ... | ... | ... | ... | 11 |
| 14. Jaundice | 3 | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | ... | ... | ... | 1 | ... | ... | ... | 2 | ... | ... | 10 |
| 15. Liver Disease, &c..... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | 3 | 5 | 1 | 6 | 4 | 1 | 3 | 2 | 1 | ... | ... | 31 |
| 16. Spleen Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 58 | 10 | 4 | 1 | ... | 6 | 2 | 4 | 6 | 9 | 11 | 12 | 13 | 5 | 10 | 9 | 7 | 7 | 5 | 3 | ... | 182 |
| ORDER 5. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 2 | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 6 |
| 2. Ischuria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 2 |
| 3. Nephria | 1 | ... | ... | ... | ... | ... | ... | 2 | 2 | 6 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 1 | ... | ... | ... | 33 |
| 4. Diabetes | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | ... | 1 | ... | ... | ... | 4 |
| 5. Stone | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6. Cystitis | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | 1 | 1 | ... | ... | ... | 5 |
| 7. Kidney Disease, &c.... | 1 | ... | ... | ... | 1 | ... | ... | ... | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 1 | 1 | 1 | ... | ... | 20 |
| | 2 | ... | ... | ... | 1 | 1 | ... | 1 | 2 | 7 | 8 | 7 | 5 | 7 | 8 | 7 | 7 | 3 | 3 | 1 | ... | 70 |
| ORDER 6. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 3 |
| 2. Uterus Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 3 | 1 | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 7 |
| ORDER 7. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 1a. Ostitis Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 2. Joint Disease, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| ORDER 8. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Ulcer | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 2 |
| 3. Skin Diseases, &c..... | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 5 |
| Total, Class III | 292 | 73 | 24 | 11 | 7 | 31 | 7 | 9 | 32 | 52 | 56 | 63 | 47 | 49 | 71 | 50 | 52 | 43 | 28 | 33 | 2 | 1,032 |

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|--------------------------------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS IV.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth | 56 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 56 |
| 2. Cyanosis | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| 3. Spina Bifida | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 4. Other Malformations.. | 8 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 9 |
| 5. Teething | 8 | 9 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 18 |
| | 80 | 9 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 91 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Paramenia | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 2. Childbirth (<i>see</i> Metria) | ... | ... | ... | ... | ... | ... | 1 | 3 | 3 | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 10 |
| | ... | ... | ... | ... | ... | ... | 1 | 4 | 4 | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 13 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Old Age..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 8 | 5 | 30 | 60 | ... | ... | 105 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility.. | 173 | 21 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 194 |
| Total, Class IV..... | 253 | 30 | 2 | ... | ... | ... | 1 | 4 | 4 | 2 | 1 | 1 | ... | ... | 2 | 8 | 5 | 30 | 60 | ... | ... | 403 |
| CLASS V.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Fractures & Contusions | ... | 1 | 2 | ... | ... | ... | 4 | ... | 7 | 8 | 6 | 6 | 7 | 5 | 4 | 6 | 4 | 3 | ... | 1 | ... | 64 |
| 2. Wounds { <i>a</i> Gunshot | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| { <i>b</i> Cuts | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 |
| 3. Burns and Scalds | ... | 1 | 3 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | 3 | ... | ... | ... | ... | ... | ... | 9 |
| 3 <i>a</i> . Sunstroke..... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 2 |
| 4. Poison | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 |
| 4 <i>a</i> . Bite of Snake or Insect | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5. Drowning | ... | 1 | ... | ... | ... | 1 | 2 | ... | 4 | 1 | 1 | 2 | 3 | 1 | 2 | ... | ... | ... | ... | 1 | ... | 19 |
| 6. Suffocation | 4 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| 7. Otherwise | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | 5 |
| | 4 | 4 | 5 | 1 | ... | 1 | 6 | ... | 13 | 11 | 9 | 8 | 10 | 7 | 8 | 10 | 6 | 3 | ... | 1 | 1 | 108 |
| ORDER 2.— | | | | | | | | | | | | | | | | | | | | | | |
| VIOLENT DEATHS IN | | | | | | | | | | | | | | | | | | | | | | |
| BATTLE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gunshot Wounds..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Sword and Bayonet | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ORDER 3.—HOMICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Murder | 2 | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 2. Manslaughter | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 4 |
| | 3 | 1 | 1 | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 8 |
| ORDER 4.—SUICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Wounds { Gunshot | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| { Cut, Stab, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | 2 | ... | 1 | ... | ... | ... | ... | 5 |
| 2. Poison | ... | ... | ... | ... | ... | ... | 1 | 3 | ... | ... | 1 | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 7 |
| 3. Drowning | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Hanging | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 4 |
| 5. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | ... | ... | ... | ... | ... | ... | 2 | 5 | 1 | 1 | 1 | 1 | 3 | 3 | ... | 1 | ... | ... | ... | ... | ... | 18 |
| ORDER 5.—EXECUTION. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Hanging..... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| Violent Deaths (open ver- | | | | | | | | | | | | | | | | | | | | | | |
| dicts—Found Drowned, | 1 | ... | ... | ... | ... | ... | 1 | ... | 2 | 5 | 1 | ... | ... | 3 | 1 | 2 | ... | ... | ... | ... | ... | 16 |
| &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total, Class V..... | 8 | 5 | 6 | 1 | ... | 1 | 6 | 3 | 20 | 15 | 15 | 10 | 11 | 11 | 14 | 11 | 9 | 3 | ... | 1 | 1 | 151 |
| Sudden Deaths (cause un- | | | | | | | | | | | | | | | | | | | | | | |
| ascertained) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Causes not specified or ill- | | | | | | | | | | | | | | | | | | | | | | |
| defined | ... | 3 | ... | 1 | ... | ... | 2 | 5 | 4 | 6 | 5 | 8 | 7 | 6 | 3 | 1 | 1 | 1 | ... | 7 | ... | 60 |
| GRAND TOTAL | 769 | 181 | 53 | 33 | 17 | 55 | 25 | 40 | 137 | 163 | 138 | 132 | 117 | 118 | 127 | 102 | 94 | 67 | 76 | 100 | 11 | 2,535 |

F 1.

DEATHS from all causes, of MALES, at different ages, registered in SUBURBAN DISTRICTS, from the 1st January to the 31st December, 1884.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|--|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS I.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Small-pox | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 1a. Chicken-pox | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Measles | ... | 2 | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| 3. Scarlatina | ... | 4 | 3 | 2 | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 12 |
| 3a. Diphtheria..... | ... | 3 | 1 | 4 | 2 | 5 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 16 |
| 4. Quinsy | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | 4 |
| 5. Croup | 1 | ... | 3 | 1 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 8 |
| 6. Whooping-cough | 15 | 10 | 1 | 2 | 2 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 32 |
| 7. Typhus (and Infantile Fever). | 1 | 1 | 1 | 2 | 4 | 2 | 5 | 10 | 9 | 12 | 6 | 2 | 2 | 1 | 1 | ... | 1 | 1 | ... | ... | ... | 61 |
| 8. Erysipelas | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 9. Metria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10. Carbuncle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11. Influenza | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 12. Dysentery | 9 | 4 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | 16 |
| 13. Diarrhoea | 106 | 24 | 4 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | 2 | 1 | 1 | 1 | ... | 144 |
| 14. Cholera | 3 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | ... | 8 |
| 15. Ague | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 16. Remittent Fever | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 17. Rheumatism | ... | ... | ... | ... | 1 | 2 | ... | ... | ... | ... | ... | ... | 2 | ... | ... | 1 | 1 | ... | ... | ... | ... | 7 |
| 18. Pyæmia | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 4 |
| | 136 | 52 | 15 | 13 | 14 | 14 | 5 | 11 | 9 | 13 | 7 | 5 | 6 | 2 | 7 | 2 | 5 | 3 | 2 | 1 | ... | 322 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 2. Stricture of the Urethra | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 2 |
| 3. Hydrophobia..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Glanders | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 5 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Privation | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Want of Breast Milk.. | 10 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 10 |
| 3. Purpura and Scurvy... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 4. Alcoholism— | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| a. Del. Tremens... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| b. Intemperance... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 6 |
| | 12 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 3 | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 19 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Thrush | 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 2. Worms, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2a. Hydatid | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | 1 | ... | ... | ... | 1 | ... | ... | 5 |
| | 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | 1 | ... | ... | ... | 1 | ... | ... | 9 |
| Total, Class I | 156 | 52 | 14 | 13 | 14 | 14 | 5 | 11 | 10 | 13 | 10 | 6 | 8 | 5 | 10 | 2 | 5 | 3 | 3 | 1 | ... | 355 |
| CLASS II.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gout | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 3 |
| 2. Dropsy | 2 | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | 1 | 2 | 2 | 1 | 1 | 2 | ... | ... | ... | ... | 15 |
| 3. Cancer | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 4 | 1 | 3 | 2 | 1 | 2 | 3 | 2 | 1 | ... | 20 |
| 3a. Tumour | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | 3 |
| 3b. Polypus | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Noma | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5. Mortification..... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | 2 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 5 |
| | 2 | ... | ... | ... | ... | ... | 1 | 1 | 2 | ... | 3 | 7 | 5 | 6 | 4 | 3 | 4 | 3 | 2 | 3 | ... | 46 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 2. Tabes Mesenterica .. | 22 | 11 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 35 |
| 3. Phthisis | 7 | 2 | 2 | ... | 1 | 4 | ... | 5 | 20 | 16 | 28 | 24 | 28 | 14 | 11 | 8 | 4 | 5 | 1 | 1 | 1 | 182 |
| 3a. Hæmoptysis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Hydrocephalus | 3 | 5 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 10 |
| 4a. Abscess..... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 5 |
| | 33 | 18 | 5 | 1 | 1 | 5 | ... | 5 | 20 | 17 | 28 | 26 | 29 | 15 | 12 | 8 | 4 | 5 | 1 | 1 | 1 | 235 |
| Total, Class II | 35 | 18 | 5 | 1 | 1 | 5 | 1 | 6 | 22 | 17 | 31 | 33 | 34 | 21 | 16 | 11 | 8 | 8 | 3 | 4 | 1 | 281 |

F 1--continued.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|--|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 17 | 9 | 6 | ... | 1 | 4 | 1 | ... | 1 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 41 |
| 2. Apoplexy | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 6 | 3 | 3 | 4 | 4 | 2 | 1 | ... | 25 |
| 3. Paralysis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | 1 | 3 | 3 | 2 | 3 | ... | 1 | 3 | ... | 19 |
| 4. Insanity | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 5. Chorea | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6. Epilepsy | ... | ... | ... | 1 | 1 | ... | 1 | 1 | 2 | ... | 4 | 1 | 2 | ... | ... | ... | ... | 1 | ... | 1 | ... | 15 |
| 7. Convulsions | 73 | 19 | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 97 |
| 8. Brain Disease, &c..... | 1 | 2 | ... | ... | 1 | ... | ... | 1 | 2 | 2 | ... | 3 | 1 | 2 | 1 | 2 | 1 | 1 | ... | ... | ... | 20 |
| | 91 | 30 | 11 | 1 | 3 | 4 | 2 | 2 | 6 | 3 | 7 | 6 | 6 | 11 | 7 | 7 | 8 | 6 | 3 | 5 | ... | 219 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Aneurism | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 2 | 1 | 1 | 1 | ... | 1 | ... | ... | ... | 8 |
| 3. Heart Disease, &c..... | 4 | 2 | 1 | 2 | ... | ... | 4 | 2 | 4 | 3 | 2 | 6 | 6 | 4 | 4 | 6 | 4 | 6 | 11 | 5 | ... | 76 |
| | 4 | 2 | 1 | 2 | ... | ... | 4 | 2 | 4 | 4 | 3 | 7 | 8 | 5 | 5 | 7 | 4 | 7 | 11 | 5 | ... | 85 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 2. Bronchitis | 48 | 12 | 5 | 1 | 2 | 2 | 1 | ... | 1 | ... | ... | 3 | 4 | ... | 3 | 1 | 3 | 1 | 2 | 2 | ... | 92 |
| 3. Pleurisy | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | 4 | 1 | ... | ... | 1 | ... | ... | ... | ... | 9 |
| 4. Pneumonia | 15 | 10 | 9 | 1 | 1 | 1 | ... | 3 | ... | 3 | 4 | 2 | 3 | 1 | 4 | 3 | 2 | 2 | 2 | 3 | 1 | 70 |
| 4a. Congestion of the Lungs, Pulmonary... | 10 | 6 | 2 | ... | ... | 1 | ... | ... | ... | 2 | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 23 |
| 5. Asthma | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | 1 | ... | 6 |
| 6. Lung Disease, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 75 | 28 | 17 | 2 | 4 | 4 | 1 | 3 | 2 | 6 | 4 | 6 | 11 | 3 | 8 | 6 | 8 | 3 | 4 | 6 | 1 | 202 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis | 19 | 5 | 1 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 28 |
| 2. Enteritis | 50 | 14 | 2 | 2 | ... | 3 | 2 | 3 | 12 | 6 | 7 | 3 | 1 | ... | 3 | ... | 1 | ... | 1 | ... | ... | 110 |
| 3. Peritonitis | 3 | ... | ... | ... | ... | ... | ... | ... | ... | 4 | ... | 1 | 1 | ... | 1 | ... | ... | ... | ... | 1 | ... | 11 |
| 4. Ascites | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 5. Ulceration of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 3 |
| 6. Hernia | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 3 |
| 7. Ileus | 3 | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 7 |
| 8. Intussusception | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 9. Stricture of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10. Fistula | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 11. Stomach Disease, &c... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 2 |
| 12. Pancreas Disease, &c... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 13. Hepatitis | 1 | 1 | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 5 |
| 14. Jaundice | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 4 |
| 15. Liver Disease, &c..... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | 4 | 4 | 7 | 5 | 6 | 5 | 1 | 1 | ... | ... | 35 |
| 16. Spleen Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 81 | 20 | 3 | 3 | ... | 3 | 4 | 4 | 13 | 14 | 10 | 8 | 8 | 7 | 11 | 7 | 8 | 1 | 2 | 4 | ... | 211 |
| ORDER 5. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | ... | 1 | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | 1 | 1 | ... | ... | 1 | ... | ... | 1 | ... | 7 |
| 2. Ischuria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Nephria | ... | ... | ... | 1 | ... | ... | 1 | 1 | 1 | ... | 4 | ... | 1 | 1 | ... | 1 | 2 | 1 | ... | ... | ... | 14 |
| 4. Diabetes | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 2 | ... | ... | 4 |
| 5. Stone | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 |
| 6. Cystitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | 1 | ... | ... | 5 |
| 7. Kidney Disease, &c. ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | 1 | 1 | ... | ... | ... | 5 |
| | ... | 1 | ... | 2 | ... | 1 | 1 | 1 | 2 | ... | 4 | ... | 3 | 5 | ... | 2 | 6 | 4 | 3 | 1 | ... | 36 |
| ORDER 7. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 4 |
| 1a. Ostitis Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 |
| 2. Joint Disease, &c..... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| | ... | ... | ... | ... | 1 | 2 | 1 | ... | ... | ... | ... | 1 | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 8 |
| ORDER 8. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Ulcer | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 3. Skin Disease, &c. | 2 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| | 2 | 2 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| Total, Class III | 253 | 83 | 32 | 10 | 8 | 14 | 13 | 12 | 28 | 27 | 28 | 28 | 37 | 32 | 32 | 29 | 34 | 21 | 23 | 21 | 1 | 766 |

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|--|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------------|
| CLASS IV.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth | 40 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 40 |
| 2. Cyanosis..... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 3. Spina Bifida | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Other Malformations.. | 15 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 15 |
| 5. Teething | 17 | 18 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 35 |
| | 74 | 18 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 92 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Old Age | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 12 | 4 | 12 | 34 | ... | 62 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility.. | 157 | 18 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 176 |
| Total Class IV. | 231 | 36 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 12 | 4 | 12 | 34 | ... | 330 |
| CLASS V.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Fractures & Contusions | ... | ... | ... | 1 | ... | 3 | 2 | 1 | 3 | 2 | 1 | 4 | 3 | 2 | 3 | 3 | 2 | ... | 1 | ... | 1 | 32 |
| 2. Wounds { <i>a.</i> Gunshot | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 3 |
| <i>b.</i> Cuts..... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 6 |
| 3. Burns and Scalds | 1 | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 3 <i>a.</i> Sunstroke | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 4. Poison | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 4 <i>a.</i> Bite of Snake or Insect | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5. Drowning | 1 | 2 | 1 | ... | 4 | 3 | ... | 3 | ... | ... | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 17 |
| 6. Suffocation..... | 2 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 7. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | 5 | 2 | 1 | 3 | 5 | 7 | 3 | 5 | 4 | 3 | 4 | 6 | 4 | 3 | 4 | 4 | 2 | 1 | 1 | ... | 1 | 68 |
| ORDER 2.—VIOLENT DEATHS IN BATTLE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gunshot Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Sword and Bayonet Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ORDER 3.—HOMICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Murder | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Manslaughter..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| ORDER 4.—SUICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Wounds { Gunshot ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Cut, Stab, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Poison | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Drowning | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 4. Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 3 |
| 5. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 5 |
| ORDER 5.—EXECUTION. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Violent Deaths (Not classed) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total, Class V. | 5 | 2 | 1 | 3 | 5 | 7 | 3 | 5 | 5 | 5 | 5 | 6 | 4 | 4 | 5 | 4 | 2 | 1 | 1 | ... | 1 | 74 |
| Sudden Deaths (cause unascertained) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Causes not specified or ill-defined | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | 1 | 4 | 1 | ... | ... | ... | ... | ... | 1 | 9 |
| GRAND TOTALS..... | 678 | 192 | 54 | 27 | 28 | 40 | 22 | 35 | 65 | 62 | 75 | 73 | 84 | 66 | 64 | 46 | 61 | 37 | 42 | 60 | 4 | 1,815 |

DEATHS from all causes, of FEMALES, at different ages, registered in SUBURBAN DISTRICTS, from 1st January to 31st December, 1884.

F 2—continued.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|--|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS III.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 22 | 12 | 5 | 1 | 1 | 6 | ... | 1 | ... | 1 | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | 51 |
| 2. Apoplexy | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | 1 | 2 | 2 | 1 | 4 | 3 | 3 | 3 | ... | 3 | ... | 25 |
| 3. Paralysis | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | 1 | ... | 4 | ... | ... | 3 | 3 | ... | 14 |
| 4. Insanity | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 5. Chorea | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6. Epilepsy | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 4 | 1 | 4 | 1 | ... | ... | ... | ... | 1 | ... | 1 | ... | 13 |
| 7. Convulsions | 60 | 23 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 83 |
| 8. Brain Disease, &c..... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 3 | 1 | ... | 2 | ... | ... | 11 |
| | 82 | 36 | 5 | 1 | 2 | 7 | ... | 3 | ... | 8 | 2 | 7 | 5 | 5 | 5 | 10 | 4 | 4 | 5 | 7 | ... | 198 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 2. Aneurism | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 3 |
| 3. Heart Disease, &c. ... | 5 | ... | 1 | ... | ... | 2 | ... | 2 | 1 | 7 | 6 | 5 | 3 | 9 | 3 | 3 | 4 | 7 | 3 | 5 | 1 | 67 |
| | 6 | ... | 1 | 1 | ... | 3 | 1 | 2 | 1 | 9 | 6 | 5 | 3 | 9 | 3 | 3 | 5 | 7 | 3 | 5 | 1 | 74 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Bronchitis | 39 | 14 | 5 | ... | ... | 1 | ... | 1 | ... | 2 | ... | 2 | 2 | 3 | 2 | 1 | 3 | 3 | 4 | 2 | ... | 84 |
| 3. Pleurisy | ... | ... | ... | ... | ... | 4 | ... | ... | 2 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 7 |
| 4. Pneumonia | 17 | 5 | 8 | ... | 1 | 3 | ... | 3 | 4 | 1 | ... | 2 | 3 | 2 | 2 | ... | 4 | 2 | 4 | 1 | ... | 62 |
| 4a. Congestion of the Lungs, Pulmonary.... | 4 | 2 | 2 | ... | 2 | ... | 1 | ... | 1 | 1 | 1 | ... | ... | 1 | 2 | ... | ... | ... | ... | ... | ... | 17 |
| 5. Asthma | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 5 |
| 6. Lung Disease, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 61 | 21 | 15 | ... | 3 | 8 | 1 | 4 | 8 | 4 | 2 | 4 | 5 | 6 | 7 | 2 | 8 | 5 | 8 | 3 | ... | 175 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis..... | 14 | 1 | 1 | ... | ... | 2 | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | 21 |
| 2. Enteritis | 34 | 13 | 2 | ... | ... | 2 | 2 | 5 | 6 | 1 | 1 | 5 | 4 | ... | 2 | 1 | 2 | 2 | 1 | ... | ... | 83 |
| 3. Peritonitis | 3 | ... | ... | ... | ... | ... | ... | 2 | 6 | 2 | 1 | 1 | 4 | ... | 1 | ... | ... | ... | ... | ... | ... | 20 |
| 4. Ascites | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | 2 |
| 5. Ulceration of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | 5 |
| 6. Hernia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 |
| 7. Ileus | 2 | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | 6 |
| 8. Intussusception..... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 9. Stricture of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10. Fistula | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11. Stomach Disease, &c. | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | 6 |
| 12. Pancreas Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 13. Hepatitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 2 | ... | 3 | 1 | 2 | 1 | ... | 12 |
| 14. Jaundice | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | 6 |
| 15. Liver Disease, &c..... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 4 | 3 | 2 | 2 | 2 | 2 | ... | ... | 17 |
| 16. Spleen Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 61 | 14 | 3 | ... | ... | 4 | 4 | 7 | 12 | 4 | 3 | 11 | 13 | 8 | 9 | 6 | 8 | 7 | 5 | 2 | ... | 181 |
| ORDER 5. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 2. Ischuria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Nephria | ... | 1 | 1 | ... | ... | 1 | ... | 1 | 2 | ... | 4 | 2 | ... | 1 | ... | ... | 2 | ... | ... | ... | ... | 15 |
| 4. Diabetes..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | 1 | ... | ... | ... | ... | 3 |
| 5. Stone | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 6. Cystitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7. Kidney disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | 1 | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 6 |
| | ... | 1 | 1 | ... | ... | 2 | ... | 1 | 3 | 2 | 4 | 3 | 2 | 4 | ... | 1 | 3 | ... | ... | ... | ... | 27 |
| ORDER 6. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Uterus Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| ORDER 7. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 1a. Ostitis Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Joint Disease, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| ORDER 8. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Ulcer | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 2 |
| 3. Skin Disease, &c. | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 3 |
| Total Class III | 210 | 72 | 25 | 2 | 5 | 25 | 6 | 17 | 26 | 27 | 18 | 31 | 29 | 32 | 24 | 22 | 28 | 24 | 21 | 17 | 1 | 662 |

DEATHS from all causes, of BOTH SEXES, at different ages, registered in SUBURBAN DISTRICTS, from 1st January to 31st December, 1884.

[illegible]

F 3—continued.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS III.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 39 | 21 | 11 | 1 | 2 | 10 | 1 | 1 | 1 | 2 | ... | 1 | ... | 2 | ... | ... | ... | ... | ... | ... | ... | 92 |
| 2. Apoplexy | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | ... | 2 | 4 | 7 | 7 | 6 | 7 | ... | 2 | 4 | ... | 50 |
| 3. Paralysis | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 2 | 2 | 4 | 3 | 6 | 3 | ... | 4 | 6 | ... | 33 |
| 4. Insanity | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 5. Choreia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6. Epilepsy | ... | ... | ... | 1 | 1 | 1 | 1 | 1 | 2 | 4 | 5 | 5 | 3 | ... | ... | ... | ... | 2 | ... | 2 | ... | 28 |
| 7. Convulsions | 133 | 42 | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 180 |
| 8. Brain Disease, &c..... | 1 | 3 | ... | ... | 2 | ... | ... | 1 | 2 | 2 | ... | 3 | 2 | 3 | 2 | 5 | 2 | 1 | 2 | ... | ... | 31 |
| | 173 | 66 | 16 | 2 | 5 | 11 | 2 | 5 | 6 | 11 | 9 | 13 | 11 | 16 | 12 | 17 | 12 | 10 | 8 | 12 | ... | 417 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| 2. Aneurism | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | ... | ... | ... | 11 |
| 3. Heart Disease, &c..... | 9 | 2 | 2 | 2 | ... | 2 | 4 | 4 | 5 | 10 | 8 | 11 | 9 | 13 | 7 | 9 | 8 | 13 | 14 | 10 | 1 | 143 |
| | 10 | 2 | 2 | 3 | ... | 3 | 5 | 4 | 5 | 13 | 9 | 12 | 11 | 14 | 8 | 10 | 9 | 14 | 14 | 10 | 1 | 159 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 2. Bronchitis | 87 | 26 | 10 | 1 | 2 | 3 | 1 | 1 | 1 | 2 | ... | 5 | 6 | 4 | 5 | 2 | 6 | 4 | 6 | 4 | ... | 176 |
| 3. Pleurisy | ... | ... | ... | ... | 4 | ... | ... | 3 | 1 | ... | 1 | 4 | 1 | 1 | ... | 1 | ... | ... | ... | ... | ... | 16 |
| 4. Pneumonia | 32 | 15 | 17 | 1 | 2 | 4 | ... | 6 | 4 | 4 | 4 | 4 | 6 | 3 | 6 | 3 | 6 | 4 | 6 | 4 | 1 | 132 |
| 4a. Congestion of the Lungs, Pulmonary ... | 14 | 8 | 4 | ... | 2 | 1 | 1 | ... | 1 | 3 | 1 | ... | ... | 1 | 2 | 1 | 1 | ... | ... | ... | ... | 40 |
| 5. Asthma | 3 | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 1 | 2 | 2 | ... | ... | 1 | ... | 11 |
| 6. Lung Disease, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 136 | 49 | 32 | 2 | 7 | 12 | 2 | 7 | 10 | 10 | 6 | 10 | 16 | 9 | 15 | 8 | 16 | 8 | 12 | 9 | 1 | 377 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis | 33 | 6 | 2 | 1 | ... | 2 | 1 | ... | ... | ... | ... | 1 | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | 49 |
| 2. Enteritis | 84 | 27 | 4 | 2 | ... | 5 | 4 | 8 | 18 | 7 | 8 | 8 | 5 | ... | 5 | 1 | 3 | 2 | 2 | ... | ... | 193 |
| 3. Peritonitis | 6 | ... | ... | ... | ... | ... | 2 | 6 | 6 | 1 | 2 | 5 | ... | 2 | ... | ... | ... | ... | 1 | ... | ... | 31 |
| 4. Ascites | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 3 |
| 5. Ulceration of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | ... | 1 | 1 | 2 | 1 | ... | ... | ... | ... | ... | 8 |
| 6. Hernia | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | 4 |
| 7. Ileus | 5 | ... | ... | ... | ... | 2 | ... | 1 | ... | 1 | ... | ... | 1 | 1 | ... | 1 | 1 | ... | ... | ... | ... | 13 |
| 8. Intussusception | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 9. Stricture of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10. Fistula | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 11. Stomach Disease, &c... | 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | ... | ... | 1 | ... | ... | 8 |
| 12. Pancreas Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 13. Hepatitis | 1 | 1 | ... | ... | ... | 1 | ... | ... | 1 | ... | 1 | 1 | 1 | 3 | ... | 3 | 1 | 2 | 1 | ... | ... | 17 |
| 14. Jaundice | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | ... | ... | ... | 2 | ... | ... | 10 |
| 15. Liver Disease, &c..... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | 4 | 5 | 11 | 8 | ... | 7 | 3 | 3 | ... | ... | ... | 52 |
| 16. Spleen Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | 142 | 34 | 6 | 3 | ... | 7 | 8 | 11 | 25 | 18 | 13 | 19 | 21 | 15 | 20 | 13 | 16 | 8 | 7 | 6 | ... | 392 |
| ORDER 5. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | ... | 1 | ... | ... | ... | 2 | ... | ... | 1 | ... | ... | ... | 2 | 1 | ... | ... | 1 | ... | ... | 1 | ... | 9 |
| 2. Ischuria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Nephria | ... | 1 | 1 | 1 | ... | 1 | 1 | 2 | 3 | ... | 8 | 2 | 1 | 2 | ... | 1 | 4 | 1 | ... | ... | ... | 29 |
| 4. Diabetes | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | ... | ... | 1 | ... | 2 | ... | ... | ... | 7 |
| 5. Stone | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 2 |
| 6. Cystitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | 1 | ... | ... | ... | 5 |
| 7. Kidney Disease, &c. ... | ... | ... | ... | 1 | ... | ... | ... | 1 | 2 | ... | 1 | ... | 3 | ... | 1 | 1 | 1 | ... | ... | ... | ... | 11 |
| | ... | 2 | 1 | 2 | ... | 3 | 1 | 2 | 5 | 2 | 8 | 3 | 5 | 9 | ... | 3 | 9 | 4 | 3 | 1 | ... | 63 |
| ORDER 6. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Uterus Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| ORDER 7. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | ... | ... | ... | ... | ... | 2 | 1 | ... | 1 | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | 7 |
| 1a. Ostitis Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Joint Disease, &c..... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| | ... | ... | ... | ... | 1 | 3 | 1 | ... | 1 | ... | ... | 1 | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | 11 |
| ORDER 8. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Ulcer | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 3 |
| 3. Skin Diseases, &c..... | 2 | 2 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| | 2 | 2 | ... | ... | ... | ... | ... | 2 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 8 |
| Total, Class III | 463 | 155 | 57 | 12 | 13 | 39 | 19 | 29 | 54 | 54 | 46 | 59 | 66 | 64 | 56 | 51 | 62 | 45 | 44 | 38 | 2 | 1,428 |

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|------------------------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS IV.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth | 66 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 66 |
| 2. Cyanosis | 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 3. Spina Bifida | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Other Malformations.. | 29 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 29 |
| 5. Teething | 32 | 32 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 64 |
| | 131 | 32 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 163 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Paramenia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Childbirth (see Metria) | ... | ... | ... | ... | ... | ... | 2 | 3 | 3 | 3 | 3 | 3 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 15 |
| | ... | ... | ... | ... | ... | ... | 2 | 3 | 3 | 3 | 3 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 16 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Old Age..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 17 | 15 | 24 | 64 | ... | 120 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility.. | 308 | 35 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 345 |
| Total, Class IV..... | 439 | 67 | 2 | ... | ... | ... | 2 | 3 | 3 | 3 | 3 | 2 | ... | ... | ... | 17 | 15 | 24 | 64 | ... | ... | 644 |
| CLASS V.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Fractures & Contusions | 1 | 2 | ... | 1 | ... | 5 | 2 | 2 | 6 | 2 | 1 | 5 | 5 | 3 | 3 | 3 | 2 | ... | 1 | ... | 1 | 45 |
| 2. Wounds { a Gunshot | ... | ... | ... | ... | ... | 2 | 1 | 1 | 1 | ... | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 3 |
| b Cuts | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 7 |
| 3. Burns and Scalds | 1 | 4 | 2 | 2 | 1 | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 12 |
| 3a. Sunstroke..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 4. Poison | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 4a. Bite of Snake or Insect | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 5. Drowning | 1 | 4 | 1 | ... | 4 | 5 | ... | 3 | ... | ... | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 21 |
| 6. Suffocation | 5 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 6 |
| 7. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | 9 | 11 | 3 | 3 | 6 | 12 | 3 | 6 | 8 | 5 | 4 | 7 | 6 | 4 | 4 | 4 | 2 | 1 | 1 | ... | 1 | 100 |
| ORDER 2.— | | | | | | | | | | | | | | | | | | | | | | |
| VIOLENT DEATHS IN | | | | | | | | | | | | | | | | | | | | | | |
| BATTLE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gunshot Wounds..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Sword and Bayonet | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ORDER 3.—HOMICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Murder | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 2. Manslaughter | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| ORDER 4.—SUICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Wounds { Gunshot ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Cut, Stab, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Poison | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 3. Drowning | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 4. Hanging..... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 3 |
| 5. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 2 | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 8 |
| ORDER 5.—EXECUTION. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Hanging..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Violent Deaths (not | | | | | | | | | | | | | | | | | | | | | | |
| classified) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total, Class V..... | 9 | 11 | 3 | 3 | 6 | 12 | 3 | 6 | 10 | 9 | 7 | 9 | 6 | 5 | 5 | 4 | 2 | 1 | 1 | ... | 1 | 113 |
| Sudden Deaths (cause un- | | | | | | | | | | | | | | | | | | | | | | |
| ascertained) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Causes not specified or ill- | | | | | | | | | | | | | | | | | | | | | | |
| defined | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | 1 | 4 | 4 | 1 | ... | ... | ... | ... | ... | 1 | 13 |
| GRAND TOTAL | 1272 | 374 | 107 | 42 | 43 | 100 | 40 | 73 | 131 | 133 | 128 | 133 | 144 | 112 | 103 | 78 | 106 | 78 | 78 | 110 | 6 | 3,391 |

G 1.

DEATHS from all causes, of MALES, at different ages, registered in the COUNTRY DISTRICTS, from the 1st January to the 31st December, 1884.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---------------------------------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|------------|
| CLASS I.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Small-pox | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1a. Chicken-pox | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Measles | 4 | 6 | ... | 1 | 2 | 2 | 2 | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 21 |
| 3. Scarlatina | 8 | 13 | 10 | 9 | 9 | 19 | 5 | 3 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 78 |
| 3a. Diphtheria | 3 | 8 | 10 | 5 | 5 | 19 | 6 | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | 2 | ... | ... | ... | ... | 60 |
| 4. Quinsy | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | 5 |
| 5. Croup | 9 | 13 | 13 | 11 | 11 | 10 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 67 |
| 6. Whooping-cough | 19 | 6 | 1 | 1 | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 29 |
| 7. Typhus (and Infantile Fever) | 16 | 10 | 7 | 3 | 5 | 7 | 9 | 25 | 26 | 20 | 7 | 8 | 2 | 8 | 3 | 4 | 2 | 1 | ... | ... | 1 | 164 |
| 8. Erysipelas | 4 | ... | ... | 1 | ... | ... | ... | 2 | ... | 1 | ... | ... | 1 | 2 | ... | 1 | 2 | ... | ... | ... | ... | 14 |
| 9. Metria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10. Carbuncle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 |
| 11. Influenza | 15 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | ... | ... | 19 |
| 12. Dysentery | 21 | 6 | 3 | 1 | ... | 2 | 1 | ... | 1 | ... | 2 | 2 | 3 | 3 | 3 | ... | 2 | 7 | 6 | 2 | 1 | 66 |
| 13. Diarrhoea | 106 | 33 | 5 | 1 | 2 | 2 | 1 | ... | 2 | ... | ... | 1 | 1 | 1 | 8 | 1 | 5 | 8 | 7 | 3 | 1 | 188 |
| 14. Cholera | 16 | 7 | 1 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | 1 | 1 | ... | 30 |
| 15. Ague | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | 1 | ... | 6 |
| 16. Remittent Fever | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 3 |
| 17. Rheumatism | ... | ... | ... | ... | ... | 1 | 2 | 3 | ... | ... | 1 | ... | 2 | 2 | ... | ... | 1 | 1 | ... | 1 | ... | 14 |
| 18. Pyæmia | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 5 |
| | 224 | 103 | 51 | 34 | 34 | 66 | 27 | 35 | 31 | 26 | 12 | 11 | 10 | 16 | 19 | 8 | 17 | 20 | 15 | 8 | 4 | 771 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 2. Stricture of the Urethra | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | 1 | ... | 1 | 1 | ... | 6 |
| 3. Hydrophobia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Glanders | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | ... | 1 | 1 | 1 | 1 | ... | 1 | 1 | ... | 9 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Privation | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 2 | 4 | 2 | 2 | 2 | 3 | 2 | 2 | 1 | 4 | 2 | 4 | 30 |
| 2. Want of Breast Milk.. | 22 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 22 |
| 3. Purpura and Scurvy... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 2 |
| 4. Alcoholism— | | | | | | | | | | | | | | | | | | | | | | |
| a. Del. Tremens... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | ... | 3 | ... | 1 | ... | 1 | ... | ... | ... | 1 | ... | 9 |
| b. Intemperance... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 8 | 5 | 6 | 3 | 2 | 1 | 1 | 1 | ... | 2 | ... | 33 |
| | 23 | ... | ... | ... | ... | ... | ... | 4 | 1 | 6 | 12 | 10 | 8 | 8 | 4 | 4 | 2 | 5 | 2 | 7 | ... | 96 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Thrush | 17 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 17 |
| 2. Worms, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2a. Hydatid | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | ... | 1 | 1 | ... | 1 | ... | 1 | 1 | ... | ... | ... | ... | 8 |
| | 17 | ... | ... | ... | ... | ... | ... | 2 | 1 | ... | 1 | 1 | ... | 1 | ... | 1 | 1 | ... | ... | ... | ... | 25 |
| Total, Class I | 264 | 103 | 52 | 34 | 34 | 66 | 27 | 35 | 37 | 29 | 19 | 24 | 22 | 24 | 29 | 13 | 23 | 23 | 21 | 11 | 11 | 901 |
| CLASS II.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gout | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Dropsy | 3 | ... | 2 | 1 | ... | 5 | 1 | 1 | 1 | ... | 3 | 2 | 4 | 2 | 6 | 4 | 6 | 9 | 2 | 10 | 2 | 64 |
| 3. Cancer | ... | 1 | ... | ... | ... | ... | ... | 2 | ... | 1 | 4 | 7 | 6 | 11 | 15 | 6 | 18 | 6 | 10 | ... | ... | 87 |
| 3a. Tumour | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | 1 | 3 | 1 | 1 | ... | ... | 2 | ... | ... | ... | ... | 11 |
| 3b. Polypus | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Noma | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | 2 |
| 5. Mortification | ... | ... | ... | 1 | ... | ... | 1 | ... | 1 | ... | 1 | 2 | ... | 4 | 1 | 1 | 3 | ... | 3 | ... | ... | 18 |
| | 3 | 2 | 3 | 2 | ... | 5 | 2 | 1 | 3 | 1 | 5 | 8 | 16 | 9 | 22 | 20 | 13 | 33 | 8 | 24 | 2 | 182 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 5 |
| 2. Tabes Mesenterica .. | 35 | 17 | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 55 |
| 3. Phthisis | 13 | 5 | 1 | ... | 2 | ... | 8 | 42 | 57 | 32 | 22 | 33 | 28 | 25 | 14 | 10 | 8 | 2 | 1 | 2 | ... | 305 |
| 3a. Hæmoptysis | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 3 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | 7 |
| 4. Hydrocephalus | 12 | 6 | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 21 |
| 4a. Abscess | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | 1 | ... | 1 | 1 | 2 | 2 | ... | 2 | 2 | ... | ... | 15 |
| | 63 | 28 | 5 | 1 | 1 | 3 | 1 | 8 | 43 | 59 | 33 | 23 | 38 | 30 | 28 | 16 | 11 | 10 | 4 | 1 | 2 | 408 |
| Total, Class II | 66 | 30 | 8 | 3 | 1 | 8 | 3 | 9 | 46 | 60 | 38 | 31 | 54 | 39 | 50 | 36 | 24 | 43 | 12 | 25 | 4 | 590 |

G 1—continued.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS III.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 21 | 14 | 6 | 2 | ... | 5 | 1 | 1 | 3 | 1 | ... | 2 | 2 | ... | 2 | ... | ... | ... | ... | 2 | ... | 62 |
| 2. Apoplexy | ... | ... | ... | 1 | ... | ... | 1 | 1 | 1 | 2 | 4 | 7 | 7 | 6 | 7 | 11 | 11 | 15 | 7 | 6 | 1 | 88 |
| 3. Paralysis | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | 3 | 3 | 6 | 9 | 18 | 12 | 16 | 15 | 17 | 10 | 2 | 113 |
| 4. Insanity | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | 1 | ... | 1 | 1 | 1 | 1 | 2 | 1 | ... | 11 |
| 5. Chorea | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6. Epilepsy | ... | ... | 1 | ... | ... | 4 | 8 | 4 | 5 | 5 | 1 | 5 | 1 | ... | 3 | 2 | 3 | 2 | 2 | 1 | 1 | 48 |
| 7. Convulsions | 210 | 52 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 265 |
| 8. Brain Disease, &c..... | 5 | 3 | 1 | 1 | ... | 4 | ... | 5 | 3 | 1 | 2 | 5 | 11 | 6 | 3 | 2 | 4 | 4 | 1 | 1 | 1 | 63 |
| | 236 | 69 | 11 | 4 | 1 | 13 | 10 | 11 | 12 | 11 | 12 | 22 | 28 | 21 | 34 | 28 | 35 | 37 | 29 | 21 | 5 | 650 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | ... | ... | ... | ... | ... | 2 | 3 | 2 | 1 | ... | ... | 1 | ... | ... | 2 | ... | 2 | ... | 1 | ... | ... | 14 |
| 2. Aneurism | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 6 | 3 | 4 | 2 | 3 | 2 | ... | 1 | ... | 24 |
| 3. Heart Disease, &c..... | 3 | 2 | 1 | 3 | 1 | 10 | 3 | 3 | 6 | 6 | 4 | 14 | 16 | 17 | 29 | 17 | 28 | 16 | 34 | 16 | 5 | 234 |
| | 3 | 2 | 1 | 3 | 1 | 12 | 6 | 5 | 7 | 6 | 5 | 17 | 22 | 20 | 35 | 19 | 33 | 18 | 35 | 17 | 5 | 272 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | 1 | 2 | 1 | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | 10 |
| 2. Bronchitis | 100 | 27 | 10 | 5 | 4 | 9 | 2 | 1 | 2 | 4 | 3 | 1 | 3 | 2 | 7 | 9 | 8 | 16 | 20 | 16 | ... | 250 |
| 3. Pleurisy | ... | 1 | 1 | ... | ... | ... | 1 | 6 | 3 | 1 | 2 | 2 | 2 | 7 | 2 | 4 | ... | 4 | ... | ... | ... | 36 |
| 4. Pneumonia | 32 | 10 | 7 | 3 | 3 | 12 | 8 | 9 | 18 | 12 | 13 | 12 | 20 | 20 | 22 | 12 | 14 | 8 | 4 | 9 | 4 | 252 |
| 4a. Congestion of the Lungs, Pulmonary... | 10 | 6 | ... | 5 | ... | 1 | 1 | 1 | ... | 2 | 2 | ... | 1 | 3 | 4 | 7 | 1 | 3 | 1 | ... | 1 | 49 |
| 5. Asthma | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | 1 | ... | 2 | 1 | 2 | 2 | 2 | 1 | 5 | ... | 1 | 19 |
| 6. Lung Disease, &c..... | 1 | 1 | 1 | ... | ... | 1 | ... | ... | 2 | 1 | ... | 3 | 3 | 4 | 2 | 2 | ... | ... | ... | ... | ... | 21 |
| | 144 | 47 | 20 | 15 | 8 | 24 | 12 | 18 | 25 | 20 | 21 | 18 | 31 | 37 | 39 | 37 | 25 | 33 | 30 | 26 | 7 | 637 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis | 15 | 2 | 1 | ... | 1 | ... | ... | 1 | 3 | 1 | ... | 1 | ... | 1 | 1 | 1 | ... | 3 | ... | ... | ... | 31 |
| 2. Enteritis | 44 | 12 | 7 | ... | 3 | 7 | 10 | 6 | 15 | 11 | 5 | 7 | 4 | 5 | 4 | 4 | 2 | 8 | ... | 1 | 1 | 156 |
| 3. Peritonitis | 4 | ... | 1 | ... | ... | 1 | ... | 3 | 1 | 1 | 4 | ... | 2 | 1 | 2 | 3 | 3 | ... | ... | 1 | ... | 27 |
| 4. Ascites | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 2 | 1 | ... | 1 | ... | 1 | ... | ... | ... | ... | 1 | ... | 7 |
| 5. Ulceration of Intestines | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 6. Hernia | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 2 | 1 | 1 | 1 | ... | 2 | 2 | 2 | ... | 1 | 14 |
| 7. Ileus | 4 | 2 | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 3 | 1 | 3 | ... | ... | ... | 1 | ... | ... | 16 |
| 8. Intussusception | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 3 |
| 9. Stricture of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 10. Fistula | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11. Stomach Disease, &c... | 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 2 | 1 | 1 | 5 | ... | ... | ... | 17 |
| 12. Pancreas Disease, &c... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 |
| 13. Hepatitis | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 2 | 1 | 1 | 1 | 1 | 4 | ... | 2 | 5 | ... | ... | 18 |
| 14. Jaundice | 9 | ... | 1 | ... | ... | ... | ... | 2 | ... | ... | 1 | 1 | 1 | ... | 1 | ... | ... | ... | 1 | ... | ... | 17 |
| 15. Liver Disease, &c..... | 4 | 1 | ... | ... | ... | 1 | 2 | ... | 2 | 3 | 2 | 4 | 6 | 4 | 8 | 5 | 11 | 4 | 5 | ... | ... | 62 |
| 16. Spleen Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | 87 | 17 | 11 | ... | 4 | 10 | 12 | 12 | 23 | 19 | 17 | 17 | 22 | 18 | 23 | 20 | 19 | 24 | 13 | 4 | 2 | 374 |
| ORDER 5. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | ... | ... | 1 | ... | ... | 1 | 1 | 1 | ... | 2 | ... | ... | ... | ... | 2 | ... | 2 | 2 | 4 | 3 | 1 | 20 |
| 2. Ischuria | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 2 |
| 3. Nephria | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 3 | 2 | 3 | 3 | 4 | 7 | 5 | 3 | 1 | ... | ... | 34 |
| 4. Diabetes | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | 3 | 2 | ... | ... | ... | 8 |
| 5. Stone | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 2 | ... | ... | 5 |
| 6. Cystitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | 1 | ... | 2 | 1 | 3 | 3 | 4 | ... | 17 |
| 7. Kidney Disease, &c.... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | 3 | 4 | 4 | 2 | 3 | 3 | 6 | ... | 27 |
| | 1 | ... | 1 | 1 | ... | 3 | 1 | 2 | 1 | 6 | 3 | 4 | 4 | 7 | 11 | 13 | 14 | 13 | 12 | 15 | 1 | 113 |
| ORDER 7. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 1a. Ostitis Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 3 |
| 2. Joint Disease, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 4 |
| ORDER 8. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Ulcer | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | 1 | 5 |
| 3. Skin Disease, &c. | 6 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 8 |
| | 7 | 2 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | 1 | 14 |
| Total, Class III | 478 | 137 | 44 | 23 | 14 | 62 | 42 | 48 | 68 | 62 | 58 | 79 | 109 | 105 | 144 | 117 | 126 | 125 | 119 | 83 | 21 | 2,064 |

G 1—continued.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total |
|---|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|-------|
| CLASS IV.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth | 105 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 105 |
| 2. Cyanosis..... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 3. Spina Bifida | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 4. Other Malformations.. | 22 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 22 |
| 5. Teething | 60 | 45 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 105 |
| | 191 | 45 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 236 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Old Age..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 34 | 47 | 103 | 250 | 4 | 438 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility.. | 219 | 28 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 247 |
| Total Class IV. | 410 | 73 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 34 | 47 | 103 | 250 | 4 | 921 |
| CLASS V.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Fractures & Contusions | 2 | 3 | ... | ... | 4 | 12 | 14 | 11 | 29 | 30 | 21 | 30 | 14 | 25 | 21 | 10 | 9 | 12 | 3 | 4 | 8 | 262 |
| 2. Wounds { a. Gunshot | ... | ... | ... | 1 | ... | ... | 3 | 4 | 2 | 2 | ... | ... | ... | 1 | ... | 2 | 1 | ... | ... | ... | 2 | 18 |
| b. Cuts..... | 1 | ... | ... | 1 | ... | ... | 3 | 1 | 2 | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 10 |
| 3. Burns and Scalds | 3 | 3 | 3 | 2 | ... | 2 | ... | 1 | 1 | ... | 1 | 2 | 1 | 2 | 1 | ... | 1 | 2 | 1 | ... | 3 | 28 |
| 3a. Sunstroke | 2 | ... | 2 | 2 | 1 | 2 | ... | 1 | 3 | 1 | ... | ... | 3 | 2 | ... | 3 | 1 | ... | 2 | ... | 3 | 28 |
| 4. Poison | 3 | ... | ... | ... | ... | 2 | 1 | 2 | 1 | 2 | ... | 3 | 4 | 3 | ... | ... | 1 | 1 | ... | 1 | ... | 24 |
| 4a. Bite of Snake or Insect | 1 | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | 1 | ... | 1 | ... | 7 |
| 5. Drowning | ... | 8 | 4 | 1 | 2 | 15 | 10 | 7 | 21 | 15 | 10 | 3 | 11 | 6 | 9 | 2 | 2 | 1 | 3 | ... | 7 | 137 |
| 6. Suffocation..... | 4 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | 1 | ... | 2 | ... | ... | 1 | 1 | 1 | ... | 1 | 13 |
| 7. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 |
| | 16 | 14 | 10 | 7 | 7 | 34 | 29 | 29 | 58 | 52 | 33 | 38 | 34 | 41 | 33 | 18 | 17 | 18 | 10 | 6 | 24 | 528 |
| ORDER 2.—VIOLENT DEATHS IN BATTLE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gunshot Wounds..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Sword and Bayonet Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ORDER 3.—HOMICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Murder | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | 3 |
| 2. Manslaughter..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 4 |
| ORDER 4.—SUICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Wounds { Gunshot ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 3 | 3 | 2 | ... | 1 | 1 | ... | ... | 2 | ... | 1 | ... | 16 |
| Cut, Stab, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 3 | 1 | 1 | ... | ... | ... | 1 | ... | 7 |
| 2. Poison | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 5 |
| 3. Drowning | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | 1 | 1 | 1 | ... | 1 | ... | ... | ... | ... | 1 | 7 |
| 4. Hanging | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | 1 | 1 | ... | ... | ... | 2 | ... | ... | 1 | ... | 1 | ... | 8 |
| 5. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | ... | 5 |
| | ... | ... | ... | ... | ... | ... | 2 | 1 | 3 | 7 | 7 | 4 | 1 | 6 | 5 | 2 | ... | 3 | ... | 7 | ... | 48 |
| ORDER 5.—EXECUTION. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Hanging..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| Violent Deaths (Not classed) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total, Class V. | 16 | 14 | 10 | 7 | 7 | 34 | 29 | 31 | 59 | 57 | 40 | 46 | 39 | 42 | 39 | 23 | 19 | 19 | 13 | 6 | 31 | 581 |
| Sudden Deaths (cause unascertained) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Causes not specified or ill-defined | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | 7 | 5 | 3 | 3 | 4 | 4 | ... | 1 | ... | 1 | 9 | 39 |
| GRAND TOTALS..... | 1,234 | 357 | 114 | 67 | 56 | 171 | 101 | 124 | 210 | 208 | 162 | 185 | 227 | 213 | 266 | 193 | 226 | 258 | 268 | 376 | 80 | 5,096 |

G 2.

DEATHS from all causes, of FEMALES, at different ages, registered in COUNTRY DISTRICTS, from 1st January to 31st December, 1884.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|--|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS I.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Small-pox | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1a. Chicken-pox | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Measles | 3 | 6 | ... | 2 | ... | ... | 1 | ... | 1 | ... | 1 | 1 | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | 18 |
| 3. Scarletina | 6 | 15 | 9 | 19 | 8 | 21 | 7 | 2 | ... | 3 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 91 |
| 3a. Diphtheria | 4 | 5 | 14 | 5 | 2 | 13 | 3 | 3 | 2 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 52 |
| 4. Quinsy | ... | 2 | ... | 1 | 1 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 8 |
| 5. Croup | 5 | 10 | 12 | 4 | 10 | 9 | 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 54 |
| 6. Whooping-cough | 31 | 15 | 4 | 2 | 1 | 7 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 61 |
| 7. Typhus (and Infantile Fever) | 9 | 12 | 1 | 3 | 4 | 8 | 23 | 22 | 18 | 6 | 10 | 7 | 5 | 2 | 5 | 3 | ... | 2 | 2 | ... | 1 | 143 |
| 8. Erysipelas | 3 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | ... | ... | ... | 7 |
| 9. Metria | ... | ... | ... | ... | ... | ... | ... | 2 | 3 | 1 | 1 | 2 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 11 |
| 10. Carbuncle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11. Influenza | 13 | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 17 |
| 12. Dysentery | 19 | 5 | ... | 1 | 1 | 1 | 1 | ... | ... | ... | 1 | 2 | ... | ... | 2 | 1 | 4 | 2 | 3 | 2 | ... | 45 |
| 13. Diarrhœa | 99 | 30 | 3 | 1 | ... | 5 | ... | ... | 1 | 1 | 1 | 1 | 2 | 1 | 1 | ... | 2 | ... | 1 | 2 | ... | 151 |
| 14. Cholera | 13 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 16 |
| 15. Ague | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 16. Remittent Fever | 2 | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 17. Rheumatism | ... | ... | ... | ... | ... | 2 | 2 | 2 | 2 | 2 | 1 | 2 | 1 | ... | ... | ... | ... | 1 | 1 | ... | ... | 14 |
| 18. Pyæmia | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 3 |
| | 208 | 102 | 44 | 39 | 27 | 69 | 42 | 31 | 27 | 15 | 15 | 15 | 12 | 4 | 10 | 5 | 8 | 8 | 7 | 6 | 1 | 695 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Stricture of the Urethra | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Hydrophobia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Glanders | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Privation | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 |
| 2. Want of Breast Milk | 18 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 18 |
| 3. Purpura and Scurvy | 3 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 4. Alcoholism :— | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| a. Del. Tremens | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 |
| b. Intemperance | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | 1 | 1 | 2 | 1 | ... | ... | ... | ... | 8 |
| | 21 | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | ... | 1 | ... | ... | 32 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Thrush | 17 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 18 |
| 2. Worms, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2a. Hydatid | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| | 17 | 1 | 1 | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 21 |
| Total, Class I | 246 | 103 | 45 | 39 | 27 | 70 | 42 | 32 | 27 | 16 | 17 | 16 | 13 | 5 | 11 | 7 | 9 | 8 | 8 | 6 | 1 | 748 |
| CLASS II.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gout | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 |
| 2. Dropsy | 2 | ... | ... | ... | ... | 1 | 3 | ... | 3 | 3 | 2 | 1 | 2 | 1 | 2 | 4 | 5 | 4 | 2 | 3 | ... | 38 |
| 3. Cancer | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 2 | 8 | 11 | 6 | 6 | 3 | 8 | 5 | 1 | ... | 53 |
| 3a. Tumour | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | 1 | 1 | ... | 3 | ... | 3 | 1 | 2 | 1 | 1 | ... | ... | 15 |
| 3b. Polypus | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Noma | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 5. Mortification | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | 2 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 5 |
| | 2 | ... | 1 | ... | 2 | 1 | 4 | ... | 4 | 5 | 5 | 5 | 13 | 12 | 12 | 11 | 11 | 13 | 8 | 4 | ... | 113 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 4 |
| 2. Tabes Mesenterica | 28 | 13 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 43 |
| 3. Phthisis | 1 | 3 | 1 | 1 | 1 | 6 | 10 | 23 | 37 | 20 | 12 | 14 | 13 | 10 | 9 | 6 | 2 | 2 | 1 | 1 | 2 | 175 |
| 3a. Hæmoptysis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 4. Hydrocephalus | 8 | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 13 |
| 4a. Abscess | 4 | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | 8 |
| | 42 | 21 | 3 | 1 | 1 | 7 | 10 | 23 | 38 | 21 | 15 | 14 | 14 | 11 | 9 | 7 | 2 | 2 | 1 | 1 | 2 | 245 |
| Total, Class II | 44 | 21 | 4 | 1 | 3 | 8 | 14 | 23 | 42 | 26 | 20 | 19 | 27 | 23 | 21 | 18 | 13 | 15 | 9 | 5 | 2 | 358 |

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|--|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS III.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 15 | 8 | 4 | 1 | 1 | 7 | 3 | 2 | 2 | 1 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | 47 | |
| 2. Apoplexy | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | 3 | ... | 3 | 5 | 4 | 2 | 4 | 4 | 5 | 2 | 4 | 1 | 39 |
| 3. Paralysis | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 2 | ... | ... | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 7 | 1 | 26 |
| 4. Insanity | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | 2 |
| 5. Chorea | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 6. Epilepsy | ... | ... | 1 | 3 | 1 | 4 | 3 | 3 | 6 | 2 | 5 | 1 | 2 | 1 | ... | ... | ... | 2 | ... | ... | 1 | 35 |
| 7. Convulsions | 178 | 35 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 215 |
| 8. Brain Disease, &c..... | 1 | ... | ... | ... | ... | ... | 1 | 3 | 2 | ... | ... | 2 | 1 | 3 | 3 | 1 | 2 | 1 | ... | 2 | ... | 22 |
| | 194 | 43 | 7 | 4 | 2 | 12 | 8 | 9 | 12 | 8 | 6 | 6 | 11 | 10 | 6 | 7 | 8 | 12 | 5 | 13 | 4 | 387 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 2. Aneurism | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | 1 | 1 | ... | ... | ... | ... | 1 | ... | 6 |
| 3. Heart Disease, &c. | 2 | ... | ... | ... | 1 | 5 | 3 | 4 | 5 | 9 | 4 | 2 | 10 | 11 | 17 | 9 | 13 | 15 | 12 | 6 | 2 | 130 |
| | 2 | ... | ... | ... | 1 | 5 | 3 | 4 | 6 | 10 | 5 | 3 | 11 | 12 | 18 | 9 | 13 | 15 | 12 | 7 | 2 | 138 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | 2 | .. | 1 | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | 8 |
| 2. Bronchitis | 82 | 22 | 6 | 5 | 3 | 3 | 3 | 3 | 1 | 2 | 3 | 2 | 3 | 6 | 3 | 7 | 5 | 2 | 9 | 11 | ... | 181 |
| 3. Pleurisy | ... | ... | ... | ... | ... | ... | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | ... | 2 | ... | ... | ... | ... | 14 |
| 4. Pneumonia | 28 | 15 | 8 | 4 | 2 | 9 | 5 | 11 | 6 | 10 | 7 | 5 | 4 | 7 | 5 | 6 | 4 | 5 | 5 | 1 | 1 | 148 |
| 4a. Congestion of the Lungs, Pulmonary.... | 14 | 4 | ... | 2 | ... | 3 | 2 | ... | 4 | ... | 1 | ... | 1 | 1 | 1 | ... | ... | 3 | ... | 1 | ... | 37 |
| 5. Asthma | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 3 | ... | 1 | ... | 1 | 1 | ... | 8 |
| 6. Lung Disease, &c..... | ... | ... | ... | ... | ... | 1 | ... | 1 | 2 | ... | 2 | ... | 1 | 1 | ... | 1 | 2 | 1 | ... | ... | ... | 12 |
| | 126 | 41 | 15 | 12 | 6 | 17 | 11 | 17 | 15 | 13 | 14 | 9 | 13 | 16 | 13 | 14 | 14 | 11 | 15 | 15 | 1 | 408 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis..... | 11 | 6 | ... | ... | 1 | 2 | ... | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 23 |
| 2. Enteritis | 33 | 12 | 4 | 5 | 2 | 7 | 4 | 5 | 3 | 5 | 2 | 4 | 5 | 3 | 3 | 3 | 2 | 5 | 1 | 1 | ... | 109 |
| 3. Peritonitis | 3 | 2 | ... | ... | ... | 1 | 2 | 1 | 8 | 10 | 6 | 5 | 1 | 2 | ... | ... | 1 | 1 | ... | ... | ... | 43 |
| 4. Ascites | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 5. Ulceration of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | 2 | ... | ... | 1 | ... | 5 |
| 6. Hernia | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | 1 | ... | 1 | ... | 6 |
| 7. Ileus | 1 | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | ... | 1 | ... | ... | 2 | 1 | 1 | 1 | ... | ... | 9 |
| 8. Intussusception..... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 4 |
| 9. Stricture of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 10. Fistula | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11. Stomach Disease, &c. | 1 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | ... | ... | 1 | 1 | 1 | 1 | ... | ... | 9 |
| 12. Pancreas Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 13. Hepatitis | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | 2 | 1 | 5 | 1 | 1 | 1 | ... | 3 | ... | ... | 18 |
| 14. Jaundice | 6 | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | 2 | 1 | ... | 1 | ... | 1 | ... | ... | 13 |
| 15. Liver Disease, &c..... | 4 | 1 | ... | ... | ... | ... | ... | ... | 3 | 4 | 1 | 1 | 9 | 4 | 1 | ... | ... | 2 | 1 | 1 | ... | 32 |
| 16. Spleen Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| | 62 | 23 | 5 | 5 | 3 | 10 | 6 | 7 | 15 | 19 | 16 | 14 | 15 | 17 | 14 | 9 | 10 | 10 | 8 | 5 | 1 | 274 |
| ORDER 5. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | 1 | 2 | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | 8 |
| 2. Ischuria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Nephria | ... | ... | ... | ... | ... | 2 | ... | 2 | 1 | 1 | ... | 2 | 2 | ... | 3 | 2 | ... | ... | ... | ... | ... | 15 |
| 4. Diabetes | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | 3 |
| 5. Stone | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 |
| 6. Cystitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7. Kidney disease, &c. | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | ... | ... | ... | 2 | ... | 1 | ... | ... | ... | ... | 6 |
| | 1 | 2 | ... | ... | ... | 1 | 2 | ... | 5 | 1 | 2 | 2 | 2 | 2 | 2 | 4 | 4 | 2 | 1 | ... | ... | 33 |
| ORDER 6. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Uterus Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 3 | 2 | 1 | ... | ... | 1 | 1 | ... | ... | 9 |
| | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 4 | 2 | 1 | ... | ... | 1 | 1 | ... | ... | ... | 10 |
| ORDER 7. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1a. Ostitis Periostitis, &c. | ... | ... | ... | 1 | ... | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| 2. Joint Disease, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| | ... | ... | ... | 1 | ... | 2 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 |
| ORDER 8. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Ulcer | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | 4 |
| 3. Skin Disease, &c. | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 4 |
| | 1 | 1 | ... | 1 | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | 1 | 1 | ... | ... | 8 |
| Total, Class III | 386 | 110 | 27 | 23 | 12 | 47 | 31 | 38 | 54 | 51 | 44 | 35 | 56 | 59 | 55 | 43 | 49 | 52 | 43 | 40 | 8 | 1,263 |

G 2—continued.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS IV.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth | 80 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 80 |
| 2. Cyanosis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Spina Bifida | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 4. Other Malformations.. | 9 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 9 |
| 5. Teething | 61 | 29 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 90 |
| | 152 | 29 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 181 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Paramenia | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 2. Childbirth (see Metria) | ... | ... | ... | ... | ... | ... | ... | 3 | 16 | 14 | 21 | 22 | 9 | 1 | ... | ... | ... | ... | ... | ... | 2 | 88 |
| | ... | ... | ... | ... | ... | ... | ... | 4 | 17 | 14 | 21 | 22 | 9 | 1 | ... | ... | ... | ... | ... | ... | 2 | 90 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Old Age | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 22 | 27 | 46 | 117 | 1 | 213 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility. | 173 | 16 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 189 |
| Total, Class IV..... | 325 | 45 | ... | ... | ... | ... | ... | 4 | 17 | 14 | 21 | 22 | 9 | 1 | ... | ... | 22 | 27 | 46 | 117 | 3 | 673 |
| CLASS V.—ORDER 1.— | | | | | | | | | | | | | | | | | | | | | | |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Fractures & Contusions | 3 | 1 | 4 | 1 | ... | 3 | 1 | 2 | 1 | 1 | 2 | ... | 2 | 1 | 2 | ... | 4 | 1 | 1 | 1 | 1 | 32 |
| 2. Wounds { a Gunshot. | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| b Cuts | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 3. Burns and Scalds | 2 | 6 | 3 | 3 | 3 | 7 | 2 | 8 | ... | ... | 1 | ... | 5 | ... | ... | ... | 2 | 2 | ... | 2 | ... | 46 |
| 3a. Sunstroke | ... | ... | 1 | 2 | 1 | ... | 1 | ... | 1 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 9 |
| 4. Poison | 1 | 2 | ... | 1 | ... | 1 | ... | ... | 1 | ... | 1 | ... | 2 | 1 | ... | ... | 1 | ... | 1 | ... | 1 | 13 |
| 4a. Bite of Snake or Insect | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 5. Drowning | ... | 5 | 1 | ... | ... | 6 | ... | 4 | 1 | ... | 1 | ... | 3 | ... | 1 | 2 | 1 | ... | ... | 1 | ... | 26 |
| 6. Suffocation | 3 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 5 |
| 7. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 |
| | 9 | 14 | 10 | 8 | 4 | 17 | 6 | 14 | 5 | 2 | 5 | ... | 13 | 2 | 3 | 2 | 8 | 3 | 3 | 4 | 4 | 136 |
| ORDER 2.—VIOLENT DEATHS IN BATTLE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gunshot Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Sword and Bayonet Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ORDER 3.—HOMICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Murder | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 |
| 2. Manslaughter | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 |
| ORDER 4.—SUICIDE. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Wounds { Gunshot ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Cut, Stab, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Poison | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 3. Drowning | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| 4. Hanging | ... | ... | ... | ... | ... | ... | 2 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 5. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 |
| | ... | ... | ... | ... | ... | ... | 3 | ... | 2 | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 7 |
| ORDER 5.—EXECUTION. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Violent Deaths not classed | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total, Class V. | 9 | 14 | 10 | 9 | 4 | 17 | 6 | 17 | 5 | 4 | 6 | ... | 13 | 3 | 3 | 3 | 8 | 3 | 3 | 4 | 4 | 145 |
| Causes not specified or ill-defined. | ... | ... | ... | ... | 2 | ... | ... | 1 | 1 | ... | ... | 1 | 2 | ... | 1 | ... | ... | ... | ... | ... | 3 | 11 |
| GRAND TOTAL | 1,010 | 293 | 86 | 72 | 48 | 142 | 93 | 115 | 146 | 111 | 108 | 93 | 120 | 91 | 91 | 71 | 101 | 105 | 109 | 172 | 21 | 3,198 |

G 3.

DEATHS from all causes, of BOTH SEXES, at different ages, registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1884.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|---------------------------------------|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|-------------|
| CLASS I.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Small-pox | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 1a. Chicken-pox | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Measles | 7 | 12 | ... | 3 | 2 | 2 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | ... | ... | ... | 1 | ... | ... | 1 | 39 |
| 3. Scarletina | 14 | 28 | 19 | 28 | 17 | 40 | 12 | 5 | 1 | 3 | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | 169 |
| 3a. Diphtheria | 7 | 13 | 24 | 10 | 7 | 32 | 9 | 3 | 2 | 1 | ... | ... | 1 | ... | 1 | ... | 2 | ... | ... | ... | ... | 112 |
| 4. Quinsy | 1 | 2 | 1 | 1 | 1 | 3 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | 13 |
| 5. Croup | 14 | 23 | 25 | 15 | 21 | 19 | 4 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 121 |
| 6. Whooping-cough | 50 | 21 | 5 | 3 | 1 | 9 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 90 |
| 7. Typhus (and Infantile Fever) | 25 | 22 | 8 | 6 | 9 | 15 | 32 | 47 | 44 | 26 | 17 | 15 | 7 | 10 | 8 | 7 | 2 | 3 | 2 | ... | 2 | 307 |
| 8. Erysipelas | 7 | ... | ... | 1 | ... | 1 | ... | 2 | ... | 1 | ... | ... | 1 | 2 | ... | 1 | 4 | 1 | ... | ... | ... | 21 |
| 9. Metria | ... | ... | ... | ... | ... | ... | ... | 2 | 3 | 1 | 1 | 2 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 11 |
| 10. Carbuncle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 |
| 11. Influenza | 28 | ... | ... | 1 | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | 3 | ... | 1 | ... | 36 |
| 12. Dysentery | 40 | 11 | 3 | 2 | 1 | 3 | 2 | ... | 1 | ... | 3 | 4 | 5 | 3 | 5 | 1 | 6 | 9 | 9 | 4 | 1 | 113 |
| 13. Diarrhœa | 205 | 63 | 8 | 2 | 2 | 7 | 1 | ... | 3 | 1 | 1 | 2 | 1 | 2 | 9 | 1 | 7 | 8 | 8 | 5 | 1 | 337 |
| 14. Cholera | 29 | 9 | 1 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | ... | ... | 1 | 1 | 1 | ... | 46 |
| 15. Ague | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | 1 | ... | 6 |
| 16. Remittent Fever | 3 | ... | 1 | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 7 |
| 17. Rheumatism | ... | ... | ... | ... | ... | 1 | 4 | 5 | 2 | 2 | 2 | 2 | 3 | 2 | ... | ... | 1 | 2 | 1 | 1 | ... | 28 |
| 18. Pyæmia | 1 | 1 | ... | ... | ... | 1 | ... | ... | ... | 1 | 1 | ... | ... | ... | 2 | ... | 1 | ... | ... | ... | ... | 8 |
| | 432 | 205 | 95 | 73 | 61 | 135 | 69 | 66 | 58 | 41 | 27 | 26 | 22 | 20 | 29 | 13 | 25 | 28 | 22 | 14 | 5 | 1,466 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 |
| 2. Stricture of the Urethra | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | 1 | ... | 1 | 1 | ... | 6 |
| 3. Hydrophobia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Glanders | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | ... | 1 | 1 | 1 | ... | 1 | 1 | ... | 9 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Privation | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 2 | 4 | 2 | 2 | 3 | 2 | 2 | 1 | 5 | 2 | 4 | 31 |
| 2. Want of Breast Milk | 40 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 40 |
| 3. Purpura and Scurvy... .. | 4 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 6 |
| 4. Alcoholism— | | | | | | | | | | | | | | | | | | | | | | |
| a. Del. Tremens ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 2 | ... | 3 | ... | 1 | ... | 1 | ... | ... | ... | 1 | 10 |
| b. Intemperance ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 3 | 9 | 6 | 7 | 4 | 4 | 2 | 1 | 1 | ... | 2 | 41 |
| | 44 | ... | ... | ... | ... | 1 | ... | ... | 4 | 2 | 7 | 13 | 11 | 9 | 9 | 6 | 5 | 2 | 6 | 2 | 7 | 128 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Thrush | 34 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 35 |
| 2. Worms, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2a. Hydatid | ... | ... | 1 | ... | ... | ... | ... | 1 | 2 | 1 | 1 | 1 | 1 | ... | 1 | ... | 1 | 1 | ... | ... | ... | 11 |
| | 34 | 1 | 1 | ... | ... | ... | ... | 1 | 2 | 1 | 1 | 1 | 1 | ... | 1 | ... | 1 | 1 | ... | ... | ... | 46 |
| Total, Class I..... | 510 | 206 | 97 | 73 | 61 | 136 | 69 | 67 | 64 | 45 | 35 | 40 | 35 | 29 | 40 | 20 | 32 | 31 | 29 | 17 | 12 | 1649 |
| CLASS II.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gout | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 |
| 2. Dropsy | 5 | ... | 2 | 1 | ... | 6 | 4 | 1 | 4 | 3 | 5 | 3 | 6 | 3 | 8 | 8 | 11 | 13 | 4 | 13 | 2 | 102 |
| 3. Cancer | ... | 1 | ... | ... | ... | ... | ... | ... | 2 | 1 | 3 | 6 | 15 | 17 | 17 | 21 | 9 | 26 | 11 | 11 | ... | 140 |
| 3a. Tumour | ... | 1 | 1 | ... | 1 | ... | 1 | ... | ... | 1 | 2 | 1 | 6 | 1 | 4 | 1 | 2 | 3 | 1 | ... | ... | 26 |
| 3b. Polypus | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 4. Noma | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 4 |
| 5. Mortification | ... | ... | ... | 1 | 1 | ... | 1 | ... | ... | 1 | ... | 3 | 2 | ... | 4 | 1 | 2 | 3 | ... | 3 | ... | 22 |
| | 5 | 2 | 4 | 2 | 2 | 6 | 6 | 1 | 7 | 6 | 10 | 13 | 29 | 21 | 34 | 31 | 24 | 46 | 16 | 28 | 2 | 295 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula | 4 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 9 |
| 2. Tabes Mesenterica ... | 63 | 30 | 4 | 1 | ... | 8 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 106 |
| 3. Phthisis | 14 | 8 | 2 | 1 | 1 | ... | 10 | 31 | 79 | 77 | 44 | 36 | 46 | 38 | 34 | 20 | 12 | 10 | 3 | 2 | 4 | 472 |
| 3a. Hæmoptysis | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 1 | 3 | 1 | ... | ... | 1 | ... | ... | ... | ... | 9 |
| 4. Hydrocephalus | 20 | 11 | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 34 |
| 4a. Abscess | 4 | ... | ... | ... | ... | 1 | 1 | ... | 2 | 2 | 1 | ... | 2 | 1 | 2 | 3 | ... | 2 | 2 | ... | ... | 23 |
| | 105 | 49 | 8 | 2 | 2 | 10 | 11 | 31 | 81 | 80 | 48 | 37 | 52 | 41 | 37 | 23 | 13 | 12 | 5 | 2 | 4 | 653 |
| Total, Class II | 110 | 51 | 12 | 4 | 4 | 16 | 17 | 32 | 88 | 86 | 53 | 50 | 81 | 62 | 71 | 54 | 37 | 58 | 21 | 30 | 6 | 948 |

| CAUSES OF DEATH. | Under 1 year. | 1 to 2 years. | 2 to 3 years. | 3 to 4 years. | 4 to 5 years. | 5 to 10 years. | 10 to 15 years. | 15 to 20 years. | 20 to 25 years. | 25 to 30 years. | 30 to 35 years. | 35 to 40 years. | 40 to 45 years. | 45 to 50 years. | 50 to 55 years. | 55 to 60 years. | 60 to 65 years. | 65 to 70 years. | 70 to 75 years. | 75 years and upwards. | Ages not specified. | Total. |
|--|---------------|---------------|---------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------|---------------------|--------|
| CLASS III.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 36 | 22 | 10 | 3 | 1 | 12 | 4 | 3 | 5 | 2 | 1 | 2 | 3 | ... | 2 | ... | ... | ... | ... | 2 | 1 | 109 |
| 2. Apoplexy | ... | ... | ... | 1 | ... | 1 | 1 | 1 | 2 | 5 | 4 | 10 | 12 | 10 | 9 | 15 | 15 | 20 | ... | 10 | 2 | 127 |
| 3. Paralysis | ... | ... | ... | ... | 1 | ... | ... | 1 | 1 | 3 | 3 | 3 | 8 | 10 | 19 | 14 | 18 | 18 | 20 | 17 | 3 | 139 |
| 4. Insanity | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | 1 | 1 | 1 | 1 | 1 | 2 | 2 | ... | ... | 13 |
| 5. Chorea | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 6. Epilepsy | ... | ... | 2 | 3 | 1 | 8 | 11 | 7 | 11 | 7 | 6 | 6 | 3 | 1 | 3 | 2 | 3 | 4 | 2 | 1 | 2 | 83 |
| 7. Convulsions | 388 | 87 | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 480 |
| 8. Brain Disease, &c. | 6 | 3 | 1 | 1 | ... | 4 | 1 | 8 | 5 | 1 | 2 | 7 | 12 | 9 | 6 | 3 | 6 | 5 | 1 | 3 | 1 | 85 |
| | 430 | 112 | 18 | 8 | 3 | 25 | 18 | 20 | 24 | 19 | 18 | 28 | 39 | 31 | 40 | 35 | 43 | 49 | 34 | 34 | 9 | 1,037 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | ... | ... | ... | ... | ... | 2 | 3 | 2 | 2 | ... | ... | 1 | 1 | ... | 2 | ... | 2 | ... | 1 | ... | ... | 16 |
| 2. Aneurism | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 3 | 6 | 4 | ... | 5 | 2 | 3 | 2 | ... | 2 | ... | 30 |
| 3. Heart Disease, &c. | 5 | 2 | 1 | 3 | 2 | 15 | 6 | 7 | 11 | 15 | 8 | 16 | 26 | 28 | 46 | 26 | 41 | 31 | 46 | 22 | 7 | 364 |
| | 5 | 2 | 1 | 3 | 2 | 17 | 9 | 9 | 13 | 16 | 10 | 20 | 33 | 32 | 53 | 28 | 46 | 33 | 47 | 24 | 7 | 410 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | 3 | 2 | 2 | 2 | 2 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | 1 | ... | 2 | ... | 20 |
| 2. Bronchitis | 182 | 49 | 16 | 10 | 7 | 12 | 5 | 4 | 3 | 6 | 6 | 3 | 6 | 8 | 10 | 16 | 13 | 18 | 29 | 27 | 1 | 431 |
| 3. Pleurisy | ... | 1 | 1 | ... | ... | 2 | 8 | 5 | 2 | 3 | 4 | 3 | 8 | 3 | 4 | 2 | 4 | ... | ... | ... | ... | 48 |
| 4. Pneumonia | 60 | 25 | 15 | 7 | 5 | 21 | 13 | 20 | 24 | 22 | 20 | 17 | 24 | 27 | 27 | 18 | 18 | 13 | 9 | 10 | 5 | 400 |
| 4a. Congestion of the Lungs, Pulmonary ... | 24 | 10 | ... | 7 | ... | 4 | 3 | 1 | 4 | 2 | 3 | ... | 2 | 4 | 5 | 7 | 1 | 6 | 1 | 1 | 1 | 86 |
| 5. Asthma | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | 1 | ... | 4 | 1 | 5 | 2 | 3 | 1 | 6 | 1 | 1 | 1 | 27 |
| 6. Lung Disease, &c. | 1 | 1 | 1 | ... | ... | 2 | ... | 1 | 4 | 1 | 2 | 3 | 4 | 5 | 2 | 3 | 2 | 1 | ... | ... | ... | 33 |
| | 270 | 88 | 35 | 27 | 14 | 41 | 23 | 35 | 40 | 33 | 35 | 27 | 44 | 53 | 52 | 51 | 39 | 44 | 45 | 41 | 8 | 1,045 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis | 26 | 8 | 1 | ... | 2 | 2 | ... | 2 | 3 | 1 | 1 | 2 | ... | 1 | 1 | 1 | ... | 3 | ... | ... | ... | 54 |
| 2. Enteritis | 77 | 24 | 11 | 5 | 5 | 14 | 14 | 11 | 18 | 16 | 7 | 11 | 9 | 8 | 7 | 7 | 4 | 13 | 1 | 2 | 1 | 265 |
| 3. Peritonitis | 7 | 2 | 1 | ... | ... | 2 | 2 | 4 | 9 | 11 | 10 | 5 | 3 | 3 | 2 | 3 | 4 | 1 | ... | 1 | ... | 70 |
| 4. Ascites | ... | ... | 2 | ... | ... | ... | ... | ... | 2 | 1 | ... | 2 | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | 9 |
| 5. Ulceration of Intestines | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 | ... | ... | ... | 2 | ... | ... | ... | 1 | ... | 8 |
| 6. Hernia | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 2 | 2 | 2 | 1 | ... | 3 | 3 | 2 | 1 | 1 | 1 | 20 |
| 7. Ileus | 5 | 2 | ... | ... | ... | ... | ... | 3 | ... | 1 | ... | 4 | 1 | 3 | 2 | 1 | 1 | 1 | 2 | ... | ... | 25 |
| 8. Intussusception | 3 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | 1 | 1 | ... | ... | ... | ... | 7 |
| 9. Stricture of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 10. Fistula | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 11. Stomach Disease, &c. ... | 5 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | 4 | 2 | ... | 1 | 2 | 6 | 1 | ... | ... | 26 |
| 12. Pancreas Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 |
| 13. Hepatitis | 1 | ... | ... | ... | 1 | ... | ... | ... | 1 | 4 | 2 | 3 | 2 | 6 | 5 | 1 | 2 | 8 | ... | ... | ... | 36 |
| 14. Jaundice | 15 | ... | 1 | ... | ... | 2 | 2 | ... | 2 | ... | 1 | 1 | 1 | ... | 2 | ... | 1 | ... | 2 | ... | ... | 30 |
| 15. Liver Disease, &c. | 8 | 2 | ... | ... | 1 | 2 | ... | 2 | 6 | 6 | 5 | 7 | 13 | 12 | 6 | 11 | 4 | 7 | 1 | 1 | 1 | 94 |
| 16. Spleen Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 |
| | 149 | 40 | 16 | 5 | 7 | 20 | 18 | 19 | 38 | 38 | 33 | 31 | 37 | 35 | 37 | 29 | 29 | 34 | 21 | 9 | 3 | 648 |
| ORDER 5. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | 1 | 2 | 1 | ... | ... | 2 | 1 | 1 | 1 | 2 | ... | 1 | ... | ... | 2 | 1 | 2 | 3 | 4 | 3 | 1 | 28 |
| 2. Ischuria | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 2 |
| 3. Nephria | 1 | ... | ... | ... | ... | 2 | ... | 3 | 2 | 4 | 2 | 5 | 5 | 4 | 10 | 7 | 3 | 1 | ... | ... | ... | 49 |
| 4. Diabetes | ... | ... | ... | ... | 1 | ... | ... | 1 | 2 | ... | ... | ... | ... | ... | ... | 4 | 2 | 1 | ... | ... | ... | 11 |
| 5. Stone | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | 2 | ... | ... | 6 |
| 6. Cystitis | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 1 | 1 | ... | 2 | 1 | 3 | 3 | 4 | ... | ... | 17 |
| 7. Kidney Disease, &c. ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | 1 | 2 | ... | 3 | 6 | 4 | 2 | 4 | 3 | 6 | ... | ... | 33 |
| | 2 | 2 | 1 | 1 | ... | 4 | 3 | 2 | 6 | 7 | 5 | 6 | 6 | 9 | 13 | 17 | 18 | 15 | 13 | 15 | 1 | 146 |
| ORDER 6. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Uterus Disease, &c. ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 3 | 2 | 1 | ... | ... | ... | 1 | 1 | ... | ... | 9 |
| | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 4 | 2 | 1 | ... | ... | 1 | 1 | ... | ... | ... | 10 |
| ORDER 7. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 1a. Ostitis Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 8 |
| 2. Joint Disease, &c. | ... | ... | 1 | ... | 2 | 1 | 1 | ... | ... | ... | ... | 1 | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | 9 |
| ORDER 8. | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 2. Ulcer | 1 | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | 9 |
| 3. Skin Diseases, &c. | 7 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 2 | ... | ... | ... | ... | ... | ... | 12 |
| | 8 | 3 | ... | 1 | ... | ... | 1 | ... | 1 | ... | 1 | 1 | 1 | 1 | 2 | ... | ... | 1 | 1 | ... | 1 | 22 |
| Total, Class III | 864 | 247 | 71 | 46 | 26 | 109 | 73 | 86 | 122 | 113 | 102 | 114 | 165 | 164 | 199 | 160 | 175 | 177 | 162 | 123 | 29 | 3,327 |

[illegible]

H.

SUMMARY of DEATHS of BOTH SEXES registered in the Colony of New South Wales during each Month of the Year 1884, classified under the heads of the several causes of Death.

| CAUSES OF DEATH. | | January. | | February. | | March. | | April. | | May. | | June. | | July. | | August. | | September. | | October. | | November. | | December. | | Total. | | Grand Total. | Percentage of total Deaths of the Year. |
|--|----------------------------|----------|----------|-----------|----------|--------|----------|--------|----------|--------|----------|--------|----------|--------|----------|---------|----------|------------|----------|----------|----------|-----------|----------|-----------|----------|--------|----------|--------------|---|
| | | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | | |
| Order. | CLASS I.—ZYMOTIC DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) | 139 | 152 | 112 | 87 | 131 | 89 | 159 | 122 | 139 | 107 | 83 | 88 | 62 | 68 | 59 | 54 | 67 | 72 | 97 | 88 | 125 | 140 | 122 | 141 | 1295 | 1208 | 2,503 | 17·60 | |
| 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) | 1 | 4 | 3 | 1 | 3 | 2 | ... | 1 | 3 | 2 | 2 | 1 | 1 | 1 | 3 | ... | 3 | 1 | 3 | ... | ... | 1 | 4 | 2 | 26 | 16 | 42 | 0·29 | |
| 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) | 21 | 4 | 14 | 5 | 12 | 7 | 18 | 10 | 7 | 2 | 10 | 5 | 11 | 3 | 6 | 3 | 9 | 5 | 9 | 5 | 13 | 7 | 15 | 8 | 145 | 64 | 209 | 1·47 | |
| 4. Parasitic Diseases—(Thrush, Worms, &c.) | 3 | 2 | 4 | 4 | 3 | 2 | 4 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 4 | 2 | ... | ... | 2 | 2 | 8 | 1 | 5 | 2 | 41 | 25 | 66 | 0·47 | |
| Total | 164 | 162 | 133 | 97 | 149 | 100 | 181 | 136 | 152 | 113 | 97 | 96 | 77 | 75 | 72 | 59 | 79 | 78 | 111 | 95 | 146 | 149 | 146 | 153 | 1507 | 1313 | | | |
| CLASS II.—CONSTITUTIONAL DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) | 29 | 22 | 15 | 9 | 15 | 19 | 27 | 22 | 26 | 18 | 18 | 32 | 22 | 17 | 26 | 13 | 24 | 18 | 21 | 16 | 24 | 22 | 24 | 25 | 271 | 233 | 504 | 3·54 | |
| 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) | 84 | 44 | 68 | 34 | 76 | 54 | 67 | 38 | 72 | 44 | 55 | 54 | 58 | 46 | 60 | 41 | 70 | 41 | 74 | 41 | 76 | 45 | 67 | 46 | 827 | 528 | 1,355 | 9·53 | |
| Total | 113 | 66 | 83 | 43 | 91 | 73 | 94 | 60 | 98 | 62 | 73 | 86 | 80 | 63 | 86 | 54 | 94 | 59 | 95 | 57 | 100 | 67 | 91 | 71 | 1098 | 761 | | | |
| CLASS III.—LOCAL DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis) | 105 | 75 | 77 | 68 | 78 | 72 | 83 | 71 | 86 | 51 | 89 | 57 | 87 | 65 | 87 | 36 | 71 | 57 | 115 | 74 | 77 | 55 | 102 | 65 | 1057 | 746 | 1,803 | 12·68 | |
| 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) | 42 | 30 | 23 | 13 | 38 | 30 | 40 | 14 | 39 | 18 | 33 | 26 | 33 | 22 | 45 | 16 | 44 | 22 | 36 | 15 | 25 | 28 | 30 | 17 | 433 | 251 | 684 | 4·81 | |
| 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) | 65 | 40 | 59 | 45 | 61 | 47 | 73 | 54 | 100 | 65 | 107 | 67 | 98 | 81 | 93 | 78 | 95 | 70 | 85 | 76 | 86 | 46 | 77 | 52 | 1002 | 721 | 1,723 | 12·12 | |
| 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) | 84 | 58 | 64 | 37 | 63 | 54 | 66 | 61 | 71 | 39 | 40 | 32 | 36 | 35 | 48 | 24 | 45 | 43 | 46 | 48 | 55 | 52 | 62 | 59 | 680 | 542 | 1,222 | 8·60 | |
| 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) | 13 | 6 | 8 | 3 | 19 | 4 | 16 | 9 | 20 | 7 | 10 | 10 | 27 | 7 | 10 | 10 | 21 | 8 | 21 | 4 | 18 | 3 | 19 | 6 | 202 | 77 | 279 | 1·96 | |
| 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) | ... | 1 | ... | 3 | ... | ... | ... | 6 | ... | 3 | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 18 | 18 | 36 | 0·13 |
| 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) | 2 | 2 | ... | ... | 1 | 1 | ... | 1 | 2 | ... | 1 | ... | 3 | 2 | 2 | ... | ... | ... | 1 | ... | ... | 1 | 2 | 2 | 14 | 9 | 23 | 0·16 | |
| 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Diseases, &c.) | 3 | ... | 1 | ... | 3 | 2 | ... | 2 | 5 | 2 | 2 | 1 | 1 | 2 | 1 | 2 | ... | ... | 2 | ... | 3 | 1 | 1 | 1 | 22 | 13 | 35 | 0·25 | |
| Total | 314 | 212 | 237 | 169 | 266 | 210 | 278 | 218 | 323 | 185 | 282 | 194 | 285 | 214 | 286 | 166 | 276 | 201 | 306 | 218 | 264 | 187 | 293 | 203 | 3410 | 2377 | | | |
| CLASS IV.—DEVELOPMENTAL DISEASES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Children—(Cyanosis, Teething, &c.) | 39 | 35 | 39 | 19 | 28 | 32 | 36 | 25 | 34 | 24 | 23 | 22 | 26 | 14 | 23 | 18 | 31 | 15 | 28 | 28 | 36 | 35 | 34 | 27 | 377 | 294 | 671 | 4·72 | |
| 2. Diseases of Adults—(Paramenia, Childbirth, &c.) | ... | 8 | ... | 5 | ... | 9 | ... | 7 | ... | 10 | ... | 14 | ... | 10 | ... | 15 | ... | 14 | ... | 13 | ... | 8 | ... | 6 | ... | 119 | 119 | 238 | 0·84 |
| 3. Diseases of Old People—(Old age, &c.) | 48 | 21 | 37 | 31 | 43 | 21 | 40 | 20 | 50 | 26 | 58 | 35 | 50 | 47 | 47 | 27 | 37 | 23 | 44 | 30 | 45 | 20 | 47 | 29 | 546 | 330 | 876 | 6·16 | |
| 4. Diseases of Nutrition—(Atrophy, Debility, &c.) | 53 | 56 | 51 | 39 | 64 | 29 | 46 | 31 | 41 | 34 | 42 | 25 | 35 | 34 | 18 | 26 | 25 | 23 | 43 | 41 | 49 | 50 | 61 | 56 | 531 | 444 | 975 | 6·85 | |
| Total | 140 | 120 | 127 | 94 | 135 | 91 | 122 | 83 | 128 | 94 | 123 | 96 | 111 | 105 | 88 | 86 | 93 | 75 | 115 | 112 | 130 | 113 | 142 | 118 | 1454 | 1187 | | | |
| CLASS V.—VIOLENCE. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) | 69 | 19 | 69 | 23 | 64 | 17 | 46 | 18 | 52 | 12 | 43 | 12 | 51 | 13 | 40 | 11 | 58 | 17 | 59 | 13 | 57 | 12 | 77 | 2 | 685 | 187 | 872 | 6·13 | |
| 2. Violent Deaths not classed | 1 | ... | ... | ... | 3 | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 3 | ... | 2 | ... | ... | ... | 4 | 1 | 15 | 1 | 16 | 0·11 | |
| 3. Homicide—(Murder and Manslaughter) | 1 | ... | ... | 1 | 1 | ... | 2 | ... | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | 2 | ... | 1 | ... | ... | 2 | 5 | 9 | 10 | 19 | 0·13 | |
| 4. Suicide—(Poison, Drowning, Hanging, &c.) | 5 | 1 | 5 | 1 | 6 | 1 | 5 | ... | 3 | 2 | 5 | 1 | 6 | ... | 4 | 1 | 5 | 2 | 11 | 3 | 4 | 1 | 7 | 2 | 66 | 15 | 81 | 0·57 | |
| 5. Execution—(Hanging) | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 2 | 0·02 | |
| Total | 76 | 20 | 74 | 25 | 74 | 18 | 54 | 18 | 57 | 14 | 49 | 14 | 59 | 13 | 44 | 12 | 66 | 21 | 72 | 17 | 62 | 13 | 90 | 28 | 777 | 213 | | | |
| Unspecified | 12 | 4 | 4 | ... | 3 | 1 | 5 | 1 | 6 | 3 | 5 | 3 | 6 | 6 | 10 | 8 | 8 | 11 | 10 | 1 | 5 | 3 | 5 | 3 | 79 | 44 | 123 | 0·86 | |
| Totals from all Causes | 819 | 584 | 658 | 428 | 718 | 493 | 734 | 516 | 764 | 471 | 629 | 489 | 618 | 476 | 586 | 385 | 616 | 445 | 709 | 500 | 707 | 532 | 767 | 576 | 8325 | 5895 | 14,220 | 100·00 | |

I.

TABLE showing the DEATHS which have occurred from the causes stated, in each of the several WARDS of the City of SYDNEY, from 1st January to 31st December, 1884, distinguishing those under Five years of age.

| CAUSES OF DEATH. | Gipps. | | Bourke. | | Brisbane. | | Macquarie. | | Cook. | | Fitzroy. | | Phillip. | | Denison. | | Total Deaths from each Cause in Sydney. | | | | | | | | | |
|---|--------|-------|---------|-------|-----------|-------|------------|-------|--------|-------|----------|-------|----------|-------|----------|-------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | 1884. | 1883. | 1882. | 1881. | 1880. | 1879. | 1878. | 1877. | 1876. | 1875. |
| CLASS I.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Small-pox | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 15 | 3 | ... | ... | ... | ... | 4 | ... | ... |
| 1a. Chicken-pox | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 162 |
| 2. Measles | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 10 | 1 | 6 | 144 | 1 | ... | ... | ... | ... | ... |
| 3. Scarlatina | 2 | ... | 1 | 2 | 1 | 1 | ... | 2 | ... | 4 | 2 | 2 | 1 | 2 | 1 | 21 | 2 | 3 | 8 | 16 | 13 | 3 | 4 | 206 | 105 | |
| 3a. Diphtheria | ... | ... | ... | 1 | ... | ... | ... | 2 | 3 | 3 | ... | 1 | ... | 1 | ... | 11 | 13 | 8 | 9 | 8 | 12 | 17 | 20 | 17 | 36 | |
| 4. Quinsy | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 2 | 3 | 1 | ... | 1 | 3 | 3 | 4 | |
| 5. Croup | 6 | ... | ... | 1 | 3 | 1 | 1 | 2 | 1 | 4 | 1 | 1 | ... | 2 | ... | 23 | 34 | 20 | 16 | 20 | 40 | 34 | 17 | 34 | 27 | |
| 6. Whooping-cough | 6 | ... | 1 | ... | 1 | ... | 1 | 13 | ... | 1 | ... | 5 | ... | 5 | ... | 33 | 3 | 13 | 16 | 48 | 3 | 92 | 15 | 1 | ... | |
| 7. Typhoid (and Infantile Fevers) | ... | 6 | 1 | 53 | ... | ... | ... | 1 | 4 | 8 | ... | 11 | 1 | 3 | 2 | 10 | 100 | 77 | 96 | 58 | 54 | 77 | 103 | 61 | 77 | 75 |
| 8. Erysipelas | ... | 2 | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | 6 | 5 | 7 | 5 | 7 | 6 | 4 | 11 | 19 | 26 |
| 9. Metria (see Childbirth) | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | ... | ... | 4 | ... | 2 | 7 | 6 | 3 | 2 | 2 | 11 | 18 |
| 10. Carbuncle | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | ... | ... | ... | ... |
| 11. Influenza | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | ... | 2 | 1 | ... | ... | ... | 14 | 6 |
| 12. Dysentery | ... | ... | 6 | ... | ... | ... | ... | 2 | ... | ... | 1 | 1 | ... | 2 | ... | 12 | 8 | 14 | 11 | 23 | 29 | 35 | 12 | 15 | 29 | |
| 13. Diarrhoea | 14 | 3 | 2 | 10 | 2 | ... | 8 | 33 | 2 | 14 | 7 | 19 | ... | 26 | 4 | 144 | 117 | 184 | 141 | 173 | 158 | 147 | 157 | 133 | 208 | |
| 14. Cholera | ... | ... | 2 | ... | 1 | ... | ... | 4 | ... | 2 | ... | ... | ... | 4 | 1 | 14 | 19 | 16 | 13 | 19 | 24 | 18 | 16 | 18 | 20 | |
| 15. Ague | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | 1 | 1 | 2 | 1 | 2 | 6 | 6 |
| 16. Remittent Fever | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 2 | 1 | 6 | ... | ... | 4 | 6 | |
| 17. Rheumatism | ... | ... | 1 | ... | 1 | ... | 1 | ... | 5 | ... | 1 | ... | ... | ... | ... | 9 | 8 | 5 | 10 | 10 | 16 | 13 | 12 | 11 | 14 | |
| 18. Pyæmia | ... | ... | 2 | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | 2 | ... | 1 | 7 | 4 | 2 | 3 | 5 | 2 | 2 | 2 | 5 | 6 | |
| 19. Parotitis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | ... |
| | 29 | 11 | 5 | 77 | 8 | 7 | 11 | 4 | 63 | 19 | 28 | 27 | 30 | 7 | 44 | 19 | 389 | 305 | 392 | 312 | 539 | 394 | 475 | 337 | 572 | 748 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis | 2 | ... | ... | 4 | ... | ... | 1 | ... | ... | 4 | ... | 5 | ... | 5 | ... | 21 | 13 | 17 | 5 | 10 | 8 | 9 | 9 | 11 | 9 | 9 |
| 2. Stricture of the Urethra | ... | ... | ... | 3 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 4 | ... | 1 | ... | 10 | 5 | 1 | 3 | 6 | 3 | 3 |
| | 2 | ... | ... | 7 | ... | ... | 1 | ... | ... | 1 | 4 | ... | 5 | ... | 5 | ... | 25 | 13 | 18 | 5 | 20 | 13 | 10 | 12 | 17 | 12 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Privation | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | ... | ... | ... | ... | ... | 1 | ... | ... |
| 2. Want of Breast Milk | ... | ... | 1 | ... | ... | ... | ... | 3 | ... | 2 | ... | ... | ... | 3 | ... | 9 | 20 | 25 | 18 | 6 | 13 | 24 | 31 | 38 | 29 | 2 |
| 3. Purpura and Scurvy | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | 2 | 2 | ... | 2 | ... | 4 | 2 | 2 | 2 |
| 4. Alcoholism— | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| a. Del. Tremens | ... | 1 | ... | 3 | ... | ... | ... | ... | 2 | ... | 7 | ... | ... | ... | 1 | 14 | 5 | 21 | 14 | 14 | 16 | 8 | 2 | 7 | 17 | |
| b. Intemperance | ... | ... | ... | 5 | ... | ... | ... | 2 | ... | 6 | ... | 4 | ... | ... | 3 | 20 | 30 | 39 | 46 | 23 | 23 | 31 | 37 | 35 | 20 | 20 |
| 5. Rickets | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | ... | ... | ... | ... |
| | ... | 1 | 1 | 9 | ... | ... | ... | 2 | 5 | 8 | 2 | 11 | ... | ... | 3 | 4 | 46 | 59 | 88 | 81 | 43 | 54 | 64 | 74 | 83 | 68 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Thrush | ... | ... | ... | ... | ... | ... | ... | 4 | ... | 1 | ... | ... | ... | 2 | ... | 7 | 8 | 6 | 1 | 6 | 4 | 6 | 3 | ... | ... | 7 |
| 2. Worms, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | 2 | ... | 5 | ... | ... | 1 | 1 | 2 |
| 2a. Hydatid | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | 2 | ... | ... | 2 | ... | 3 | 6 | 4 | 3 | ... | ... |
| | ... | ... | ... | ... | ... | ... | ... | 1 | 4 | ... | 1 | 1 | ... | ... | 2 | ... | 9 | 10 | 8 | 3 | 11 | 7 | 12 | 8 | 4 | 9 |
| Total, Class I | 31 | 12 | 6 | 93 | 8 | 7 | 12 | 7 | 72 | 28 | 35 | 39 | 35 | 7 | 54 | 23 | 469 | 387 | 506 | 401 | 613 | 468 | 561 | 431 | 676 | 837 |
| CLASS II.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gout | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | 3 | ... | ... | ... | ... | 5 | 1 | 2 | 1 | 2 | 7 | 4 | 4 | 3 | 3 | 3 |
| 2. Dropsy | 1 | 4 | ... | 11 | ... | 1 | 2 | ... | 1 | 7 | ... | 7 | ... | 5 | ... | 2 | 41 | 27 | 31 | 29 | 38 | 29 | 28 | 47 | 50 | 15 |
| 3. Cancer | ... | ... | ... | 12 | ... | 1 | ... | ... | ... | 5 | ... | 11 | ... | 9 | ... | 3 | 41 | 49 | 55 | 44 | 52 | 47 | 41 | 33 | 48 | 44 |
| 3a. Tumour | ... | ... | ... | 4 | ... | ... | ... | ... | ... | 1 | ... | 3 | ... | 1 | ... | ... | 9 | 5 | 11 | 10 | 8 | 5 | 11 | 9 | 4 | 2 |
| 3b. Polypus | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... |
| 4. Noma | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 2 | ... | 2 | ... | 3 |
| 5. Mortification | ... | ... | ... | 1 | ... | 1 | ... | ... | 3 | ... | ... | ... | ... | ... | ... | 5 | 3 | 3 | 2 | 2 | ... | 4 | 3 | 3 | 3 | 4 |
| | 1 | 5 | ... | 28 | ... | 4 | 2 | ... | 1 | 16 | ... | 24 | ... | 15 | ... | 5 | 101 | 85 | 103 | 86 | 104 | 88 | 90 | 96 | 110 | 71 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula | ... | 1 | ... | 3 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 5 | 6 | 4 | 2 | 3 | 4 | 8 | 10 | 7 | 8 | 8 |
| 2. Tabes Mesenterica | 5 | ... | 1 | ... | 3 | ... | 2 | ... | 17 | 1 | 10 | ... | 7 | ... | 9 | ... | 55 | 49 | 40 | 41 | 51 | 59 | 61 | 41 | 60 | 57 |
| 3. Phthisis | ... | 17 | ... | 53 | ... | 12 | ... | 12 | 4 | 59 | ... | 31 | 2 | 19 | 2 | 20 | 231 | 227 | 281 | 234 | 212 | 237 | 176 | 166 | 202 | 201 |
| 3a. Hæmoptysis | ... | ... | ... | 2 | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 1 | 5 | 2 | 7 | 4 | 10 | 5 | 3 | 6 | 3 | ... |
| 4. Hydrocephalus | 1 | 1 | ... | 1 | 1 | ... | ... | 3 | ... | 2 | ... | 3 | ... | 6 | ... | 18 | 14 | 7 | 9 | 15 | 9 | 11 | 7 | 19 | 19 | |
| 5. Abscess | 1 | ... | ... | 1 | ... | ... | 1 | ... | 1 | ... | ... | 1 | ... | ... | ... | 5 | 5 | 10 | 3 | 6 | 7 | 4 | 2 | 1 | ... | ... |
| | 7 | 19 | 1 | 60 | 4 | 12 | 2 | 13 | 24 | 63 | 12 | 32 | 13 | 19 | 17 | 21 | 319 | 303 | 349 | 293 | 297 | 321 | 263 | 232 | 292 | 285 |
| Total, Class II | 8 | 24 | 1 | 88 | 4 | 16 | 4 | 13 | 25 | 79 | 12 | 56 | 13 | 34 | 17 | 26 | 420 | 388 | 452 | 379 | 401 | 409 | 353 | 328 | 402 | 356 |

I—continued.

| CAUSES OF DEATH. | Gipps. | | Bourke. | | Brisbane. | | Macquarie. | | Cook. | | Fitzroy. | | Phillip. | | Denison. | | Total Deaths from each Cause in Sydney. | | | | | | | | | | |
|---|--------|-------|---------|-------|-----------|-------|------------|-------|--------|-------|----------|-------|----------|-------|----------|-------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|---|
| | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | 1884. | 1883. | 1882. | 1881. | 1880. | 1879. | 1878. | 1877. | 1876. | 1875. | |
| CLASS III.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 4 | 1 | 2 | 3 | ... | ... | 2 | 1 | 14 | 1 | 4 | 2 | 4 | 2 | 12 | 7 | 59 | 41 | 48 | 48 | 53 | 53 | 52 | 50 | 44 | 61 | |
| 2. Apoplexy..... | ... | 4 | ... | 13 | ... | 4 | ... | 3 | ... | 15 | ... | 8 | ... | 3 | ... | 3 | 53 | 52 | 57 | 74 | 47 | 54 | 57 | 61 | 45 | 67 | |
| 3. Paralysis | ... | 2 | ... | 12 | ... | 1 | ... | 2 | ... | 6 | ... | 2 | ... | ... | ... | ... | 25 | 24 | 25 | 30 | 35 | 34 | 20 | 40 | 37 | 24 | |
| 4. Insanity | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | 4 | ... | 2 | ... | 2 | 3 | ... | ... | |
| 5. Chorea | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | ... | 2 | |
| 6. Epilepsy | 1 | 2 | ... | 13 | ... | 1 | ... | ... | 2 | 1 | ... | 2 | ... | 1 | ... | 1 | 24 | 13 | 20 | 27 | 17 | 13 | 17 | 12 | 15 | 9 | |
| 7. Convulsions..... | 17 | 1 | 2 | ... | 9 | 1 | 14 | ... | 34 | 1 | 19 | 2 | 24 | ... | 31 | ... | 155 | 134 | 110 | 114 | 157 | 118 | 116 | 79 | 112 | 106 | |
| 8. Brain Disease, &c..... | ... | 1 | ... | 7 | ... | ... | ... | 1 | 1 | 11 | 1 | 5 | ... | ... | 1 | 4 | 32 | 38 | 31 | 37 | 45 | 46 | 46 | 34 | 36 | 41 | |
| | 22 | 11 | 4 | 48 | 9 | 7 | 16 | 7 | 51 | 35 | 24 | 21 | 28 | 7 | 44 | 15 | 349 | 302 | 295 | 331 | 357 | 318 | 310 | 278 | 293 | 310 | |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | ... | 3 | ... | 3 | ... | 1 | ... | ... | 1 | ... | 3 | ... | ... | ... | ... | ... | 11 | 5 | 5 | 6 | 4 | 6 | 5 | 5 | 4 | 4 | |
| 2. Aneurism | ... | ... | ... | 3 | ... | 3 | ... | ... | ... | ... | 2 | 1 | ... | ... | 1 | ... | 10 | 9 | 9 | 9 | 8 | 8 | 10 | 10 | 7 | 9 | |
| 3. Heart Disease, &c.... | ... | 10 | ... | 25 | ... | 4 | ... | 4 | ... | 17 | 1 | 12 | 1 | 11 | ... | 9 | 94 | 130 | 129 | 89 | 128 | 121 | 102 | 84 | 115 | 107 | |
| | ... | 13 | ... | 31 | ... | 8 | ... | 4 | ... | 18 | 1 | 17 | 2 | 11 | ... | 10 | 115 | 144 | 143 | 104 | 140 | 135 | 117 | 99 | 126 | 120 | |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 1 | ... | 3 | 4 | 8 | 3 | 4 | 7 | 11 | 6 | 6 | 6 | |
| 2. Bronchitis | 9 | 5 | 2 | 23 | 1 | 3 | 5 | 5 | 28 | 13 | 7 | 6 | 12 | 3 | 15 | 4 | 141 | 112 | 133 | 120 | 148 | 93 | 94 | 85 | 108 | 106 | |
| 3. Pleurisy | ... | ... | ... | 1 | ... | 1 | ... | ... | 1 | ... | 2 | ... | 1 | ... | 1 | ... | 7 | 2 | 14 | 7 | 11 | 8 | 10 | 8 | 14 | 15 | |
| 4. Pneumonia | 3 | 3 | 2 | 24 | ... | 2 | 1 | 3 | 14 | 13 | 1 | 10 | 6 | 4 | 3 | 6 | 95 | 86 | 115 | 88 | 110 | 64 | 71 | 74 | 82 | 106 | |
| 4a. Congestion of the Lungs, pulmonary ... | ... | 2 | ... | 2 | 1 | ... | 3 | 2 | 7 | 3 | 1 | 2 | 1 | 1 | 3 | 3 | 31 | 24 | 32 | 28 | 81 | 25 | 31 | 22 | 19 | 13 | |
| 5. Asthma | ... | 2 | ... | 6 | ... | 1 | ... | ... | 4 | 1 | 2 | ... | ... | ... | 2 | ... | 18 | 4 | 8 | 7 | 10 | 4 | 5 | 1 | 3 | 11 | |
| 6. Lung Disease, &c..... | ... | 1 | ... | 2 | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | 6 | 7 | 10 | 3 | 10 | 11 | 4 | 10 | 11 | 11 | |
| | 12 | 13 | 4 | 58 | 2 | 7 | 9 | 10 | 50 | 34 | 11 | 23 | 19 | 10 | 21 | 18 | 301 | 239 | 320 | 256 | 374 | 212 | 226 | 206 | 243 | 268 | |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gastritis | 2 | ... | ... | 1 | 2 | ... | ... | ... | 4 | 1 | 2 | ... | 1 | 1 | 5 | 3 | 22 | 34 | 49 | 27 | 22 | 30 | 22 | 26 | 22 | 35 | |
| 2. Enteritis | 2 | 1 | 1 | 3 | 4 | 2 | 3 | 1 | 7 | 4 | 7 | 10 | 5 | 3 | 14 | 3 | 70 | 55 | 30 | 47 | 58 | 56 | 59 | 22 | 29 | 38 | |
| 3. Peritonitis | ... | ... | ... | 3 | ... | ... | ... | 3 | ... | 2 | ... | 4 | 1 | ... | 1 | ... | 14 | 20 | 16 | 13 | 17 | 16 | 7 | 16 | 13 | 20 | |
| 4. Ascites | ... | 1 | ... | 3 | ... | ... | ... | ... | 2 | ... | 1 | ... | ... | ... | ... | ... | 7 | 5 | 5 | 7 | 6 | 6 | 8 | 3 | 4 | 4 | |
| 5. Ulceration of Intestines | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | 1 | 3 | ... | 3 | 1 | 4 | 2 | 3 | |
| 6. Hernia..... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | 1 | ... | ... | 3 | 3 | 9 | ... | 10 | 4 | 5 | ... | 3 | 3 | |
| 7. Ileus..... | ... | ... | ... | 2 | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | 5 | 2 | 4 | 9 | ... | 10 | 5 | 6 | 1 | 8 | |
| 8. Intussusception | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 3 | 2 | 1 | ... | 1 | 3 | 2 | 3 | |
| 9. Stricture of Intestines | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 3 | 2 | 1 | ... | ... | 2 | 1 | 2 |
| 10. Fistula..... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | |
| 11. Stomach Disease, &c.... | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 4 | 4 | 9 | ... | 5 | ... | 3 | 11 | 5 | 13 | 7 |
| 12. Pancreas Disease, &c.... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 13. Hepatitis | ... | 1 | ... | 2 | ... | 1 | 1 | 2 | ... | 1 | ... | ... | 1 | 1 | ... | 1 | 11 | 10 | 11 | 12 | 15 | 22 | 31 | 27 | 31 | 23 | |
| 14. Jaundice | ... | ... | ... | 2 | ... | ... | 2 | 2 | 1 | ... | 1 | ... | 1 | 1 | ... | 1 | 10 | 4 | 12 | 6 | 8 | 7 | 3 | 5 | 7 | 5 | |
| 15. Liver Disease, &c..... | 1 | 2 | ... | 5 | ... | 1 | ... | 4 | ... | 6 | ... | 7 | ... | 3 | ... | 2 | 31 | 30 | 39 | 18 | 24 | 45 | 23 | 28 | 32 | 51 | |
| 16. Spleen Disease, &c..... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | |
| | 6 | 5 | 1 | 25 | 7 | 4 | 5 | 13 | 15 | 18 | 9 | 23 | 8 | 12 | 22 | 9 | 182 | 172 | 188 | 157 | 178 | 204 | 179 | 147 | 162 | 202 | |
| ORDER 5. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Nephritis | ... | 3 | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | ... | ... | 6 | 3 | 9 | 3 | 9 | 4 | 3 | 11 | 12 | 10 | |
| 2. Ischuria | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... | 1 | 2 | ... | 1 | ... | ... | ... | |
| 3. Nephria | ... | 2 | ... | 10 | ... | 1 | ... | 1 | ... | 7 | ... | 10 | ... | 2 | ... | ... | 33 | 35 | 44 | 44 | 46 | 40 | 39 | 30 | 44 | 32 | |
| 4. Diabetes | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 3 | ... | ... | ... | ... | ... | 4 | 3 | 4 | 3 | 4 | 3 | 1 | 3 | 1 | 4 | |
| 5. Stone | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 2 | 1 | ... | 1 | 3 | |
| 6. Cystitis | ... | 1 | ... | 1 | ... | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | ... | ... | 5 | 1 | 3 | 4 | 8 | 6 | 7 | 5 | 3 | 8 | |
| 7. Kidney Disease, &c..... | ... | 2 | ... | 4 | ... | ... | 3 | 1 | 1 | 1 | 4 | ... | 2 | ... | 2 | ... | 20 | 10 | 11 | 18 | 15 | 11 | 18 | 10 | 11 | 12 | |
| | ... | 8 | ... | 16 | ... | 2 | ... | 5 | 1 | 11 | 1 | 19 | ... | 5 | ... | 2 | 70 | 53 | 72 | 74 | 85 | 66 | 70 | 59 | 72 | 69 | |
| ORDER 6. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Ovarian Dropsy | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 3 | ... | 4 | ... | ... | 1 | 1 | ... | 1 | ... | |
| 2. Uterus Disease, &c..... | ... | ... | ... | 1 | ... | 1 | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | 4 | 1 | 5 | 1 | 3 | 3 | 5 | ... | 6 | 5 | |
| | ... | ... | ... | 2 | ... | 2 | ... | ... | 1 | ... | 2 | ... | ... | ... | ... | ... | 7 | 1 | 9 | 1 | 3 | 4 | 6 | ... | 7 | 5 | |
| ORDER 7. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Arthritis | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 3 | 1 | 2 | 1 | 1 | 2 | 3 | 2 | |
| 1a. Ostitis Periostitis, &c... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | |
| 2. Joint Disease, &c..... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 2 | 2 | 3 | 2 | 2 | 3 | ... | 2 | 2 | 1 | |
| | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 3 | 4 | 6 | 4 | 4 | 4 | 2 | 4 | 5 | 3 | |
| ORDER 8. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | 2 | |
| 2. Ulcer | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | 4 | 2 | 2 | 3 | 1 | 2 | 3 | 1 | |
| 3. Skin Disease (Eczema, Leprosy, &c.) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | ... | 3 | 4 | 5 | 1 | ... | 7 | 3 | ... | ... | 2 | |
| | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | ... | 5 | 6 | 9 | 3 | 3 | 10 | 4 | 2 | 4 | 5 | |
| Total, Class III | 40 | 52 | 9 | 181 | 18 | 31 | 30 | 39 | 117 | 117 | 46 | 106 | 57 | 45 | 90 | 54 | 1032 | 921 | 1042 | 930 | 1144 | 953 | 914 | 795 | 912 | 982 | |

I—continued.

| CAUSES OF DEATH. | Gipps. | | Bourke. | | Brisbane. | | Macquarie. | | Cook. | | Fitzroy. | | Phillip. | | Denison. | | Total Deaths from each Cause in Sydney. | | | | | | | | | |
|--|--------|-------|---------|-------|-----------|-------|------------|-------|--------|-------|----------|-------|----------|-------|----------|-------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | Under. | Over. | 1884. | 1883. | 1882. | 1881. | 1880. | 1879. | 1878. | 1877. | 1876. | 1875. |
| CLASS IV.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Premature Birth..... | 2 | ... | ... | ... | 1 | ... | 3 | ... | 17 | ... | 11 | ... | 10 | ... | 12 | ... | 56 | 55 | 54 | 42 | 52 | 42 | 57 | 48 | 60 | 67 |
| 2. Cyanosis | 1 | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | 1 | ... | 1 | ... | 5 | 8 | 11 | 7 | 10 | 3 | 9 | 6 | 5 | 4 |
| 3. Spina Bifida | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | 3 | 1 | ... | 1 | ... | ... | 3 | 2 | 3 | ... |
| 4. Other Malformations... | ... | ... | 1 | ... | ... | ... | 2 | ... | 3 | ... | ... | ... | 1 | ... | 2 | ... | 9 | 6 | 11 | 5 | 10 | 3 | 8 | 6 | 5 | 5 |
| 5. Teething | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 4 | ... | 2 | ... | 4 | ... | 4 | ... | 18 | 29 | 32 | 19 | 38 | 23 | 30 | 51 | 35 | 41 |
| | 4 | ... | 2 | ... | 2 | ... | 8 | ... | 25 | ... | 14 | ... | 16 | ... | 20 | ... | 91 | 99 | 108 | 74 | 110 | 71 | 107 | 113 | 108 | 117 |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Paramenia | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 3 | ... | 1 | ... | 2 | 1 | ... | ... | 2 | 1 |
| 2. Childbirth (<i>see</i> Metria) | ... | 2 | ... | 1 | ... | ... | ... | 1 | ... | 2 | ... | ... | ... | ... | ... | 4 | 10 | 9 | 8 | 17 | 20 | 8 | 13 | 18 | 17 | 30 |
| | ... | 3 | ... | 2 | ... | ... | ... | 1 | ... | 2 | ... | 1 | ... | ... | ... | 4 | 13 | 9 | 9 | 17 | 22 | 9 | 13 | 18 | 19 | 31 |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Old Age | ... | 2 | ... | 41 | ... | 2 | ... | 4 | ... | 19 | ... | 18 | ... | 3 | ... | 16 | 105 | 77 | 62 | 63 | 68 | 76 | 78 | 56 | 69 | 61 |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Atrophy and Debility... | 8 | ... | 3 | ... | 9 | ... | 7 | ... | 41 | ... | 24 | ... | 61 | ... | 41 | ... | 194 | 161 | 147 | 144 | 173 | 129 | 123 | 114 | 130 | 162 |
| Total, Class IV | 12 | 5 | 5 | 43 | 11 | 2 | 15 | 5 | 66 | 21 | 38 | 19 | 77 | 3 | 61 | 20 | 403 | 346 | 326 | 298 | 373 | 285 | 321 | 301 | 326 | 371 |
| CLASS V.—ORDER 1.— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ACCIDENT OR NEGLIGENCE. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Fractures & Contusions | 3 | 2 | ... | 48 | ... | ... | ... | 2 | 1 | 1 | ... | 4 | ... | 1 | ... | 2 | 64 | 57 | 68 | 90 | 66 | 44 | 51 | 40 | 35 | 40 |
| 2. Wounds { <i>a</i> Gunshot... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | 2 | ... | ... | ... |
| <i>b</i> Cuts | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 3 | 5 | 7 | 3 | 6 | 1 | 4 | 6 |
| 3. Burns and Scalds | ... | ... | 1 | 4 | ... | ... | ... | 1 | 1 | ... | ... | 1 | ... | 1 | ... | ... | 9 | 3 | 11 | 9 | 8 | 11 | 16 | 6 | 22 | 10 |
| 4. Sunstroke | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 2 | 1 | 3 | 7 | 2 | 2 | 3 | 4 | 1 | 1 |
| 4. Poison | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | 1 | 1 | ... | 2 | 3 | 1 | ... | 4 |
| 4. Bite of Snake or Insect | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 |
| 5. Drowning | ... | 2 | ... | 10 | ... | ... | ... | ... | ... | 1 | 4 | ... | ... | ... | 2 | ... | 19 | 15 | 17 | 12 | 8 | 15 | 4 | 15 | 12 | 10 |
| 6. Suffocation | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | ... | 1 | ... | ... | 5 | 6 | 5 | 9 | 10 | 4 | 11 | 8 | 6 | 7 |
| 7. Otherwise (Blood poisoning, Shock, &c.) | ... | ... | ... | 4 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 5 | 2 | 3 | 4 | 8 | 3 | 2 | ... | 1 | ... |
| | 3 | 5 | 1 | 69 | ... | 1 | ... | 2 | 3 | 3 | 2 | 8 | 3 | 2 | 2 | 4 | 108 | 87 | 111 | 137 | 109 | 84 | 98 | 75 | 81 | 79 |
| ORDER 2.—VIOLENT DEATHS IN BATTLE. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gunshot Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 2. Sword and Bayonet Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| ORDER 3.—HOMICIDE. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Murder | ... | ... | 1 | 1 | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | 4 | 7 | 8 | 5 | 9 | 4 | 6 | 6 | 2 | 3 |
| 2. Manslaughter | ... | ... | ... | 1 | ... | ... | ... | 2 | ... | ... | ... | ... | ... | ... | 1 | ... | 4 | 8 | 4 | 4 | 3 | 5 | 4 | 1 | 8 | 2 |
| | ... | ... | 1 | 2 | ... | ... | ... | 3 | 1 | ... | ... | ... | ... | ... | 1 | ... | 8 | 15 | 12 | 9 | 12 | 9 | 10 | 7 | 10 | 5 |
| ORDER 4.—SUICIDE. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Wounds { Gunshot | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 7 | 1 | 3 | 2 | 1 | ... | 4 | 1 | 1 |
| Cut, Stab, &c. ... | ... | 1 | ... | 1 | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | 5 | 2 | 2 | ... | 2 | 4 | 4 | 1 | 5 | 5 |
| 2. Poison | ... | 1 | ... | 3 | ... | ... | ... | ... | 3 | ... | ... | ... | ... | ... | ... | ... | 7 | 2 | 4 | 3 | 5 | 3 | 2 | 3 | 4 | 4 |
| 3. Drowning | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | 2 | ... | ... | ... | ... | 2 | 1 |
| 4. Hanging | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | 2 | ... | ... | ... | ... | ... | 4 | 2 | 2 | 2 | ... | 1 | 1 | 2 | 1 | 3 |
| 5. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | 1 | ... | 3 | 2 | ... | ... | ... | 1 | 1 |
| | ... | 3 | ... | 4 | ... | 2 | ... | ... | 5 | ... | 3 | ... | ... | ... | ... | 1 | 18 | 16 | 11 | 13 | 11 | 9 | 7 | 10 | 14 | 15 |
| ORDER 5.—EXECUTION. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | 2 | ... | ... | ... | 1 | 1 |
| Violent Deaths (not classed) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Open Verdicts—Found Drowned, &c. | ... | ... | ... | 8 | ... | 1 | ... | ... | 1 | ... | 2 | ... | ... | ... | ... | ... | 4 | 16 | 15 | 16 | 27 | 15 | 20 | 19 | 15 | 8 |
| Total, Class V. | 3 | 8 | 2 | 83 | ... | 4 | ... | 2 | 7 | 9 | 2 | 14 | 3 | 2 | 3 | 9 | 151 | 133 | 150 | 187 | 149 | 122 | 134 | 107 | 120 | 108 |
| Causes not specified or ill-defined | ... | 7 | ... | 13 | ... | 5 | ... | 4 | 2 | 3 | 2 | 12 | ... | 4 | ... | 8 | 60 | 58 | 49 | 51 | 60 | 29 | 38 | 38 | 55 | 19 |
| GRAND TOTAL | 94 | 108 | 23 | 501 | 41 | 65 | 61 | 70 | 289 | 257 | 135 | 246 | 185 | 95 | 225 | 140 | 2535 | 2233 | 2525 | 2246 | 2740 | 2266 | 2321 | 2000 | 2491 | 2673 |

J.

BIRTHS and DEATHS occurring at Sea, in the Colony of New South Wales, from 1st January to 31st December, 1884.

| | Births. | | | Deaths. | | |
|--------------|---------|----------|--------|---------|----------|--------|
| | Males. | Females. | Total. | Males. | Females. | Total. |
| | 13 | 21 | 34 | 54 | 19 | 73 |
| Sydney | | | | | | |

K.

RETURN OF REGISTRATION DISTRICTS, with the Names of the Persons holding the office of District Registrar during the year 1884.

| District. | Name of Registrar. | Date of Appointment. | District. | Name of Registrar. | Date of Appointment. |
|--------------------|--|----------------------|---------------------|--|----------------------|
| Sydney | The Registrar-General | 15 Dec., 1870 | Eden | J. W. Lees, C.P.S., Assistant D.R. | 1 July, 1883 |
| Balmain | William Parker | 1 April, 1881 | Emmaville | W. E. Henry, C.P.S., Assistant D.R. | 29 April, 1882 |
| Leichhardt | J. S. Hellier, Assistant D.R. ... | 1 July, 1882 | Forbes | Edmund A. T. Pery, C.P.S. ... | 13 Dec., 1884 |
| Canterbury | M. B. Young | 1 April, 1881 | Glen Innes | P. Le Jeune, C.P.S. | 1 Jan., 1882 |
| Ashfield | George Watson, Assistant D.R. | 1 May, 1884 | Grafton | Wm. Clarke, C.P.S. | 1 April, 1881 |
| Petersham | Alfred Newman, Assistant D.R. | 1 June, 1881 | Grenfell | Wm. H. Hazelton, C.L.A. | 1 Oct., 1882 |
| Glebe | F. W. Artlett, Acting D.R. ... | 8 May, 1884 | Greta | Thomas Jones | 1 April, 1881 |
| Newtown | Charles Alfred Newman | 1 April, 1881 | Gulgong | W. Le Brun Brown, C.P.S., Assistant D.R. | 23 May, 1884 |
| Paddington | Henry Gale | 1 " " | Gundagai | C. W. Weekes, C.P.S. | 1 Nov., 1882 |
| Randwick | William Bethune, Assist. D.R. | 1 " " | Gunnedah | W. C. Lawson | 31 Dec., 1881 |
| Waverley | R. T. Orr, " | 1 Feb., 1882 | Gunning | J. F. Kenyon, C.P.S., Assistant D.R. | 1 April, " |
| Woollahra | H. A. Gelston, " | 15 Aug., 1884 | Hay | G. F. Scott, C.P.S. | 21 July, 1883 |
| Redfern | Christopher Warburton | 1 April, 1881 | Hill End | H. S. Hawkins, C.P.S., Assistant D.R. | 17 May, 1884 |
| Waterloo | James Skinner, Assistant D.R. | 12 Mar., 1884 | Hillston | Michael Hogan | 1 Aug., " |
| St. Leonards | Robert Dalzell Ward, M.R.C.S. | 1 April, 1881 | Hunter | G. H. Smithers, C.P.S. | 5 Mar., 1882 |
| Manly | Æ. M. Stephen, Assistant D.R. | 1 " " | Inverell | W. C. Cardew, C.P.S. | 1 April, 1881 |
| Adelong | John James | 1 " " | Jerilderie | A. D. Fowler, Assistant D.R. ... | 1 Dec., 1882 |
| Albury | Charles A. Conley, Acting D.R. | 1 Feb., 1882 | Kempsey | C. A. Grubb, C.L.A. | 5 July, 1883 |
| Hume | | | Kiama | Henry Connell, C.P.S. | 1 April, 1881 |
| Argyle | L. W. A. Macarthur, C.P.S. ... | 1 July, 1883 | Lambton | W. T. Dent | 1 " " |
| Goulburn | | | Lismore | C. Coghlan, C.P.S., Assistant D.R. | 17 " 1884 |
| Armidale | L. S. Gordon, C.L.A. | 1 Oct., 1882 | Lithgow | W. P. Macdermott | 1 " 1881 |
| Balranald | N. Lockhart, C.L.A., Assistant D.R. | 22 Feb., 1883 | Liverpool | William Long, Assistant D.R. ... | 1 " " |
| Barmedman | William Forbes, " | 1 Oct., " | Lord Howe Island | W. G. Stevens, Schoolmaster ... | 1 May, 1882 |
| Barrington | Patrick J. Carland, Acting C.P.S., Acting Assistant D.R. | 6 Nov., 1884 | Macleay | J. W. Madgwick | 1 Dec., 1881 |
| Bathurst | C. Grant | 1 April, 1884 | Maitland East .. | G. H. Smithers, C.P.S. | 5 Mar., 1882 |
| East Macquarie .. | | | Maitland West .. | Thomas Hughes | 1 Jan., 1883 |
| West Macquarie .. | H. C. Robison, C.L.A. | 29 Dec., 1882 | Manilla | D. E. Veness, Assistant D.R. ... | 1 July, " |
| Bega | T. C. K. McKell, C.P.S., Assistant D.R. | 11 Mar., " | M'Donald River .. | T. J. Thompson, " | 1 April, 1881 |
| Bellinger River .. | F. R. Wilshire, C.P.S. | 1 April, 1881 | Menindie | J. W. Day, Acting D.R. | 28 June, 1884 |
| Berrima | P. Brougham, C.P.S., Assistant D.R. | 1 Jan., 1882 | Merriwa | A. M' Rae, C.P.S., Assistant D.R. | 1 Oct., 1883 |
| Bingara | O. A. Willans, C.L.A., Assistant D.R. | 1 May, 1884 | Millfield | Edwin Hincheliffe | 1 July, " |
| Bombala | W. Chisholm, C.P.S. | 19 Mar., 1883 | Milparinka | C. M' A. King, C.P.S., Assistant D.R. | 1 April, 1882 |
| Bourke | C. E. Oslear, C.P.S. | 25 July, " | Milton | John T. Hobbes, Assistant D.R. | 11 Jan., 1884 |
| Braidwood | Edward D. Mullen | 22 Dec., 1884 | Minni | John E. Fenwick, " | 1 May, 1882 |
| Brewarrina | A. T. Kingsmill, C.P.S., Assistant D.R. | 1 April, 1881 | Moama | L. S. Donaldson, C.P.S. Assistant D.R. | 1 April, 1881 |
| Brisbane Water .. | Joseph Reynolds, Assist. D.R. | 1 Feb., 1883 | Molong | Henry J. Jeffreys, C.L.A. | 1 Oct., 1882 |
| Bundarra | W. E. Wotton | 1 Sept., " | Moree | J. Teas, Assistant D.R. | 1 April, 1881 |
| Burrowa | J. B. Martin, C.P.S. | 1 April, 1881 | Morpeth | James Keating | 1 " " |
| Camden | Henry A. Smith, C.P.S., Assistant D.R. | 13 Nov., 1882 | Moruya | W. H. Thomas, C.P.S., Assistant D.R. | 1 " " |
| Campbelltown .. | W. B. Warner | 1 April, 1881 | Moulamein | Thomas Linton, Assistant D.R. | 28 " " |
| Carcoar | M. M. Campbell, C.P.S. | 1 " " | Mudgee | F. S. Isaacs, C.P.S. | 1 " " |
| Casino | Charles J. Lloyd, C.P.S. | 15 Nov., 1884 | Murrumburrah .. | C. Cutcliffe, C.P.S., Assistant D.R. | 1 " " |
| Cassilis | George Wickham, C.P.S. | 1 April, 1881 | Murrurundi | G. R. Evans, C.P.S. | 1 " " |
| Central Cumberland | James Lyall | 1 June, " | Muswellbrook ... | T. Foley, C.P.S. | 1 " " |
| Parramatta .. | F. S. Osborn, C.P.S., Assistant D.R. | 16 Aug., 1883 | Nambucca River .. | Edward Leeson, Assistant D.R. | 1 July, 1884 |
| Clarence Town .. | John Kenny, C.P.S. | 7 July, " | Narrabri | Henry J. Bolding, P.M. & C.P.S. | 24 Dec., 1884 |
| Cobar | Alfred Salvey, C.L.A. | 29 Sept., 1882 | Narrandera | J. S. King, C.P.S., Assistant D.R. | 1 April, 1881 |
| Condobolin | F. W. Edwards, C.P.S. | 1 April, 1881 | Newcastle | John Burrowes | 1 " " |
| Cooma | Robert R. Bailey, C.P.S., Assistant D.R. | 1 " " | Nundle | S. Kermode | 1 " " |
| Coonabarabran ... | C. H. B. Primrose, Assistant D.R. | 1 " " | Nymagee | Samuel H. Smith, Assist. D.R. | 1 " 1883 |
| Coonamble | Charles de Boos, C.P.S., Assistant D.R. | 2 Jan., 1883 | Orange | W. T. Evans, C.P.S. | 1 " 1881 |
| Cootamundra .. | W. B. Simpson, C.P.S., Assistant D.R. | 1 April, 1881 | Parkes | W. C. Weston, C.P.S., Assistant D.R. | 1 " " |
| Crookwell | Walter S. Gunn, C.P.S., Assistant D.R. | 1 " " | Paterson | W. C. Rodgeron, C.P.S., Assistant D.R. | 1 " 1883 |
| Deniliquin | W. H. Hooper | 1 " " | Patrick's Plains .. | F. J. Robinson | 1 " 1881 |
| Denman | H. H. Connell, C.P.S., Assistant D.R. | 1 Oct., 1884 | Penrith | J. K. Cleeve, C.P.S. | 1 " " |
| Dubbo | Luke M'Guinn, Assistant D.R. | 1 April, 1884 | Pictou | W. R. Antill, Assistant D.R. ... | 1 " " |
| Dungog | C. G. Smith, C.P.S. | 1 " 1881 | Port Macquarie .. | R. Maunsell, P.M., Assistant D.R. | 1 " " |
| | | | Queanbeyan | C. H. Emery | 22 May, 1883 |

K—continued.

| District. | Name of Registrar. | Date of Appointment. | District. | Name of Registrar. | Date of Appointment. |
|-------------------|--|----------------------|------------------|--|----------------------|
| Raymond Terrace | Chas. R. Middleton, C.P.S., Assistant D.R. | 1 Jan., 1882 | Ulmarra | John M'Gregor, Assistant D.R. | 1 " " |
| Richmond | R. H. Ducker, Assistant D.R... | 1 April, 1881 | Uralla | J. M. Sheahan, C.P.S., Assistant D.R. | 20 " 1883 |
| Robertson | David Moffit, " | 1 " " | Urana | H. H. Lublin, Assistant D.R.... | 8 Dec., 1882 |
| Ryde | G. M. Pope, C.P.S., Assist. D.R. | 1 " " | Wagga Wagga ... | E. H. Tompson, C.P.S. | 1 April, 1881 |
| Rylstone | W. W. Armstrong, C.P.S., Assistant D.R. | 1 " " | Walcha | Edward Marriott, C.P.S., Assis- tant D.R. | 1 " 1883 |
| Scone..... | H. J. Leary | 1 July, 1883 | Walgett | James Miller, Assistant D.R.... | 1 " 1881 |
| Shoalhaven | W. Lovegrove, C.P.S. | 1 April, 1881 | Wallsend | Thomas Alnwick, " ... | 1 " " |
| Silverton | Wyman Brown, C.P.S., Assis- tant D.R. | 22 Aug., 1884 | Warialda | T. H. Wilkinson, C.P.S..... | 27 May, 1882 |
| Sofala | John P. Hayes, Assistant D.R. | 19 June, 1881 | Wellington | W. Carson, C.P.S. | 1 " 1884 |
| Stroud | T. Laman, C.P.S..... | 1 April, " | Wentworth | Arthur N. Barnett, C.P.S..... | 1 Nov., " |
| Tambaroora | J. S. Willard, Assistant D.R.... | 1 " " | Wilcannia | W. B. Brown, C.P.S. | 4 Dec., 1882 |
| Tamworth | J. M'Donald, C.P.S. | 1 " " | Windsor | W. H. H. Becke, C.P.S..... | 1 April, 1881 |
| Taree | J. A. Creagh, C.P.S. | 1 " " | Wollombi | Henry Gordon, C.P.S., Assistant D.R. | 1 Oct., 1883 |
| Temora | R. Zouch, C.P.S. | 1 " " | Wollongong | Alfred A. Turner, C.P.S. | 1 April, 1881 |
| Tenterfield | James H. Tompson, C.P.S. ... | 28 Aug., 1883 | Woonona | Edward Ramsay, Assist. D.R... | 1 " " |
| Tumut | William H. Hilton | 13 Nov., 1884 | Yass | A. Money Fisher, C.P.S. | 22 Feb., 1882 |
| Tweed River..... | Joshua Bray, C.P.S., Assistant D.R. | 1 April, 1881 | Young | T. E. Blomfield, C.P.S. | 19 Nov., " |

Sydney : Thomas Richards, Government Printer.—1885.